



Series Group	Series Description	Series	Page No.	DIA. RANGE (in mm)	Coating Type	Internal Coolant
General Purpose Drills	Carbide 1X GP-Drills (STUB Series) with TiALN Coated	C1GS	2	2 ~ 20	TiALN	No
	Carbide 1X GP-Drills (JOBBER Series)	C1GJ	3	2 ~ 20	None/TiALN	No
High Performance Drills	Carbide 1X HP-Drills Parallel Shank	C1HP	6	3~13	TiALN	No
	Carbide 3X HP-Drills (SHORT) Reinforced Shank	C3HS	7	2 ~ 20	NOVA	No
	Carbide 3X HP-Drills (LONG) Reinforced Shank	C3HL	9	2 ~ 20	NOVA	No
	Carbide HP-Drills with Coolant Hole (SHORT)	CTHS	10	4 ~ 20	NOVA	Yes
	Carbide HP-Drills with Coolant Hole (LONG)	CTHL	11	4 ~ 20	NOVA	Yes
	Carbide HP-MQL Drills With Coolant Hole	CTHM	12	4 ~ 12	NOVA	Yes
	Carbide 4X HP-Drills (TIGER DRILLS)	C4HT	13	4 ~ 12	NOVA	No
Misc. Drills	Carbide NC-Spotting drills 90	C1N1	14	6 ~ 20	None	No
	Carbide NC-Spotting drills 120	C1N2	14	6 ~ 20	None	No
	Carbide Centre Drills BS 328 Series	C1CB	14	BS1-BS8	None	No
	Carbide Centre Drills DIN 333	C1CD	14	1.25 ~ 8	None	No



Series	C1GS				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CR11GDR004U3	2.0	12	39	2.0	₹ 573
CR11GDR004Y4	2.1	14	39	2.1	₹ 573
CR11GDR004Z2	2.2	14	39	2.2	₹ 573
CR11GDR00503	2.3	14	39	2.3	₹ 573
CR11GDR00511	2.4	14	39	2.4	₹ 573
CR11GDR00529	2.5	14	39	2.5	₹ 573
CR11GDR00545	2.6	20	54	2.6	₹ 612
CR11GDR00552	2.7	20	54	2.7	₹ 612
CR11GDR00560	2.8	20	54	2.8	₹ 612
CR11GDR00586	2.9	20	54	2.9	₹ 612
CR11GDR00594	3.0	20	54	3.0	₹ 612
CR11GDR005C2	3.1	20	54	3.1	₹ 660
CR11GDR005E7	3.2	20	54	3.2	₹ 660
CR11GDR005G3	3.3	20	54	3.3	₹ 669
CR11GDR005J6	3.4	20	54	3.4	₹ 669
CR11GDR005M0	3.5	20	54	3.5	₹ 669
CR11GDR005P3	3.6	22	54	3.6	₹ 669
CR11GDR005R9	3.7	22	54	3.7	₹ 669
CR11GDR005T4	3.8	22	54	3.8	₹ 669
CR11GDR005V0	3.9	22	54	3.9	₹ 678
CR11GDR005X5	4.0	22	54	4.0	₹ 678
CR11GDR005Z1	4.1	24	63	4.1	₹ 801
CR11GDR00610	4.2	24	63	4.2	₹ 801
CR11GDR00636	4.3	24	63	4.3	₹ 822
CR11GDR00651	4.4	24	63	4.4	₹ 822
CR11GDR00677	4.5	24	63	4.5	₹ 822
CR11GDR006A5	4.6	26	63	4.6	₹ 822
CR11GDR006C1	4.7	26	63	4.7	₹ 822
CR11GDR006E6	4.8	26	63	4.8	₹ 822
CR11GDR006G2	4.9	26	63	4.9	₹ 822
CR11GDR006J5	5.0	26	63	5.0	₹ 822
CR11GDR006L1	5.1	28	63	5.1	₹ 918
CR11GDR006N6	5.2	28	63	5.2	₹ 1,014
CR11GDR006R8	5.3	28	63	5.3	₹ 1,014
CR11GDR006U1	5.4	28	63	5.4	₹ 1,014
CR11GDR006W7	5.5	28	63	5.5	₹ 1,014
CR11GDR006Y2	5.6	28	63	5.6	₹ 1,041
CR11GDR00701	5.7	28	63	5.7	₹ 1,041
CR11GDR00727	5.8	28	63	5.8	₹ 1,041
CR11GDR00743	5.9	28	63	5.9	₹ 1,041
CR11GDR00768	6.0	28	63	6.0	₹ 1,041
CR11GDR00784	6.1	31	63	6.1	₹ 1,353
CR11GDR007A4	6.2	31	63	6.2	₹ 1,353
CR11GDR007D7	6.3	31	63	6.3	₹ 1,353
CR11GDR007F3	6.4	31	63	6.4	₹ 1,353
CR11GDR007J4	6.5	31	63	6.5	₹ 1,353
CR11GDR007L0	6.6	34	63	6.6	₹ 1,353
CR11GDR007N5	6.7	34	63	6.7	₹ 1,353
CR11GDR007Q9	6.8	34	63	6.8	₹ 1,353
CR11GDR007T2	6.9	34	63	6.9	₹ 1,353
CR11GDR007W6	7.0	34	63	7.0	₹ 1,353
CR11GDR007Y1	7.1	34	79	7.1	₹ 1,815
CR11GDR00800	7.2	34	79	7.2	₹ 1,815
CR11GDR00826	7.3	34	79	7.3	₹ 1,815
CR11GDR00842	7.4	34	79	7.4	₹ 1,815
CR11GDR00867	7.5	34	79	7.5	₹ 1,815
CR11GDR008A3	7.6	37	79	7.6	₹ 1,923
CR11GDR008C9	7.7	37	79	7.7	₹ 1,923
CR11GDR008E4	7.8	37	79	7.8	₹ 1,923
CR11GDR008G0	7.9	37	79	7.9	₹ 1,923
CR11GDR008J3	8.0	37	79	8.0	₹ 1,923
CR11GDR008L9	8.1	37	79	8.1	₹ 2,157
CR11GDR008N4	8.2	37	79	8.2	₹ 2,157
CR11GDR008R6	8.3	37	79	8.3	₹ 2,250
CR11GDR008T1	8.4	37	79	8.4	₹ 2,250
CR11GDR008W5	8.5	37	79	8.5	₹ 2,250
CR11GDR00909	8.6	40	79	8.6	₹ 2,250
CR11GDR00933	8.7	40	79	8.7	₹ 2,250

Carbide 1X GP-Drills (STUB Series) with TiAlN Coated					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CR11GDR00958	8.8	40	79	8.8	₹ 2,250
CR11GDR00982	8.9	40	79	8.9	₹ 2,250
CR11GDR009A2	9.0	40	79	9.0	₹ 2,250
CR11GDR009E3	9.1	40	79	9.1	₹ 2,646
CR11GDR009G9	9.2	40	79	9.2	₹ 2,646
CR11GDR009J2	9.3	40	79	9.3	₹ 2,646
CR11GDR009L8	9.4	40	79	9.4	₹ 2,646
CR11GDR009N3	9.5	40	79	9.5	₹ 2,646
CR11GDR009Q7	9.6	42	79	9.6	₹ 2,646
CR11GDR009S2	9.7	42	79	9.7	₹ 2,646
CR11GDR009V6	9.8	42	79	9.8	₹ 2,646
CR11GDR009X1	9.9	42	79	9.9	₹ 2,646
CR11GDR009Z7	10.0	42	79	10.0	₹ 2,646
CR11GDR00A19	10.1	42	79	10.1	₹ 2,898
CR11GDR00A27	10.2	42	79	10.2	₹ 3,342
CR11GDR00A43	10.3	47	100	10.3	₹ 3,816
CR11GDR00A50	10.4	47	100	10.4	₹ 3,816
CR11GDR00A68	10.5	47	100	10.5	₹ 3,816
CR11GDR00A92	10.6	47	100	10.6	₹ 3,870
CR11GDR00AA4	10.7	47	100	10.7	₹ 3,870
CR11GDR00AB2	10.8	47	100	10.8	₹ 3,870
CR11GDR00AD7	10.9	47	100	10.9	₹ 3,870
CR11GDR00AE5	11.0	47	100	11.0	₹ 3,870
CR11GDR00AG1	11.1	47	100	11.1	₹ 4,320
CR11GDR00AH9	11.2	47	100	11.2	₹ 4,380
CR11GDR00AJ4	11.3	47	100	11.3	₹ 4,380
CR11GDR00AK2	11.4	47	100	11.4	₹ 4,380
CR11GDR00AL0	11.5	47	100	11.5	₹ 4,380
CR11GDR00AN5	11.6	49	100	11.6	₹ 4,380
CR11GDR00AP1	11.7	49	100	11.7	₹ 4,380
CR11GDR00AQ9	11.8	49	100	11.8	₹ 4,380
CR11GDR00AR7	11.9	49	100	11.9	₹ 4,380
CR11GDR00AS4	12.0	49	100	12.0	₹ 4,380
CR11GDR00AU0	12.1	51	102	12.1	₹ 4,800
CR11GDR00AV8	12.2	51	102	12.2	₹ 5,157
CR11GDR00AW6	12.3	51	102	12.3	₹ 5,157
CR11GDR00AX3	12.4	51	102	12.4	₹ 5,157
CR11GDR00AZ9	12.5	51	102	12.5	₹ 5,157
CR11GDR00B00	12.6	51	102	12.6	₹ 5,157
CR11GDR00B18	12.7	51	102	12.7	₹ 5,157
CR11GDR00B34	12.8	51	102	12.8	₹ 5,157
CR11GDR00B42	12.9	51	102	12.9	₹ 5,157
CR11GDR00B59	13.0	51	102	13.0	₹ 5,157
CR11GDR00B67	13.1	54	107	13.1	₹ 6,042
CR11GDR00B75	13.2	54	107	13.2	₹ 6,042
CR11GDR00B83	13.3	54	107	13.3	₹ 6,042
CR11GDR00B91	13.4	54	107	13.4	₹ 6,042
CR11GDR00BA3	13.5	54	107	13.5	₹ 6,042
CR11GDR00BB1	13.6	54	107	13.6	₹ 6,042
CR11GDR00BC9	13.7	54	107	13.7	₹ 6,042
CR11GDR00BD6	13.8	54	107	13.8	₹ 6,042
CR11GDR00BE4	13.9	54	107	13.9	₹ 6,042
CR11GDR00BF2	14.0	54	107	14.0	₹ 6,042
CR11GDR00BG0	14.1	56	109	14.1	₹ 7,182
CR11GDR00BH8	14.2	56	109	14.2	₹ 7,182
CR11GDR00BJ3	14.3	56	109	14.3	₹ 7,182
CR11GDR00BK1	14.4	56	109	14.4	₹ 7,182
CR11GDR00BL9	14.5	56	109	14.5	₹ 7,182
CR11GDR00BM7	14.6	56	109	14.6	₹ 7,182
CR11GDR00BN4	14.7	56	109	14.7	₹ 7,182
CR11GDR00BP0	14.8	56	109	14.8	₹ 7,182
CR11GDR00BQ8	14.9	56	109	14.9	₹ 7,182
CR11GDR00BS3	15.0	56	109	15.0	₹ 7,182
CR11GDR00BT1	16.0	56	109	16.0	₹ 8,247
CR11GDR00BU9	17.0	56	109	18.0	₹ 10,977
CR11GDR00BV7	18.0	56	109	18.0	₹ 10,977
CR11GDR00BW5	19.0	56	109	20.0	₹ 13,227
CR11GDR00BX2	20.0	56	109	20.0	₹ 13,227



Series		C1GJ		Carbide 1X GP-Drills (JOBBER Series)				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50 Uncoated	PL-50 TIALN Coated	
CR1XGDR000H7	C1GJ0200-F	2.0	24	61	3.0	₹ 612	₹ 678	
CR1XGDR000J2	C1GJ0210-F	2.1	24	61	2.1	₹ 612	₹ 678	
CR1XGDR000K0	C1GJ0220-F	2.2	24	61	2.2	₹ 612	₹ 678	
CR1XGDR000L8	C1GJ0230-F	2.3	24	61	2.3	₹ 612	₹ 678	
CR1XGDR000M6	C1GJ0240-F	2.4	24	61	2.4	₹ 612	₹ 678	
CR1XGDR000N3	C1GJ0250-F	2.5	24	61	2.5	₹ 612	₹ 678	
CR1XGDR000P9	C1GJ0260-F	2.6	33	61	2.6	₹ 630	₹ 735	
CR1XGDR000Q7	C1GJ0270-F	2.7	33	61	2.7	₹ 630	₹ 735	
CR1XGDR000R5	C1GJ0280-F	2.8	33	61	2.8	₹ 630	₹ 735	
CR1XGDR000S2	C1GJ0290-F	2.9	33	61	2.9	₹ 630	₹ 735	
CR1XGDR000T0	CR11GDR005A6	3.0	33	61	3.0	₹ 630	₹ 735	
CR1XGDR000U8	CR11GDR005D9	3.1	39	70	3.1	₹ 756	₹ 840	
CR1XGDR000V6	CR11GDR005F5	3.2	39	70	3.2	₹ 762	₹ 840	
CR1XGDR000W4	CR11GDR005H1	3.3	39	70	3.3	₹ 762	₹ 840	
CR1XGDR000X1	CR11GDR005K4	3.4	39	70	3.4	₹ 765	₹ 840	
CR1XGDR000Y9	CR11GDR005N7	3.5	39	70	3.5	₹ 765	₹ 840	
CR1XGDR000Z7	CR11GDR005Q1	3.6	43	75	3.6	₹ 771	₹ 894	
CR1XGDR00108	CR11GDR005S6	3.7	43	75	3.7	₹ 771	₹ 894	
CR1XGDR00116	CR11GDR005U2	3.8	43	75	3.8	₹ 789	₹ 897	
CR1XGDR00124	CR11GDR005W8	3.9	43	75	3.9	₹ 825	₹ 942	
CR1XGDR00140	CR11GDR005Y3	4.0	43	75	4.0	₹ 840	₹ 942	
CR1XGDR00157	CR11GDR00602	4.1	47	80	4.1	₹ 939	₹ 993	
CR1XGDR00165	CR11GDR00628	4.2	47	80	4.2	₹ 939	₹ 1,062	
CR1XGDR00173	CR11GDR00644	4.3	47	80	4.3	₹ 951	₹ 1,068	
CR1XGDR00181	CR11GDR00669	4.4	47	80	4.4	₹ 951	₹ 1,068	
CR1XGDR00199	CR11GDR00693	4.5	47	80	4.5	₹ 951	₹ 1,068	
CR1XGDR001B9	CR11GDR006B3	4.6	52	86	4.6	₹ 1,041	₹ 1,200	
CR1XGDR001C7	CR11GDR006D8	4.7	52	86	4.7	₹ 1,041	₹ 1,200	
CR1XGDR001D4	CR11GDR006F4	4.8	52	86	4.8	₹ 1,062	₹ 1,194	
CR1XGDR001E2	CR11GDR006H0	4.9	52	86	4.9	₹ 1,062	₹ 1,194	
CR1XGDR001G8	CR11GDR006K3	5.0	52	86	5.0	₹ 1,062	₹ 1,194	
CR1XGDR001H6	CR11GDR006M9	5.1	52	86	5.1	₹ 1,167	₹ 1,308	
CR1XGDR001J1	CR11GDR006Q0	5.2	52	86	5.2	₹ 1,260	₹ 1,422	
CR1XGDR001K9	CR11GDR006S5	5.3	57	93	5.3	₹ 1,335	₹ 1,437	
CR1XGDR001L7	CR11GDR006V9	5.4	57	93	5.4	₹ 1,335	₹ 1,437	
CR1XGDR001M5	CR11GDR006X4	5.5	57	93	5.5	₹ 1,335	₹ 1,437	
CR1XGDR001N2	CR11GDR006Z0	5.6	57	93	5.6	₹ 1,335	₹ 1,437	
CR1XGDR001P8	CR11GDR00719	5.7	57	93	5.7	₹ 1,335	₹ 1,437	
CR1XGDR001Q6	CR11GDR00735	5.8	57	93	5.8	₹ 1,335	₹ 1,437	
CR1XGDR001R4	CR11GDR00750	5.9	57	93	5.9	₹ 1,335	₹ 1,437	
CR1XGDR001S1	CR11GDR00776	6.0	57	93	6.0	₹ 1,335	₹ 1,437	
CR1XGDR001T9	CR11GDR00792	6.1	63	101	6.1	₹ 1,596	₹ 1,713	
CR1XGDR001U7	CR11GDR007C0	6.2	63	101	6.2	₹ 1,596	₹ 1,713	
CR1XGDR001V5	CR11GDR007E5	6.3	63	101	6.3	₹ 1,662	₹ 1,770	
CR1XGDR001W3	CR11GDR007H9	6.4	63	101	6.4	₹ 1,680	₹ 1,827	
CR1XGDR001X0	CR11GDR007K2	6.5	63	101	6.5	₹ 1,680	₹ 1,827	
CR1XGDR001Y8	CR11GDR007M8	6.6	69	109	6.6	₹ 1,680	₹ 1,827	
CR1XGDR001Z6	CR11GDR007P1	6.7	69	109	6.7	₹ 1,680	₹ 1,827	
CR1XGDR00207	CR11GDR007S4	6.8	69	109	6.8	₹ 1,680	₹ 1,827	
CR1XGDR00215	CR11GDR007U0	6.9	69	109	6.9	₹ 1,680	₹ 1,827	
CR1XGDR00223	CR11GDR007X3	7.0	69	109	7.0	₹ 1,680	₹ 1,827	
CR1XGDR00231	CR11GDR007Z9	7.1	69	109	7.1	₹ 1,986	₹ 2,154	
CR1XGDR00249	CR11GDR00818	7.2	69	109	7.2	₹ 1,986	₹ 2,154	



Series		C1GJ		Carbide 1X GP-Drills (JOBBER Series)				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50 Uncoated	PL-50 TIALN Coated	
CR1XGDR00256	CR11GDR00834	7.3	69	109	7.3	₹ 1,995	₹ 2,220	
CR1XGDR00264	CR11GDR00859	7.4	69	109	7.4	₹ 1,995	₹ 2,220	
CR1XGDR00272	CR11GDR00891	7.5	69	109	7.5	₹ 1,995	₹ 2,220	
CR1XGDR00280	CR11GDR008B1	7.6	75	117	7.6	₹ 2,265	₹ 2,565	
CR1XGDR00298	CR11GDR008D6	7.7	75	117	7.7	₹ 2,265	₹ 2,565	
CR1XGDR002A0	CR11GDR008F2	7.8	75	117	7.8	₹ 2,265	₹ 2,565	
CR1XGDR002B8	CR11GDR008H8	7.9	75	117	7.9	₹ 2,265	₹ 2,565	
CR1XGDR002C6	CR11GDR008K1	8.0	75	117	8.0	₹ 2,301	₹ 2,601	
CR1XGDR002E1	CR11GDR008M7	8.1	75	117	8.1	₹ 2,634	₹ 2,670	
CR1XGDR002F9	CR11GDR008Q8	8.2	75	117	8.2	₹ 2,634	₹ 3,033	
CR1XGDR002G7	CR11GDR008S3	8.3	75	117	8.3	₹ 2,628	₹ 3,030	
CR1XGDR002H5	CR11GDR008U9	8.4	75	117	8.4	₹ 2,628	₹ 3,030	
CR1XGDR002J0	CR11GDR008Z8	8.5	75	117	8.5	₹ 2,628	₹ 3,030	
CR1XGDR002K8	CR11GDR00917	8.6	81	125	8.6	₹ 2,787	₹ 3,141	
CR1XGDR002L6	CR11GDR00941	8.7	81	125	8.7	₹ 2,787	₹ 3,141	
CR1XGDR002M4	CR11GDR00974	8.8	81	125	8.8	₹ 2,787	₹ 3,141	
CR1XGDR002N1	CR11GDR00990	8.9	81	125	8.9	₹ 2,787	₹ 3,141	
CR1XGDR002P7	CR11GDR009C8	9.0	81	125	9.0	₹ 2,787	₹ 3,141	
CR1XGDR002Q5	CR11GDR009F1	9.1	81	125	9.1	₹ 3,396	₹ 3,630	
CR1XGDR002R3	CR11GDR009H7	9.2	81	125	9.2	₹ 3,396	₹ 3,630	
CR1XGDR002S0	CR11GDR009K0	9.3	81	125	9.3	₹ 3,396	₹ 3,630	
CR1XGDR002T8	CR11GDR009M6	9.4	81	125	9.4	₹ 3,396	₹ 3,630	
CR1XGDR002U6	CR11GDR009P9	9.5	81	125	9.5	₹ 3,396	₹ 3,630	
CR1XGDR002V4	CR11GDR009R5	9.6	87	133	9.6	₹ 3,843	₹ 4,128	
CR1XGDR002W2	CR11GDR009T0	9.7	87	133	9.7	₹ 3,843	₹ 4,128	
CR1XGDR002X9	CR11GDR009W4	9.8	87	133	9.8	₹ 3,843	₹ 4,128	
CR1XGDR002Y7	CR11GDR009Y9	9.9	87	133	9.9	₹ 3,843	₹ 4,128	
CR1XGDR002Z5	CR11GDR00A01	10.0	87	133	10.0	₹ 3,843	₹ 4,128	
CR1XGDR00306	C1GJ1010-F	10.1	87	133	10.1	₹ 4,371	₹ 4,728	
CR1XGDR00322	C1GJ1020-F	10.2	87	133	10.2	₹ 4,371	₹ 4,728	
CR1XGDR00330	C1GJ1030-F	10.3	87	133	10.3	₹ 4,440	₹ 4,809	
CR1XGDR00348	C1GJ1040-F	10.4	87	133	10.4	₹ 4,440	₹ 4,809	
CR1XGDR00355	C1GJ1050-F	10.5	87	133	10.5	₹ 4,440	₹ 4,809	
CR1XGDR00363	C1GJ1060-F	10.6	94	142	10.6	₹ 4,791	₹ 5,112	
CR1XGDR00371	C1GJ1070-F	10.7	94	142	10.7	₹ 4,791	₹ 5,112	
CR1XGDR00389	C1GJ1080-F	10.8	94	142	10.8	₹ 4,791	₹ 5,112	
CR1XGDR00397	C1GJ1090-F	10.9	94	142	10.9	₹ 4,791	₹ 5,112	
CR1XGDR003A9	CR11GDR00AF3	11.0	94	142	11.0	₹ 4,791	₹ 5,112	
CR1XGDR003B7	C1GJ1110-F	11.1	94	142	11.1	₹ 5,340	₹ 5,775	
CR1XGDR003C5	C1GJ1120-F	11.2	94	142	11.2	₹ 5,439	₹ 5,775	
CR1XGDR003D2	C1GJ1130-F	11.3	94	142	11.3	₹ 5,430	₹ 5,829	
CR1XGDR003E0	C1GJ1140-F	11.4	94	142	11.4	₹ 5,430	₹ 5,829	
CR1XGDR003F8	CR11GDR00AM8	11.5	94	142	11.5	₹ 5,430	₹ 5,829	
CR1XGDR003G6	C1GJ1160-F	11.6	101	151	11.6	₹ 5,490	₹ 6,051	
CR1XGDR003H4	C1GJ1170-F	11.7	101	151	11.7	₹ 5,490	₹ 6,051	
CR1XGDR003J9	C1GJ1180-F	11.8	101	151	11.8	₹ 5,490	₹ 6,051	
CR1XGDR003K7	C1GJ1190-F	11.9	101	151	11.9	₹ 5,490	₹ 6,051	
CR1XGDR003L5	CR11GDR00AT2	12.0	101	151	12.0	₹ 5,490	₹ 6,051	
CR1XGDR003M3	C1GJ1210-F	12.1	101	151	12.1	₹ 6,582	₹ 7,251	
CR1XGDR003N0	C1GJ1220-F	12.2	101	151	12.2	₹ 6,744	₹ 7,251	
CR1XGDR003P6	C1GJ1230-F	12.3	101	151	12.3	₹ 6,744	₹ 7,251	
CR1XGDR003Q4	C1GJ1240-F	12.4	101	151	12.4	₹ 6,744	₹ 7,251	
CR1XGDR003R2	C1GJ1250-F	12.5	101	151	12.5	₹ 6,744	₹ 7,251	



Series		C1GJ		Carbide 1X GP-Drills (JOBBER Series)				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50 Uncoated	PL-50 TIALN Coated	
CR1XGDR003S9	C1GJ1260-F	12.6	101	151	12.6	₹ 6,744	₹ 7,251	
CR1XGDR003T7	C1GJ1270-F	12.7	101	151	12.7	₹ 6,744	₹ 7,251	
CR1XGDR003U5	C1GJ1280-F	12.8	101	151	12.8	₹ 6,744	₹ 7,251	
CR1XGDR003V3	C1GJ1290-F	12.9	101	151	12.9	₹ 6,744	₹ 7,251	
CR1XGDR003W1	CR11GDR00NU7	13.0	101	151	13.0	₹ 6,744	₹ 7,251	
CR1XGDR003X8		13.1	101	151	13.1	₹ 8,091		
CR1XGDR003Y6		13.2	101	151	13.2	₹ 8,292		
CR1XGDR003Z4		13.3	101	151	13.3	₹ 8,292		
CR1XGDR00405		13.4	101	151	13.4	₹ 8,292		
CR1XGDR00413		13.5	101	151	13.5	₹ 8,292		
CR1XGDR00421		13.6	101	151	13.6	₹ 8,730		
CR1XGDR00439		13.7	101	151	13.7	₹ 8,730		
CR1XGDR00447		13.8	101	151	13.8	₹ 8,730		
CR1XGDR00454		13.9	101	151	13.9	₹ 8,730		
CR1XGDR00462		14.0	101	151	14.0	₹ 8,730		
CR1XGDR00470		14.1	101	151	14.1	₹ 9,834		
CR1XGDR00488		14.2	101	151	14.2	₹ 9,834		
CR1XGDR00496		14.3	101	151	14.3	₹ 9,834		
CR1XGDR004A8		14.4	101	151	14.4	₹ 9,834		
CR1XGDR004C4		14.5	101	151	14.5	₹ 9,834		
CR1XGDR004D1		14.6	101	151	14.6	₹ 10,071		
CR1XGDR004E9		14.7	101	151	14.7	₹ 10,071		
CR1XGDR004F7		14.8	101	151	14.8	₹ 10,071		
CR1XGDR004G5		14.9	101	151	14.9	₹ 10,071		
CR1XGDR004H3		15.0	101	151	15.0	₹ 10,071		
CR1XGDR004J8		16.0	101	151	16.0	₹ 11,826		
CR1XGDR004K6		17.0	101	151	17.0	₹ 13,092		
CR1XGDR004L4		18.0	101	151	18.0	₹ 14,586		
CR1XGDR004M2		19.0	101	151	19.0	₹ 16,332		
CR1XGDR004N9		20.0	101	151	20.0	₹ 18,321		



PL50 w.e.f 01-May-2018
{ GST Extra As Applicable }

Series	C1HP			
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	PL-50
C1HP0300-F	3.0	28	63	₹ 810
C1HP0310-F	3.1	28	63	₹ 885
C1HP0320-F	3.2	28	63	₹ 885
C1HP0330-F	3.3	28	63	₹ 885
C1HP0340-F	3.4	28	63	₹ 951
C1HP0350-F	3.5	28	63	₹ 951
C1HP0360-F	3.6	28	63	₹ 951
C1HP0370-F	3.7	28	63	₹ 951
C1HP0380-F	3.8	28	63	₹ 951
C1HP0390-F	3.9	28	63	₹ 951
C1HP0400-F	4.0	40	80	₹ 1,086
C1HP0410-F	4.1	40	80	₹ 1,134
C1HP0420-F	4.2	40	80	₹ 1,167
C1HP0430-F	4.3	40	80	₹ 1,167
C1HP0440-F	4.4	40	80	₹ 1,167
C1HP0450-F	4.5	40	80	₹ 1,167
C1HP0460-F	4.6	40	80	₹ 1,167
C1HP0470-F	4.7	40	80	₹ 1,167
C1HP0480-F	4.8	40	80	₹ 1,167
C1HP0490-F	4.9	40	80	₹ 1,167
C1HP0500-F	5.0	40	80	₹ 1,167
C1HP0510-F	5.1	40	80	₹ 1,425
C1HP0520-F	5.2	40	80	₹ 1,443
C1HP0530-F	5.3	40	80	₹ 1,443
C1HP0540-F	5.4	40	80	₹ 1,443
C1HP0550-F	5.5	40	80	₹ 1,443
C1HP0560-F	5.6	40	80	₹ 1,443
C1HP0570-F	5.7	40	80	₹ 1,443
C1HP0580-F	5.8	40	80	₹ 1,443
C1HP0590-F	5.9	40	80	₹ 1,443
C1HP0600-F	6.0	40	80	₹ 1,443
C1HP0610-F	6.1	40	80	₹ 2,034
C1HP0620-F	6.2	40	80	₹ 2,034
C1HP0630-F	6.3	40	80	₹ 2,034
C1HP0640-F	6.4	40	80	₹ 2,034
C1HP0650-F	6.5	40	80	₹ 2,034
C1HP0660-F	6.6	40	80	₹ 2,034
C1HP0670-F	6.7	40	80	₹ 2,034
C1HP0680-F	6.8	40	80	₹ 2,034
C1HP0690-F	6.9	40	80	₹ 2,034
C1HP0700-F	7.0	40	80	₹ 2,034
C1HP0710-F	7.1	40	80	₹ 2,436
C1HP0720-F	7.2	40	80	₹ 2,436
C1HP0730-F	7.3	40	80	₹ 2,436
C1HP0740-F	7.4	40	80	₹ 2,436
C1HP0750-F	7.5	40	80	₹ 2,436
C1HP0760-F	7.6	40	80	₹ 2,436
C1HP0770-F	7.7	40	80	₹ 2,436
C1HP0780-F	7.8	40	80	₹ 2,436
C1HP0790-F	7.9	40	80	₹ 2,436
C1HP0800-F	8.0	60	105	₹ 2,886

Carbide 1X HP-Drills Parallel Shank				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	PL-50
C1HP0810-F	8.1	60	105	₹ 3,213
C1HP0820-F	8.2	60	105	₹ 3,213
C1HP0830-F	8.3	60	105	₹ 3,213
C1HP0840-F	8.4	60	105	₹ 3,213
C1HP0850-F	8.5	60	105	₹ 3,213
C1HP0860-F	8.6	60	105	₹ 3,213
C1HP0870-F	8.7	60	105	₹ 3,213
C1HP0880-F	8.8	60	105	₹ 3,213
C1HP0890-F	8.9	60	105	₹ 3,213
C1HP0900-F	9.0	60	105	₹ 3,213
C1HP0910-F	9.1	60	105	₹ 3,636
C1HP0920-F	9.2	60	105	₹ 3,636
C1HP0930-F	9.3	60	105	₹ 3,636
C1HP0940-F	9.4	60	105	₹ 3,636
C1HP0950-F	9.5	60	105	₹ 3,636
C1HP0960-F	9.6	60	105	₹ 3,636
C1HP0970-F	9.7	60	105	₹ 3,636
C1HP0980-F	9.8	60	105	₹ 3,636
C1HP0990-F	9.9	60	105	₹ 3,636
C1HP1000-F	10.0	60	105	₹ 3,636
C1HP1010-F	10.1	60	105	₹ 4,179
C1HP1020-F	10.2	60	105	₹ 4,179
C1HP1030-F	10.3	60	105	₹ 4,179
C1HP1020-F	10.4	60	105	₹ 4,179
C1HP1050-F	10.5	60	105	₹ 4,179
C1HP1020-F	10.6	60	105	₹ 4,179
C1HP1070-F	10.7	60	105	₹ 4,179
C1HP1020-F	10.8	60	105	₹ 4,179
C1HP1090-F	10.9	60	105	₹ 4,179
C1HP1020-F	11.0	60	105	₹ 4,179
C1HP1110-F	11.1	60	105	₹ 4,797
C1HP1020-F	11.2	60	105	₹ 4,797
C1HP1130-F	11.3	60	105	₹ 4,797
C1HP1020-F	11.4	60	105	₹ 4,797
C1HP1150-F	11.5	60	105	₹ 4,797
C1HP1020-F	11.6	60	105	₹ 4,797
C1HP1170-F	11.7	60	105	₹ 4,797
C1HP1020-F	11.8	60	105	₹ 4,797
C1HP1190-F	11.9	60	105	₹ 4,797
C1HP1200-F	12.0	60	105	₹ 4,797
C1HP1300-F	13.0	60	105	₹ 5,619
C1HP1350-F	13.5	60	105	₹ 6,057
C1HP1400-F	14.0	60	105	₹ 6,147
C1HP1450-F	14.5	60	105	₹ 6,936
C1HP1500-F	15.0	60	105	₹ 6,936
C1HP1550-F	15.5	60	105	₹ 7,725
C1HP1600-F	16.0	60	105	₹ 7,725
C1HP1700-F	17.0	60	105	₹ 8,961
C1HP1800-F	18.0	60	105	₹ 10,080
C1HP1900-F	19.0	60	105	₹ 11,202
C1HP2000-F	20.0	60	105	₹ 12,402



Series		C3HS		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50
CR3AHDR00C23	2.0	14	4.0	₹ 1,344
CR3AHDR00C31	2.1	14	4.0	₹ 1,344
CR3AHDR00C49	2.2	14	4.0	₹ 1,344
CR3AHDR00C56	2.3	14	4.0	₹ 1,344
CR3AHDR00C64	2.4	14	4.0	₹ 1,344
CR3AHDR00C72	2.5	14	4.0	₹ 1,344
CR3AHDR00C80	2.6	14	4.0	₹ 1,344
CR3AHDR00C98	2.7	14	4.0	₹ 1,344
CR3AHDR00CA0	2.8	14	4.0	₹ 1,344
CR3AHDR00CB8	2.9	14	4.0	₹ 1,344
CR3AHDR00CC6	3.0	20	6.0	₹ 1,602
CR3AHDR00CD3	3.1	20	6.0	₹ 1,602
CR3AHDR00CE1	3.2	20	6.0	₹ 1,602
CR3AHDR00CF9	3.3	20	6.0	₹ 1,602
CR3AHDR00CG7	3.4	20	6.0	₹ 1,602
CR3AHDR00CH5	3.5	20	6.0	₹ 1,602
CR3AHDR00CJ0	3.6	20	6.0	₹ 1,602
CR3AHDR00CK8	3.7	20	6.0	₹ 1,602
CR3AHDR00CL6	3.8	24	6.0	₹ 1,602
CR3AHDR00CM4	3.9	24	6.0	₹ 1,602
CR3AHDR00CN1	4.0	24	6.0	₹ 1,602
CR3AHDR00CP7	4.1	24	6.0	₹ 1,602
CR3AHDR00CQ5	4.2	24	6.0	₹ 1,602
CR3AHDR00CR3	4.3	24	6.0	₹ 1,602
CR3AHDR00CS0	4.4	24	6.0	₹ 1,602
CR3AHDR00CT8	4.5	24	6.0	₹ 1,602
CR3AHDR00CU6	4.6	24	6.0	₹ 1,602
CR3AHDR00CV4	4.7	24	6.0	₹ 1,602
CR3AHDR00CW2	4.8	28	6.0	₹ 1,602
CR3AHDR00CX9	4.9	28	6.0	₹ 1,602
CR3AHDR00CY7	5.0	28	6.0	₹ 1,602
CR3AHDR00CZ5	5.1	28	6.0	₹ 1,602
CR3AHDR00D06	5.2	28	6.0	₹ 1,602
CR3AHDR00D14	5.3	28	6.0	₹ 1,602
CR3AHDR00D22	5.4	28	6.0	₹ 1,602
CR3AHDR00D30	5.5	28	6.0	₹ 1,602
CR3AHDR00D48	5.6	28	6.0	₹ 1,602
CR3AHDR00D55	5.7	28	6.0	₹ 1,602
CR3AHDR00D63	5.8	28	6.0	₹ 1,602
CR3AHDR00D71	5.9	28	6.0	₹ 1,602
CR3AHDR00D89	6.0	28	6.0	₹ 1,602
CR3AHDR00D97	6.1	34	8.0	₹ 2,700
CR3AHDR00DA9	6.2	34	8.0	₹ 2,700
CR3AHDR00DB7	6.3	34	8.0	₹ 2,700
CR3AHDR00DC5	6.4	34	8.0	₹ 2,700
CR3AHDR00DD2	6.5	34	8.0	₹ 2,700
CR3AHDR00DE0	6.6	34	8.0	₹ 2,700
CR3AHDR00DF8	6.7	34	8.0	₹ 2,700
CR3AHDR00DG6	6.8	34	8.0	₹ 2,700
CR3AHDR00DH4	6.9	34	8.0	₹ 2,700
CR3AHDR00DJ9	7.0	34	8.0	₹ 2,700

Carbide 3X HP-Drills (SHORT) Reinforced Shank				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50
CR3AHDR00DK7	7.1	40	8.0	₹ 2,925
CR3AHDR00DL5	7.2	40	8.0	₹ 2,925
CR3AHDR00DM3	7.3	40	8.0	₹ 2,925
CR3AHDR00DN0	7.4	40	8.0	₹ 2,925
CR3AHDR00DP6	7.5	40	8.0	₹ 2,925
CR3AHDR00DQ4	7.6	40	8.0	₹ 2,925
CR3AHDR00DR2	7.7	40	8.0	₹ 2,925
CR3AHDR00DS9	7.8	40	8.0	₹ 2,925
CR3AHDR00DT7	7.9	40	8.0	₹ 2,925
CR3AHDR00DU5	8.0	40	8.0	₹ 2,925
C3HS0818-N	8.1	40	10.0	₹ 3,750
CR3AHDR00NV3	8.2	40	10.0	₹ 3,750
CR3AHDR00NP6	8.3	40	10.0	₹ 3,750
CR3AHDR00NH4	8.4	40	10.0	₹ 3,750
CR3AHDR00NJ9	8.5	40	10.0	₹ 3,750
CR3AHDR00NK7	8.6	40	10.0	₹ 3,750
C3HS0878-N	8.7	40	10.0	₹ 3,750
C3HS0888-N	8.8	40	10.0	₹ 3,750
C3HS0898-N	8.9	40	10.0	₹ 3,750
CR3AHDR00NW1	9.0	40	10.0	₹ 3,750
C3HS0918-N	9.1	40	10.0	₹ 3,750
C3HS0928-N	9.2	40	10.0	₹ 3,750
C3HS0938-N	9.3	40	10.0	₹ 3,750
C3HS0948-N	9.4	40	10.0	₹ 3,750
C3HS0958-N	9.5	40	10.0	₹ 3,750
C3HS0968-N	9.6	40	10.0	₹ 3,750
C3HS0978-N	9.7	40	10.0	₹ 3,750
C3HS0988-N	9.8	40	10.0	₹ 3,750
C3HS0998-N	9.9	40	10.0	₹ 3,750
CR3AHDR00NX8	10.0	40	10.0	₹ 3,750
CR3AHDR00DV3	8.1	51	10.0	₹ 4,251
CR3AHDR00DW1	8.2	51	10.0	₹ 4,251
CR3AHDR00DX8	8.3	51	10.0	₹ 4,251
CR3AHDR00DY6	8.4	51	10.0	₹ 4,251
CR3AHDR00DZ4	8.5	51	10.0	₹ 4,251
CR3AHDR00E05	8.6	51	10.0	₹ 4,251
CR3AHDR00E13	8.7	51	10.0	₹ 4,251
CR3AHDR00E21	8.8	51	10.0	₹ 4,251
CR3AHDR00E39	8.9	51	10.0	₹ 4,251
CR3AHDR00E47	9.0	51	10.0	₹ 4,251
CR3AHDR00E54	9.1	51	10.0	₹ 4,251
CR3AHDR00E62	9.2	51	10.0	₹ 4,251
CR3AHDR00E70	9.3	51	10.0	₹ 4,251
CR3AHDR00E88	9.4	51	10.0	₹ 4,251
CR3AHDR00E96	9.5	51	10.0	₹ 4,251
CR3AHDR00EA8	9.6	51	10.0	₹ 4,251
CR3AHDR00EB6	9.7	51	10.0	₹ 4,251
CR3AHDR00EC4	9.8	51	10.0	₹ 4,251
CR3AHDR00ED1	9.9	51	10.0	₹ 4,251
CR3AHDR00EE9	10.0	51	10.0	₹ 4,251



Series	C3HS			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50
CR3AHDR00EF7	10.1	55	12.0	₹ 5,607
CR3AHDR00EG5	10.2	55	12.0	₹ 5,607
CR3AHDR00EH3	10.3	55	12.0	₹ 5,607
CR3AHDR00EJ8	10.4	55	12.0	₹ 5,607
CR3AHDR00EK6	10.5	55	12.0	₹ 5,607
CR3AHDR00EL4	10.6	55	12.0	₹ 5,607
CR3AHDR00EM2	10.7	55	12.0	₹ 5,607
CR3AHDR00EN9	10.8	55	12.0	₹ 5,607
CR3AHDR00EP5	10.9	55	12.0	₹ 5,607
CR3AHDR00EQ3	11.0	55	12.0	₹ 5,607
CR3AHDR00ER1	11.1	55	12.0	₹ 5,607
CR3AHDR00ES8	11.2	55	12.0	₹ 5,607
CR3AHDR00ET6	11.3	55	12.0	₹ 5,607
CR3AHDR00EU4	11.4	55	12.0	₹ 5,607
CR3AHDR00EV2	11.5	55	12.0	₹ 5,607
CR3AHDR00EW0	11.6	55	12.0	₹ 5,607
CR3AHDR00EX7	11.7	55	12.0	₹ 5,607
CR3AHDR00EY5	11.8	55	12.0	₹ 5,607
CR3AHDR00EZ3	11.9	55	12.0	₹ 5,607
CR3AHDR00F04	12.0	55	12.0	₹ 5,607
CR3AHDR00F12	12.5	55	14.0	₹ 7,446
CR3AHDR00F20	13.0	55	14.0	₹ 7,446
CR3AHDR00F38	13.5	55	14.0	₹ 7,446
CR3AHDR00F46	14.0	55	14.0	₹ 7,446
CR3AHDR00F53	14.5	58	16.0	₹ 8,790
CR3AHDR00F61	15.0	58	16.0	₹ 8,790
CR3AHDR00F79	15.5	58	16.0	₹ 8,790
CR3AHDR00F87	16.0	58	16.0	₹ 8,790
CR3AHDR00F95	16.5	58	18.0	₹ 11,850
CR3AHDR00FA7	17.0	58	18.0	₹ 11,850
CR3AHDR00FB5	17.5	58	18.0	₹ 11,850
CR3AHDR00FC3	18.0	58	18.0	₹ 11,850
CR3AHDR00FD0	18.5	58	20.0	₹ 14,361
CR3AHDR00FE8	19.0	58	20.0	₹ 14,361
CR3AHDR00FF6	19.5	58	20.0	₹ 14,361
CR3AHDR00FG4	20.0	58	20.0	₹ 14,361

Carbide 3X HP-Drills (SHORT) Reinforced Shank				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50



Series	C3HL			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50
CR3AHDR00FH2	2.0	21	4.0	₹ 1,671
CR3AHDR00FJ7	2.1	21	4.0	₹ 1,671
CR3AHDR00FK5	2.2	21	4.0	₹ 1,671
CR3AHDR00FL3	2.3	21	4.0	₹ 1,671
CR3AHDR00FM1	2.4	21	4.0	₹ 1,671
CR3AHDR00FN8	2.5	21	4.0	₹ 1,671
CR3AHDR00FP4	2.6	21	4.0	₹ 1,671
CR3AHDR00FQ2	2.7	21	4.0	₹ 1,671
CR3AHDR00FR0	2.8	21	4.0	₹ 1,671
CR3AHDR00FS7	2.9	21	4.0	₹ 1,671
CR3AHDR00FT5	3.0	28	6.0	₹ 1,965
CR3AHDR00FU3	3.1	28	6.0	₹ 1,965
CR3AHDR00FV1	3.2	28	6.0	₹ 1,965
CR3AHDR00FW9	3.3	28	6.0	₹ 1,965
CR3AHDR00FX6	3.4	28	6.0	₹ 1,965
CR3AHDR00FY4	3.5	28	6.0	₹ 1,965
CR3AHDR00FZ2	3.6	28	6.0	₹ 1,965
CR3AHDR00G03	3.7	28	6.0	₹ 1,965
CR3AHDR00G11	3.8	36	6.0	₹ 2,409
CR3AHDR00G29	3.9	36	6.0	₹ 2,409
CR3AHDR00G37	4.0	36	6.0	₹ 2,409
CR3AHDR00G45	4.1	36	6.0	₹ 2,409
CR3AHDR00G52	4.2	36	6.0	₹ 2,409
CR3AHDR00G60	4.3	36	6.0	₹ 2,409
CR3AHDR00G78	4.4	36	6.0	₹ 2,409
CR3AHDR00G86	4.5	36	6.0	₹ 2,409
CR3AHDR00G94	4.6	36	6.0	₹ 2,409
CR3AHDR00GA6	4.7	36	6.0	₹ 2,409
CR3AHDR00GB4	4.8	42	6.0	₹ 2,409
CR3AHDR00GC2	4.9	42	6.0	₹ 2,409
CR3AHDR00GD9	5.0	42	6.0	₹ 2,409
CR3AHDR00GE7	5.1	42	6.0	₹ 2,409
CR3AHDR00GF5	5.2	42	6.0	₹ 2,409
CR3AHDR00GG3	5.3	42	6.0	₹ 2,409
CR3AHDR00GH1	5.4	42	6.0	₹ 2,409
CR3AHDR00GJ6	5.5	42	6.0	₹ 2,409
CR3AHDR00GK4	5.6	42	6.0	₹ 2,409
CR3AHDR00GL2	5.7	42	6.0	₹ 2,409
CR3AHDR00GM0	5.8	42	6.0	₹ 2,409
CR3AHDR00GN7	5.9	42	6.0	₹ 2,409
CR3AHDR00GP3	6.0	42	6.0	₹ 2,409
CR3AHDR00GQ1	6.1	55	8.0	₹ 3,372
CR3AHDR00GR9	6.2	55	8.0	₹ 3,372
CR3AHDR00GS6	6.3	55	8.0	₹ 3,372
CR3AHDR00GT4	6.4	55	8.0	₹ 3,372
CR3AHDR00GU2	6.5	55	8.0	₹ 3,372
CR3AHDR00GV0	6.6	55	8.0	₹ 3,372
CR3AHDR00GW8	6.7	55	8.0	₹ 3,372
CR3AHDR00GX5	6.8	55	8.0	₹ 3,372
CR3AHDR00GY3	6.9	55	8.0	₹ 3,372
CR3AHDR00GZ1	7.0	55	8.0	₹ 3,372
CR3AHDR00H02	7.1	60	8.0	₹ 3,372
CR3AHDR00H10	7.2	60	8.0	₹ 3,372
CR3AHDR00H28	7.3	60	8.0	₹ 3,372
CR3AHDR00H36	7.4	60	8.0	₹ 3,372
CR3AHDR00H44	7.5	60	8.0	₹ 3,372
CR3AHDR00H51	7.6	60	8.0	₹ 3,372
CR3AHDR00H69	7.7	60	8.0	₹ 3,372
CR3AHDR00H77	7.8	60	8.0	₹ 3,372

Carbide 3X HP-Drills (LONG) Reinforced Shank				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Shank Diameter (D2)	PL-50
CR3AHDR00H85	7.9	60	8.0	₹ 3,372
CR3AHDR00H93	8.0	60	8.0	₹ 3,372
CR3AHDR00HA5	8.1	75	10.0	₹ 5,388
CR3AHDR00HB3	8.2	75	10.0	₹ 5,388
CR3AHDR00HC1	8.3	75	10.0	₹ 5,388
CR3AHDR00HD8	8.4	75	10.0	₹ 5,388
CR3AHDR00HE6	8.5	75	10.0	₹ 5,388
CR3AHDR00HF4	8.6	75	10.0	₹ 5,388
CR3AHDR00HG2	8.7	75	10.0	₹ 5,388
CR3AHDR00HH0	8.8	75	10.0	₹ 5,388
CR3AHDR00HJ5	8.9	75	10.0	₹ 5,388
CR3AHDR00HK3	9.0	75	10.0	₹ 5,388
CR3AHDR00HL1	9.1	75	10.0	₹ 5,388
CR3AHDR00HM9	9.2	75	10.0	₹ 5,388
CR3AHDR00HN6	9.3	75	10.0	₹ 5,388
CR3AHDR00HP2	9.4	75	10.0	₹ 5,388
CR3AHDR00HQ0	9.5	75	10.0	₹ 5,388
CR3AHDR00HR8	9.6	75	10.0	₹ 5,388
CR3AHDR00HS5	9.7	75	10.0	₹ 5,388
CR3AHDR00HT3	9.8	75	10.0	₹ 5,388
CR3AHDR00HU1	9.9	75	10.0	₹ 5,388
CR3AHDR00HV9	10.0	75	10.0	₹ 5,388
CR3AHDR00HW7	10.1	85	12.0	₹ 7,638
CR3AHDR00HX4	10.2	85	12.0	₹ 7,638
CR3AHDR00HY2	10.3	85	12.0	₹ 7,638
CR3AHDR00HZ0	10.4	85	12.0	₹ 7,638
CR3AHDR00J00	10.5	85	12.0	₹ 7,638
CR3AHDR00J18	10.6	85	12.0	₹ 7,638
CR3AHDR00J26	10.7	85	12.0	₹ 7,638
CR3AHDR00J34	10.8	85	12.0	₹ 7,638
CR3AHDR00J42	10.9	85	12.0	₹ 7,638
CR3AHDR00J59	11.0	85	12.0	₹ 7,638
CR3AHDR00J67	11.1	85	12.0	₹ 7,638
CR3AHDR00J75	11.2	85	12.0	₹ 7,638
CR3AHDR00J83	11.3	85	12.0	₹ 7,638
CR3AHDR00J91	11.4	85	12.0	₹ 7,638
CR3AHDR00JA3	11.5	85	12.0	₹ 7,638
CR3AHDR00JB1	11.6	85	12.0	₹ 7,638
CR3AHDR00JC9	11.7	85	12.0	₹ 7,638
CR3AHDR00JD6	11.8	85	12.0	₹ 7,638
CR3AHDR00JE4	11.9	85	12.0	₹ 7,638
CR3AHDR00JF2	12.0	85	12.0	₹ 7,638
CR3AHDR00JG0	12.5	85	14.0	₹ 10,020
CR3AHDR00JH8	13.0	85	14.0	₹ 10,020
CR3AHDR00JJ3	13.5	85	14.0	₹ 10,020
CR3AHDR00JK1	14.0	85	14.0	₹ 10,020
CR3AHDR00JL9	14.5	90	16.0	₹ 11,766
CR3AHDR00JM7	15.0	90	16.0	₹ 11,766
CR3AHDR00JN4	15.5	90	16.0	₹ 11,766
CR3AHDR00JP0	16.0	90	16.0	₹ 11,766
CR3AHDR00JQ8	16.5	95	18.0	₹ 15,300
CR3AHDR00JR6	17.0	95	18.0	₹ 15,300
CR3AHDR00JS3	17.5	95	18.0	₹ 15,300
CR3AHDR00JT1	18.0	95	18.0	₹ 15,300
CR3AHDR00JU9	18.5	98	20.0	₹ 18,585
CR3AHDR00JV7	19.0	98	20.0	₹ 18,585
CR3AHDR00JW5	19.5	98	20.0	₹ 18,585
CR3AHDR00JX2	20.0	98	20.0	₹ 18,585



Series	CTHS				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CTHS0410-N	4.1	24	62	6.0	₹ 2,706
CTHS0420-N	4.2	24	62	6.0	₹ 2,706
CTHS0430-N	4.3	24	62	6.0	₹ 2,706
CTHS0440-N	4.4	24	62	6.0	₹ 2,706
CTHS0450-N	4.5	24	62	6.0	₹ 2,706
CTHS0460-N	4.6	24	62	6.0	₹ 2,706
CTHS0470-N	4.7	24	62	6.0	₹ 2,706
CTHS0480-N	4.8	28	62	6.0	₹ 2,706
CTHS0490-N	4.9	28	62	6.0	₹ 2,706
CTHS0500-N	5.0	28	62	6.0	₹ 2,706
CTHS0510-N	5.1	28	62	6.0	₹ 2,706
CTHS0520-N	5.2	28	62	6.0	₹ 2,706
CTHS0530-N	5.3	28	62	6.0	₹ 2,706
CTHS0540-N	5.4	28	62	6.0	₹ 2,706
CTHS0550-N	5.5	28	62	6.0	₹ 2,706
CTHS0560-N	5.6	28	62	6.0	₹ 2,706
CTHS0570-N	5.7	28	62	6.0	₹ 2,706
CTHS0580-N	5.8	28	62	6.0	₹ 2,706
CTHS0590-N	5.9	28	62	6.0	₹ 2,706
CTHS0600-N	6.0	28	62	6.0	₹ 2,706
CTHS0610-N	6.1	34	75	8.0	₹ 3,930
CTHS0620-N	6.2	34	75	8.0	₹ 3,930
CTHS0630-N	6.3	34	75	8.0	₹ 3,930
CTHS0640-N	6.4	34	75	8.0	₹ 3,930
CTHS0650-N	6.5	34	75	8.0	₹ 3,930
CTHS0660-N	6.6	34	75	8.0	₹ 3,930
CTHS0670-N	6.7	34	75	8.0	₹ 3,930
CTHS0680-N	6.8	34	75	8.0	₹ 3,930
CTHS0690-N	6.9	34	75	8.0	₹ 3,930
CTHS0700-N	7.0	34	75	8.0	₹ 3,930
CTHS0710-N	7.1	40	80	8.0	₹ 3,930
CTHS0720-N	7.2	40	80	8.0	₹ 3,930
CTHS0730-N	7.3	40	80	8.0	₹ 3,930
CTHS0740-N	7.4	40	80	8.0	₹ 3,930
CTHS0750-N	7.5	40	80	8.0	₹ 3,930
CTHS0760-N	7.6	40	80	8.0	₹ 3,930
CTHS0770-N	7.7	40	80	8.0	₹ 3,930
CTHS0780-N	7.8	40	80	8.0	₹ 3,930
CTHS0790-N	7.9	40	80	8.0	₹ 3,930
CTHS0800-N	8.0	40	80	8.0	₹ 3,930
CTHS0818-N	8.1	40	80	10.0	₹ 4,875
CTHS0828-N	8.2	40	80	10.0	₹ 4,875
CTHS0838-N	8.3	40	80	10.0	₹ 4,875
CTHS0848-N	8.4	40	80	10.0	₹ 4,875
CTHS0858-N	8.5	40	80	10.0	₹ 4,875
CTHS0868-N	8.6	40	80	10.0	₹ 4,875
CTHS0878-N	8.7	40	80	10.0	₹ 4,875
CTHS0888-N	8.8	40	80	10.0	₹ 4,875
CTHS0898-N	8.9	40	80	10.0	₹ 4,875
CTHS0908-N	9.0	40	80	10.0	₹ 4,875
CTHS0918-N	9.1	40	80	10.0	₹ 4,875
CTHS0928-N	9.2	40	80	10.0	₹ 4,875
CTHS0938-N	9.3	40	80	10.0	₹ 4,875
CTHS0948-N	9.4	40	80	10.0	₹ 4,875
CTHS0958-N	9.5	40	80	10.0	₹ 4,875
CTHS0968-N	9.6	40	80	10.0	₹ 4,875
CTHS0978-N	9.7	40	80	10.0	₹ 4,875
CTHS0988-N	9.8	40	80	10.0	₹ 4,875
CTHS0998-N	9.9	40	80	10.0	₹ 4,875
CTHS1008-N	10.0	40	80	10.0	₹ 4,875

Carbide HP-Drills with Coolant Hole (SHORT)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CTHS0810-N	8.1	51	100	10.0	₹ 5,856
CTHS0820-N	8.2	51	100	10.0	₹ 5,856
CTHS0830-N	8.3	51	100	10.0	₹ 5,856
CTHS0840-N	8.4	51	100	10.0	₹ 5,856
CTHS0850-N	8.5	51	100	10.0	₹ 5,856
CTHS0860-N	8.6	51	100	10.0	₹ 5,856
CTHS0870-N	8.7	51	100	10.0	₹ 5,856
CTHS0880-N	8.8	51	100	10.0	₹ 5,856
CTHS0890-N	8.9	51	100	10.0	₹ 5,856
CTHS0900-N	9.0	51	100	10.0	₹ 5,856
CTHS0910-N	9.1	51	100	10.0	₹ 5,856
CTHS0920-N	9.2	51	100	10.0	₹ 5,856
CTHS0930-N	9.3	51	100	10.0	₹ 5,856
CTHS0940-N	9.4	51	100	10.0	₹ 5,856
CTHS0950-N	9.5	51	100	10.0	₹ 5,856
CTHS0960-N	9.6	51	100	10.0	₹ 5,856
CTHS0970-N	9.7	51	100	10.0	₹ 5,856
CTHS0980-N	9.8	51	100	10.0	₹ 5,856
CTHS0990-N	9.9	51	100	10.0	₹ 5,856
CTHS1000-N	10.0	51	100	10.0	₹ 5,856
CTHS1010-N	10.1	55	100	12.0	₹ 7,512
CTHS1020-N	10.2	55	100	12.0	₹ 7,512
CTHS1030-N	10.3	55	100	12.0	₹ 7,512
CTHS1040-N	10.4	55	100	12.0	₹ 7,512
CTHS1050-N	10.5	55	100	12.0	₹ 7,512
CTHS1060-N	10.6	55	100	12.0	₹ 7,512
CTHS1070-N	10.7	55	100	12.0	₹ 7,512
CTHS1080-N	10.8	55	100	12.0	₹ 7,512
CTHS1090-N	10.9	55	100	12.0	₹ 7,512
CTHS1100-N	11.0	55	100	12.0	₹ 7,512
CTHS1110-N	11.1	55	100	12.0	₹ 7,512
CTHS1120-N	11.2	55	100	12.0	₹ 7,512
CTHS1130-N	11.3	55	100	12.0	₹ 7,512
CTHS1140-N	11.4	55	100	12.0	₹ 7,512
CTHS1150-N	11.5	55	100	12.0	₹ 7,512
CTHS1160-N	11.6	55	100	12.0	₹ 7,512
CTHS1170-N	11.7	55	100	12.0	₹ 7,512
CTHS1180-N	11.8	55	100	12.0	₹ 7,512
CTHS1190-N	11.9	55	100	12.0	₹ 7,512
CTHS1200-N	12.0	55	100	12.0	₹ 7,512
CTHS1250-N	12.5	55	105	14.0	₹ 9,960
CTHS1300-N	13.0	55	105	14.0	₹ 9,960
CTHS1350-N	13.5	55	105	14.0	₹ 9,960
CTHS1400-N	14.0	55	105	14.0	₹ 9,960
CTHS1450-N	14.5	58	105	16.0	₹ 11,802
CTHS1500-N	15.0	58	105	16.0	₹ 11,802
CTHS1550-N	15.5	58	105	16.0	₹ 11,802
CTHS1600-N	16.0	58	105	16.0	₹ 11,802
CTHS1650-N	16.5	58	105	18.0	₹ 16,482
CTHS1700-N	17.0	58	105	18.0	₹ 16,482
CTHS1750-N	17.5	58	105	18.0	₹ 16,482
CTHS1800-N	18.0	58	105	18.0	₹ 16,482
CTHS1850-N	18.5	58	105	20.0	₹ 19,272
CTHS1900-N	19.0	58	105	20.0	₹ 19,272
CTHS1950-N	19.5	58	105	20.0	₹ 19,272
CTHS2000-N	20.0	58	105	20.0	₹ 18,822



Series	CTHL				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CTHL0410-N	4.1	36	75	6.0	₹ 3,180
CTHL0420-N	4.2	36	75	6.0	₹ 3,180
CTHL0430-N	4.3	36	75	6.0	₹ 3,180
CTHL0440-N	4.4	36	75	6.0	₹ 3,180
CTHL0450-N	4.5	36	75	6.0	₹ 3,180
CTHL0460-N	4.6	36	75	6.0	₹ 3,180
CTHL0470-N	4.7	36	75	6.0	₹ 3,180
CTHL0480-N	4.8	42	80	6.0	₹ 3,180
CTHL0490-N	4.9	42	80	6.0	₹ 3,180
CTHL0500-N	5.0	42	80	6.0	₹ 3,180
CTHL0510-N	5.1	42	80	6.0	₹ 3,180
CTHL0520-N	5.2	42	80	6.0	₹ 3,180
CTHL0530-N	5.3	42	80	6.0	₹ 3,180
CTHL0540-N	5.4	42	80	6.0	₹ 3,180
CTHL0550-N	5.5	42	80	6.0	₹ 3,180
CTHL0560-N	5.6	42	80	6.0	₹ 3,180
CTHL0570-N	5.7	42	80	6.0	₹ 3,180
CTHL0580-N	5.8	42	80	6.0	₹ 3,180
CTHL0590-N	5.9	42	80	6.0	₹ 3,180
CTHL0600-N	6.0	42	80	6.0	₹ 3,180
CTHL0610-N	6.1	55	100	8.0	₹ 4,617
CTHL0620-N	6.2	55	100	8.0	₹ 4,617
CTHL0630-N	6.3	55	100	8.0	₹ 4,617
CTHL0640-N	6.4	55	100	8.0	₹ 4,617
CTHL0650-N	6.5	55	100	8.0	₹ 4,617
CTHL0660-N	6.6	55	100	8.0	₹ 4,617
CTHL0670-N	6.7	55	100	8.0	₹ 4,617
CTHL0680-N	6.8	55	100	8.0	₹ 4,617
CTHL0690-N	6.9	55	100	8.0	₹ 4,617
CTHL0700-N	7.0	55	100	8.0	₹ 4,617
CTHL0710-N	7.1	60	105	8.0	₹ 4,809
CTHL0720-N	7.2	60	105	8.0	₹ 4,809
CTHL0730-N	7.3	60	105	8.0	₹ 4,809
CTHL0740-N	7.4	60	105	8.0	₹ 4,809
CTHL0750-N	7.5	60	105	8.0	₹ 4,809
CTHL0760-N	7.6	60	105	8.0	₹ 4,809
CTHL0770-N	7.7	60	105	8.0	₹ 4,809
CTHL0780-N	7.8	60	105	8.0	₹ 4,809
CTHL0790-N	7.9	60	105	8.0	₹ 4,809
CTHL0800-N	8.0	60	105	8.0	₹ 4,809
CTHL0810-N	8.1	75	125	10.0	₹ 7,002
CTHL0820-N	8.2	75	125	10.0	₹ 7,002
CTHL0830-N	8.3	75	125	10.0	₹ 7,002
CTHL0840-N	8.4	75	125	10.0	₹ 7,002
CTHL0850-N	8.5	75	125	10.0	₹ 7,002
CTHL0860-N	8.6	75	125	10.0	₹ 7,002
CTHL0870-N	8.7	75	125	10.0	₹ 7,002
CTHL0880-N	8.8	75	125	10.0	₹ 7,002
CTHL0890-N	8.9	75	125	10.0	₹ 7,002

Carbide HP-Drills with Coolant Hole (LONG)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CTHL0900-N	9.0	75	125	10.0	₹ 7,002
CTHL0910-N	9.1	75	125	10.0	₹ 7,002
CTHL0920-N	9.2	75	125	10.0	₹ 7,002
CTHL0930-N	9.3	75	125	10.0	₹ 7,002
CTHL0940-N	9.4	75	125	10.0	₹ 7,002
CTHL0950-N	9.5	75	125	10.0	₹ 7,002
CTHL0960-N	9.6	75	125	10.0	₹ 7,002
CTHL0970-N	9.7	75	125	10.0	₹ 7,002
CTHL0980-N	9.8	75	125	10.0	₹ 7,002
CTHL0990-N	9.9	75	125	10.0	₹ 7,002
CTHL1000-N	10.0	75	125	10.0	₹ 7,002
CTHL1010-N	10.1	85	140	12.0	₹ 10,470
CTHL1020-N	10.2	85	140	12.0	₹ 10,470
CTHL1030-N	10.3	85	140	12.0	₹ 10,470
CTHL1040-N	10.4	85	140	12.0	₹ 10,470
CTHL1050-N	10.5	85	140	12.0	₹ 10,470
CTHL1060-N	10.6	85	140	12.0	₹ 10,470
CTHL1070-N	10.7	85	140	12.0	₹ 10,470
CTHL1080-N	10.8	85	140	12.0	₹ 10,470
CTHL1090-N	10.9	85	140	12.0	₹ 10,470
CTHL1100-N	11.0	85	140	12.0	₹ 10,470
CTHL1110-N	11.1	85	140	12.0	₹ 10,470
CTHL1120-N	11.2	85	140	12.0	₹ 10,470
CTHL1130-N	11.3	85	140	12.0	₹ 10,470
CTHL1140-N	11.4	85	140	12.0	₹ 10,470
CTHL1150-N	11.5	85	140	12.0	₹ 10,470
CTHL1160-N	11.6	85	140	12.0	₹ 10,470
CTHL1170-N	11.7	85	140	12.0	₹ 10,470
CTHL1180-N	11.8	85	140	12.0	₹ 10,470
CTHL1190-N	11.9	85	140	12.0	₹ 10,470
CTHL1200-N	12.0	85	140	12.0	₹ 10,470
CTHL1250-N	12.5	85	140	14.0	₹ 13,683
CTHL1300-N	13.0	85	140	14.0	₹ 13,683
CTHL1350-N	13.5	85	140	14.0	₹ 13,683
CTHL1400-N	14.0	85	140	14.0	₹ 13,683
CTHL1450-N	14.5	90	145	16.0	₹ 16,194
CTHL1500-N	15.0	90	145	16.0	₹ 16,194
CTHL1550-N	15.5	90	145	16.0	₹ 16,194
CTHL1600-N	16.0	90	145	16.0	₹ 16,194
CTHL1650-N	16.5	95	150	18.0	₹ 21,267
CTHL1700-N	17.0	95	150	18.0	₹ 21,267
CTHL1750-N	17.5	95	150	18.0	₹ 21,267
CTHL1800-N	18.0	95	150	18.0	₹ 21,267
CTHL1850-N	18.5	98	150	20.0	₹ 25,317
CTHL1900-N	19.0	98	150	20.0	₹ 25,317
CTHL1950-N	19.5	98	150	20.0	₹ 25,317
CTHL2000-N	20.0	98	150	20.0	₹ 25,317



Rohit Cutting Tools India
Helping World Manufacturing Since 1963
PL50 w.e.f 01-May-2018
{ GST Extra As Applicable }

Solid Carbide Drills
(GP and HP Drills)

Series	CTHM	Carbide HP-MQL Drills With Coolant Hole			
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
CTHM0420-N	4.2	57	105	6.0	₹ 4,899
CTHM0450-N	4.5	57	105	6.0	₹ 4,899
CTHM0500-N	5.0	65	108	6.0	₹ 4,899
CTHM0550-N	5.5	72	127	6.0	₹ 5,802
CTHM0600-N	6.0	78	133	6.0	₹ 5,802
CTHM0650-N	6.5	85	141	8.0	₹ 7,536
CTHM0700-N	7.0	91	147	8.0	₹ 7,536
CTHM0750-N	7.5	98	155	8.0	₹ 7,725
CTHM0800-N	8.0	104	160	8.0	₹ 7,725
CTHM0850-N	8.5	111	160	10.0	₹ 9,786
CTHM0900-N	9.0	117	175	10.0	₹ 11,601
CTHM0950-N	9.5	124	182	10.0	₹ 11,601
CTHM1000-N	10.0	130	188	10.0	₹ 11,856
CTHM1050-N	10.5	137	201	12.0	₹ 14,985
CTHM1100-N	11.0	143	207	12.0	₹ 14,985
CTHM1150-N	11.5	150	215	12.0	₹ 15,339
CTHM1200-N	12.0	156	221	12.0	₹ 15,678



Series	C4HT				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
C4HT0200-N	2.0	14	50	4.0	₹ 1,884
C4HT0210-N	2.1	14	50	4.0	₹ 1,884
C4HT0220-N	2.2	14	50	4.0	₹ 1,884
C4HT0230-N	2.3	14	50	4.0	₹ 1,884
C4HT0240-N	2.4	14	50	4.0	₹ 1,884
C4HT0250-N	2.5	14	50	4.0	₹ 1,884
C4HT0260-N	2.6	14	50	4.0	₹ 1,884
C4HT0270-N	2.7	14	50	4.0	₹ 1,884
C4HT0280-N	2.8	14	50	4.0	₹ 1,884
C4HT0290-N	2.9	14	50	4.0	₹ 1,884
C4HT0300-N	3.0	20	62	6.0	₹ 2,325
C4HT0310-N	3.1	20	62	6.0	₹ 2,325
C4HT0320-N	3.2	20	62	6.0	₹ 2,325
C4HT0330-N	3.3	20	62	6.0	₹ 2,325
C4HT0340-N	3.4	20	62	6.0	₹ 2,325
C4HT0350-N	3.5	20	62	6.0	₹ 2,325
C4HT0360-N	3.6	20	62	6.0	₹ 2,325
C4HT0370-N	3.7	20	62	6.0	₹ 2,325
C4HT0380-N	3.8	24	62	6.0	₹ 2,325
C4HT0390-N	3.9	24	62	6.0	₹ 2,325
C4HT0400-N	4.0	24	62	6.0	₹ 2,325
C4HT0410-N	4.1	24	62	6.0	₹ 2,325
C4HT0420-N	4.2	24	62	6.0	₹ 2,325
C4HT0430-N	4.3	24	62	6.0	₹ 2,325
C4HT0440-N	4.4	24	62	6.0	₹ 2,325
C4HT0450-N	4.5	24	62	6.0	₹ 2,325
C4HT0460-N	4.6	24	62	6.0	₹ 2,325
C4HT0470-N	4.7	24	62	6.0	₹ 2,325
C4HT0480-N	4.8	28	62	6.0	₹ 2,325
C4HT0490-N	4.9	28	62	6.0	₹ 2,325
C4HT0500-N	5.0	28	62	6.0	₹ 2,325
C4HT0510-N	5.1	28	62	6.0	₹ 2,325
C4HT0520-N	5.2	28	62	6.0	₹ 2,325
C4HT0530-N	5.3	28	62	6.0	₹ 2,325
C4HT0540-N	5.4	28	62	6.0	₹ 2,325
C4HT0550-N	5.5	28	62	6.0	₹ 2,325
C4HT0560-N	5.6	28	62	6.0	₹ 2,325
C4HT0570-N	5.7	28	62	6.0	₹ 2,325
C4HT0580-N	5.8	28	62	6.0	₹ 2,325
C4HT0590-N	5.9	28	62	6.0	₹ 2,325
C4HT0600-N	6.0	28	62	6.0	₹ 2,325
C4HT0610-N	6.1	34	75	8.0	₹ 3,780
C4HT0620-N	6.2	34	75	8.0	₹ 3,780
C4HT0630-N	6.3	34	75	8.0	₹ 3,780
C4HT0640-N	6.4	34	75	8.0	₹ 3,780
C4HT0650-N	6.5	34	75	8.0	₹ 3,780
C4HT0660-N	6.6	34	75	8.0	₹ 3,780
C4HT0670-N	6.7	34	75	8.0	₹ 3,780
C4HT0680-N	6.8	34	75	8.0	₹ 3,780
C4HT0690-N	6.9	34	75	8.0	₹ 3,780
C4HT0700-N	7.0	34	75	8.0	₹ 3,780
C4HT0710-N	7.1	40	80	8.0	₹ 4,095
C4HT0720-N	7.2	40	80	8.0	₹ 4,095
C4HT0730-N	7.3	40	80	8.0	₹ 4,095
C4HT0740-N	7.4	40	80	8.0	₹ 4,095
C4HT0750-N	7.5	40	80	8.0	₹ 4,095
C4HT0760-N	7.6	40	80	8.0	₹ 4,095
C4HT0770-N	7.7	40	80	8.0	₹ 4,095
C4HT0780-N	7.8	40	80	8.0	₹ 4,095
C4HT0790-N	7.9	40	80	8.0	₹ 4,095
C4HT0800-N	8.0	40	80	8.0	₹ 4,095

Carbide 4X HP-Drills (TIGER DRILLS)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-50
C4HT0818-N	8.1	40	80	10.0	₹ 5,250
C4HT0828-N	8.2	40	80	10.0	₹ 5,250
C4HT0838-N	8.3	40	80	10.0	₹ 5,250
C4HT0848-N	8.4	40	80	10.0	₹ 5,250
C4HT0858-N	8.5	40	80	10.0	₹ 5,250
C4HT0868-N	8.6	40	80	10.0	₹ 5,250
C4HT0878-N	8.7	40	80	10.0	₹ 5,250
C4HT0888-N	8.8	40	80	10.0	₹ 5,250
C4HT0898-N	8.9	40	80	10.0	₹ 5,250
C4HT0908-N	9.0	40	80	10.0	₹ 5,250
C4HT0918-N	9.1	40	80	10.0	₹ 5,250
C4HT0928-N	9.2	40	80	10.0	₹ 5,250
C4HT0938-N	9.3	40	80	10.0	₹ 5,250
C4HT0948-N	9.4	40	80	10.0	₹ 5,250
C4HT0958-N	9.5	40	80	10.0	₹ 5,250
C4HT0968-N	9.6	40	80	10.0	₹ 5,250
C4HT0978-N	9.7	40	80	10.0	₹ 5,250
C4HT0988-N	9.8	40	80	10.0	₹ 5,250
C4HT0998-N	9.9	40	80	10.0	₹ 5,250
C4HT1008-N	10.0	40	80	10.0	₹ 5,250
C4HT0810-N	8.1	60	100	10.0	₹ 6,165
C4HT0820-N	8.2	60	100	10.0	₹ 6,165
C4HT0830-N	8.3	60	100	10.0	₹ 6,165
C4HT0840-N	8.4	60	100	10.0	₹ 6,165
C4HT0850-N	8.5	60	100	10.0	₹ 6,165
C4HT0860-N	8.6	60	100	10.0	₹ 6,165
C4HT0870-N	8.7	60	100	10.0	₹ 6,165
C4HT0880-N	8.8	60	100	10.0	₹ 6,165
C4HT0890-N	8.9	60	100	10.0	₹ 6,165
C4HT0900-N	9.0	60	100	10.0	₹ 6,165
C4HT0910-N	9.1	60	100	10.0	₹ 6,165
C4HT0920-N	9.2	60	100	10.0	₹ 6,165
C4HT0930-N	9.3	60	100	10.0	₹ 6,165
C4HT0940-N	9.4	60	100	10.0	₹ 6,165
C4HT0950-N	9.5	60	100	10.0	₹ 6,165
C4HT0960-N	9.6	60	100	10.0	₹ 6,165
C4HT0970-N	9.7	60	100	10.0	₹ 6,165
C4HT0980-N	9.8	60	100	10.0	₹ 6,165
C4HT0990-N	9.9	60	100	10.0	₹ 6,165
C4HT1000-N	10.0	60	100	10.0	₹ 6,165
C4HT1010-N	10.1	60	100	12.0	₹ 8,133
C4HT1020-N	10.2	60	100	12.0	₹ 8,133
C4HT1030-N	10.3	60	100	12.0	₹ 8,133
C4HT1040-N	10.4	60	100	12.0	₹ 8,133
C4HT1050-N	10.5	60	100	12.0	₹ 8,133
C4HT1060-N	10.6	60	100	12.0	₹ 8,133
C4HT1070-N	10.7	60	100	12.0	₹ 8,133
C4HT1080-N	10.8	60	100	12.0	₹ 8,133
C4HT1090-N	10.9	60	100	12.0	₹ 8,133
C4HT1100-N	11.0	60	100	12.0	₹ 8,133
C4HT1110-N	11.1	60	100	12.0	₹ 8,133
C4HT1120-N	11.2	60	100	12.0	₹ 8,133
C4HT1130-N	11.3	60	100	12.0	₹ 8,133
C4HT1140-N	11.4	60	100	12.0	₹ 8,133
C4HT1150-N	11.5	60	100	12.0	₹ 8,133
C4HT1160-N	11.6	60	100	12.0	₹ 8,133
C4HT1170-N	11.7	60	100	12.0	₹ 8,133
C4HT1180-N	11.8	60	100	12.0	₹ 8,133
C4HT1190-N	11.9	60	100	12.0	₹ 8,133
C4HT1200-N	12.0	60	100	12.0	₹ 8,133



Series	C1N1	Carbide NC-Spotting drills 90°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-50
C1N10600-U	6	13	50	6	₹ 1,353
C1N10800-U	8	23	60	8	₹ 1,920
C1N11000-U	10	24	70	10	₹ 2,730
C1N11200-U	12	24	70	12	₹ 3,522
C1N11600-U	16	29	75	16	₹ 6,498
C1N12000-U	20	35	100	20	₹ 12,234

Series	C1N2	Carbide NC-Spotting drills 120°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-50
C1N20600-U	6	13	50	6	₹ 1,353
C1N20800-U	8	23	60	8	₹ 1,920
C1N21000-U	10	24	70	10	₹ 2,730
C1N21200-U	12	24	70	12	₹ 3,522
C1N21600-U	16	29	75	16	₹ 6,498
C1N22000-U	20	35	100	20	₹ 12,234

Series	C1CB	Carbide Centre Drills BS 328 Series				
Ordering No.	Size	Flute Diameter (D1)	Flute Length	Overall Length (L1)	Shank Diameter (D2)	PL-50
C1CB-BS1-U	BS1	3/64	3/64	1-1/2	1/8	₹ 1,155
C1CB-BS2-U	BS2	5/64	5/64	1-7/8	3/16	₹ 1,341
C1CB-BS3-U	BS3	7/64	7/64	2	1/4	₹ 1,818
C1CB-BS4-U	BS4	1/8	1/8	2-1/4	5/16	₹ 2,247
C1CB-BS5-U	BS5	3/16	3/16	2-3/4	7/16	₹ 3,987
C1CB-BS6-U	BS6	7/32	7/32	3	1/2	₹ 5,370
C1CB-BS7-U	BS7	1/4	1/4	3-1/4	5/8	₹ 7,539
C1CB-BS8-U	BS8	5/16	5/16	3-1/2	3/4	₹ 13,386

Series	C1CD	Carbide Centre Drills DIN 333			
Ordering No.	Flute Diameter (D1)	Flute Length	Overall Length (L1)	Shank Diameter (D2)	PL-50
C1CD0125-U	1.25	1.6	32	3.15	₹ 1,200
C1CD0160-U	1.6	2	36	4	₹ 1,200
C1CD0200-U	2	2.5	40	5	₹ 1,392
C1CD0250-U	2.5	3.1	45	6.3	₹ 1,890
C1CD0315-U	3.15	3.9	50	8	₹ 2,337
C1CD0400-U	4	5	56	10	₹ 3,024
C1CD0500-U	5	6.3	63	12.5	₹ 4,704
C1CD0630-U	6.3	8	71	16	₹ 7,026
C1CD0800-U	8	10.1	80	20	₹ 11,361