



INDEX

Series Group	Series Description	Series	Stock	Page No.	DIA. RANGE (in mm)	Coating Type	Internal Coolant
General Purpose Drills	Carbide GP-Drills STUB Series	C1GS	Yes	2	2 ~ 20	TIALN	No
	Carbide GP-Drills JOBBER Series	C1GJ	Yes	3	2 ~ 20	None/TIALN	No
High Performance Drills	Carbide HP-Drills Parallel Shank	C1HP	No	6	3~16	TIALN	No
	Carbide HP-Drills (Short) Reinforced Shank	C3HS	Yes	7	2 ~ 20	NOVA	No
	Carbide HP-Drills (LONG) Reinforced Shank	C3HL	No	10	2 ~ 20	NOVA	No
	Carbide HP-Drills with Coolant Hole (SHORT)	CTHS	No	11	4 ~ 20	NOVA	Yes
	Carbide HP-Drills with Coolant Hole (LONG)	CTHL	No	12	4 ~ 20	NOVA	Yes
	Carbide HP-MQL Drills With Coolant Hole	CTHM	No	13	4 ~ 12	NOVA	Yes
	Carbide HP-Drills with PEROX Coating	C4HT*	No	14	4 ~ 16	PEROX	No
Misc. Drills	Carbide NC-Spotting drills 90°	C1N1	No	15	6 ~ 20	None	No
	Carbide NC-Spotting drills 120°	C1N2	No	15	6 ~ 20	None	No
	Carbide Centre Drills BS 328 Series	C1CB	No	15	BS1-BS8	None	No
	Carbide Centre Drills DIN 333	C1CD	No	15	1.25 ~ 8	None	No

Terms & Conditions

1. GST Extra as applicable
2. This Price List Supersedes all our previous Price Lists
3. Prices are Subject to revision without prior notice, All prices are in INR
4. Non-stock Items / Series will be associated with MOQ of 5nos , so check the same with RIGPL representative
5. Drills Series Mentioned as Stocked are only stocked up to 12mm diameter
6. Delivery time for Uncoated Non-Stock Items - 1 week , Coated Non-Stock Items - 2~3 weeks

Safe use of cutting tools

· Use safety cover, safety glasses and safety shoes during operation.
· Do not touch cutting edges with bare hands.
· Do not touch cutting chips with bare hands. Chips will be hot after cutting.
· Stop cutting when the tool becomes dull.
· Stop cutting operation immediately if you hear any abnormal cutting sounds.
· Do not modify tools.
· Please use appropriate tools for the operation. Check dimensions to ensure proper selection.



Series	C1GS				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR11GDR004U3	2.0	12	39	2.0	₹ 690
CR11GDR004Y4	2.1	14	39	2.1	₹ 690
CR11GDR004Z2	2.2	14	39	2.2	₹ 690
CR11GDR00503	2.3	14	39	2.3	₹ 690
CR11GDR00511	2.4	14	39	2.4	₹ 690
CR11GDR00529	2.5	14	39	2.5	₹ 690
CR11GDR00545	2.6	20	54	2.6	₹ 735
CR11GDR00552	2.7	20	54	2.7	₹ 735
CR11GDR00560	2.8	20	54	2.8	₹ 735
CR11GDR00586	2.9	20	54	2.9	₹ 735
CR11GDR00594	3.0	20	54	3.0	₹ 675
CR11GDR005C2	3.1	20	54	3.1	₹ 726
CR11GDR005E7	3.2	20	54	3.2	₹ 726
CR11GDR005G3	3.3	20	54	3.3	₹ 738
CR11GDR005J6	3.4	20	54	3.4	₹ 738
CR11GDR005M0	3.5	20	54	3.5	₹ 738
CR11GDR005P3	3.6	22	54	3.6	₹ 738
CR11GDR005R9	3.7	22	54	3.7	₹ 738
CR11GDR005T4	3.8	22	54	3.8	₹ 738
CR11GDR005V0	3.9	22	54	3.9	₹ 747
CR11GDR005X5	4.0	22	54	4.0	₹ 747
CR11GDR005Z1	4.1	24	63	4.1	₹ 882
CR11GDR00610	4.2	24	63	4.2	₹ 882
CR11GDR00636	4.3	24	63	4.3	₹ 906
CR11GDR00651	4.4	24	63	4.4	₹ 906
CR11GDR00677	4.5	24	63	4.5	₹ 906
CR11GDR006A5	4.6	26	63	4.6	₹ 906
CR11GDR006C1	4.7	26	63	4.7	₹ 906
CR11GDR006E6	4.8	26	63	4.8	₹ 906
CR11GDR006G2	4.9	26	63	4.9	₹ 906
CR11GDR006J5	5.0	26	63	5.0	₹ 906
CR11GDR006L1	5.1	28	63	5.1	₹ 1,011
CR11GDR006N6	5.2	28	63	5.2	₹ 1,116
CR11GDR006R8	5.3	28	63	5.3	₹ 1,116
CR11GDR006U1	5.4	28	63	5.4	₹ 1,116
CR11GDR006W7	5.5	28	63	5.5	₹ 1,116
CR11GDR006Y2	5.6	28	63	5.6	₹ 1,146
CR11GDR00701	5.7	28	63	5.7	₹ 1,146
CR11GDR00727	5.8	28	63	5.8	₹ 1,146
CR11GDR00743	5.9	28	63	5.9	₹ 1,146
CR11GDR00768	6.0	28	63	6.0	₹ 1,146
CR11GDR00784	6.1	31	63	6.1	₹ 1,491
CR11GDR007A4	6.2	31	63	6.2	₹ 1,491
CR11GDR007D7	6.3	31	63	6.3	₹ 1,491
CR11GDR007F3	6.4	31	63	6.4	₹ 1,491
CR11GDR007J4	6.5	31	63	6.5	₹ 1,491
CR11GDR007L0	6.6	34	63	6.6	₹ 1,491
CR11GDR007N5	6.7	34	63	6.7	₹ 1,491
CR11GDR007Q9	6.8	34	63	6.8	₹ 1,491
CR11GDR007T2	6.9	34	63	6.9	₹ 1,491
CR11GDR007W6	7.0	34	63	7.0	₹ 1,491
CR11GDR007Y1	7.1	34	79	7.1	₹ 2,178
CR11GDR00800	7.2	34	79	7.2	₹ 2,178
CR11GDR00826	7.3	34	79	7.3	₹ 2,178
CR11GDR00842	7.4	34	79	7.4	₹ 2,178
CR11GDR00867	7.5	34	79	7.5	₹ 2,178
CR11GDR008A3	7.6	37	79	7.6	₹ 2,310
CR11GDR008C9	7.7	37	79	7.7	₹ 2,310
CR11GDR008E4	7.8	37	79	7.8	₹ 2,310
CR11GDR008G0	7.9	37	79	7.9	₹ 2,310
CR11GDR008J3	8.0	37	79	8.0	₹ 2,310
CR11GDR008L9	8.1	37	79	8.1	₹ 2,589
CR11GDR008N4	8.2	37	79	8.2	₹ 2,589
CR11GDR008R6	8.3	37	79	8.3	₹ 2,700
CR11GDR008T1	8.4	37	79	8.4	₹ 2,700
CR11GDR008W5	8.5	37	79	8.5	₹ 2,700
CR11GDR00909	8.6	40	79	8.6	₹ 2,700
CR11GDR00933	8.7	40	79	8.7	₹ 2,700

Carbide GP-Drills STUB Series					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR11GDR00958	8.8	40	79	8.8	₹ 2,700
CR11GDR00982	8.9	40	79	8.9	₹ 2,700
CR11GDR009A2	9.0	40	79	9.0	₹ 2,700
CR11GDR009E3	9.1	40	79	9.1	₹ 3,177
CR11GDR009G9	9.2	40	79	9.2	₹ 3,177
CR11GDR009J2	9.3	40	79	9.3	₹ 3,177
CR11GDR009L8	9.4	40	79	9.4	₹ 3,177
CR11GDR009N3	9.5	40	79	9.5	₹ 3,177
CR11GDR009Q7	9.6	42	79	9.6	₹ 3,177
CR11GDR009S2	9.7	42	79	9.7	₹ 3,177
CR11GDR009V6	9.8	42	79	9.8	₹ 3,177
CR11GDR009X1	9.9	42	79	9.9	₹ 3,177
CR11GDR009Z7	10.0	42	79	10.0	₹ 3,177
CR11GDR00A19	10.1	42	79	10.1	₹ 3,480
CR11GDR00A27	10.2	42	79	10.2	₹ 4,011
CR11GDR00A43	10.3	47	100	10.3	₹ 4,581
CR11GDR00A50	10.4	47	100	10.4	₹ 4,581
CR11GDR00A68	10.5	47	100	10.5	₹ 4,581
CR11GDR00A92	10.6	47	100	10.6	₹ 4,644
CR11GDR00AA4	10.7	47	100	10.7	₹ 4,644
CR11GDR00AB2	10.8	47	100	10.8	₹ 4,644
CR11GDR00AD7	10.9	47	100	10.9	₹ 4,644
CR11GDR00AE5	11.0	47	100	11.0	₹ 4,644
CR11GDR00AG1	11.1	47	100	11.1	₹ 5,184
CR11GDR00AH9	11.2	47	100	11.2	₹ 5,256
CR11GDR00AJ4	11.3	47	100	11.3	₹ 5,256
CR11GDR00AK2	11.4	47	100	11.4	₹ 5,256
CR11GDR00AL0	11.5	47	100	11.5	₹ 5,256
CR11GDR00AN5	11.6	49	100	11.6	₹ 5,256
CR11GDR00AP1	11.7	49	100	11.7	₹ 5,256
CR11GDR00AQ9	11.8	49	100	11.8	₹ 5,256
CR11GDR00AR7	11.9	49	100	11.9	₹ 5,256
CR11GDR00AS4	12.0	49	100	12.0	₹ 5,256
CR11GDR00AU0	12.1	51	102	12.1	₹ 5,760
CR11GDR00AV8	12.2	51	102	12.2	₹ 6,189
CR11GDR00AW6	12.3	51	102	12.3	₹ 6,189
CR11GDR00AX3	12.4	51	102	12.4	₹ 6,189
CR11GDR00AZ9	12.5	51	102	12.5	₹ 6,189
CR11GDR00B00	12.6	51	102	12.6	₹ 6,189
CR11GDR00B18	12.7	51	102	12.7	₹ 6,189
CR11GDR00B34	12.8	51	102	12.8	₹ 6,189
CR11GDR00B42	12.9	51	102	12.9	₹ 6,189
CR11GDR00B59	13.0	51	102	13.0	₹ 6,189
CR11GDR00B67	13.1	54	107	13.1	₹ 7,251
CR11GDR00B75	13.2	54	107	13.2	₹ 7,251
CR11GDR00B83	13.3	54	107	13.3	₹ 7,251
CR11GDR00B91	13.4	54	107	13.4	₹ 7,251
CR11GDR00BA3	13.5	54	107	13.5	₹ 7,251
CR11GDR00BB1	13.6	54	107	13.6	₹ 7,251
CR11GDR00BC9	13.7	54	107	13.7	₹ 7,251
CR11GDR00BD6	13.8	54	107	13.8	₹ 7,251
CR11GDR00BE4	13.9	54	107	13.9	₹ 7,251
CR11GDR00BF2	14.0	54	107	14.0	₹ 7,251
CR11GDR00BG0	14.1	56	109	14.1	₹ 8,619
CR11GDR00BH8	14.2	56	109	14.2	₹ 8,619
CR11GDR00BJ3	14.3	56	109	14.3	₹ 8,619
CR11GDR00BK1	14.4	56	109	14.4	₹ 8,619
CR11GDR00BL9	14.5	56	109	14.5	₹ 8,619
CR11GDR00BM7	14.6	56	109	14.6	₹ 8,619
CR11GDR00BN4	14.7	56	109	14.7	₹ 8,619
CR11GDR00BP0	14.8	56	109	14.8	₹ 8,619
CR11GDR00BQ8	14.9	56	109	14.9	₹ 8,619
CR11GDR00BS3	15.0	56	109	15.0	₹ 8,619
CR11GDR00BT1	16.0	56	109	16.0	₹ 9,897
CR11GDR00BU9	17.0	56	109	18.0	₹ 13,173
CR11GDR00BV7	18.0	56	109	18.0	₹ 13,173
CR11GDR00BW5	19.0	56	109	20.0	₹ 15,873
CR11GDR00BX2	20.0	56	109	20.0	₹ 15,873



PL-51 w.e.f 15-Dec-2018
 { GST Extra As Applicable }

Series		C1GJ		Carbide GP-Drills JOBBER Series			
Item Code Uncoated	Item Code TiAlN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51 Uncoated	PL-51 TiAlN Coated
CR1XGDR000H7	C1GJ0200-F	2.0	24	61	3.0	₹ 735	₹ 882
CR1XGDR000J2	C1GJ0210-F	2.1	24	61	2.1	₹ 735	₹ 882
CR1XGDR000K0	C1GJ0220-F	2.2	24	61	2.2	₹ 735	₹ 882
CR1XGDR000L8	C1GJ0230-F	2.3	24	61	2.3	₹ 735	₹ 882
CR1XGDR000M6	C1GJ0240-F	2.4	24	61	2.4	₹ 735	₹ 882
CR1XGDR000N3	C1GJ0250-F	2.5	24	61	2.5	₹ 735	₹ 882
CR1XGDR000P9	C1GJ0260-F	2.6	33	61	2.6	₹ 756	₹ 909
CR1XGDR000Q7	C1GJ0270-F	2.7	33	61	2.7	₹ 756	₹ 909
CR1XGDR000R5	C1GJ0280-F	2.8	33	61	2.8	₹ 756	₹ 909
CR1XGDR000S2	C1GJ0290-F	2.9	33	61	2.9	₹ 756	₹ 909
CR1XGDR000T0	CR11GDR005A6	3.0	33	61	3.0	₹ 693	₹ 882
CR1XGDR000U8	CR11GDR005D9	3.1	39	70	3.1	₹ 834	₹ 1,008
CR1XGDR000V6	CR11GDR005F5	3.2	39	70	3.2	₹ 840	₹ 1,008
CR1XGDR000W4	CR11GDR005H1	3.3	39	70	3.3	₹ 840	₹ 1,008
CR1XGDR000X1	CR11GDR005K4	3.4	39	70	3.4	₹ 843	₹ 1,008
CR1XGDR000Y9	CR11GDR005N7	3.5	39	70	3.5	₹ 843	₹ 1,008
CR1XGDR000Z7	CR11GDR005Q1	3.6	43	75	3.6	₹ 849	₹ 1,074
CR1XGDR00108	CR11GDR005S6	3.7	43	75	3.7	₹ 849	₹ 1,074
CR1XGDR00116	CR11GDR005U2	3.8	43	75	3.8	₹ 870	₹ 1,077
CR1XGDR00124	CR11GDR005W8	3.9	43	75	3.9	₹ 909	₹ 1,131
CR1XGDR00140	CR11GDR005Y3	4.0	43	75	4.0	₹ 924	₹ 1,131
CR1XGDR00157	CR11GDR00602	4.1	47	80	4.1	₹ 1,047	₹ 1,242
CR1XGDR00165	CR11GDR00628	4.2	47	80	4.2	₹ 1,047	₹ 1,266
CR1XGDR00173	CR11GDR00644	4.3	47	80	4.3	₹ 1,047	₹ 1,272
CR1XGDR00181	CR11GDR00669	4.4	47	80	4.4	₹ 1,047	₹ 1,272
CR1XGDR00199	CR11GDR00693	4.5	47	80	4.5	₹ 1,047	₹ 1,272
CR1XGDR001B9	CR11GDR006B3	4.6	52	86	4.6	₹ 1,146	₹ 1,428
CR1XGDR001C7	CR11GDR006D8	4.7	52	86	4.7	₹ 1,146	₹ 1,428
CR1XGDR001D4	CR11GDR006F4	4.8	52	86	4.8	₹ 1,170	₹ 1,434
CR1XGDR001E2	CR11GDR006H0	4.9	52	86	4.9	₹ 1,170	₹ 1,434
CR1XGDR001G8	CR11GDR006K3	5.0	52	86	5.0	₹ 1,170	₹ 1,434
CR1XGDR001H6	CR11GDR006M9	5.1	52	86	5.1	₹ 1,470	₹ 1,701
CR1XGDR001J1	CR11GDR006Q0	5.2	52	86	5.2	₹ 1,470	₹ 1,707
CR1XGDR001K9	CR11GDR006S5	5.3	57	93	5.3	₹ 1,497	₹ 1,725
CR1XGDR001L7	CR11GDR006V9	5.4	57	93	5.4	₹ 1,497	₹ 1,725
CR1XGDR001M5	CR11GDR006X4	5.5	57	93	5.5	₹ 1,497	₹ 1,725
CR1XGDR001N2	CR11GDR006Z0	5.6	57	93	5.6	₹ 1,497	₹ 1,725
CR1XGDR001P8	CR11GDR00719	5.7	57	93	5.7	₹ 1,497	₹ 1,725
CR1XGDR001Q6	CR11GDR00735	5.8	57	93	5.8	₹ 1,497	₹ 1,725
CR1XGDR001R4	CR11GDR00750	5.9	57	93	5.9	₹ 1,497	₹ 1,725
CR1XGDR001S1	CR11GDR00776	6.0	57	93	6.0	₹ 1,497	₹ 1,725
CR1XGDR001T9	CR11GDR00792	6.1	63	101	6.1	₹ 2,016	₹ 2,313
CR1XGDR001U7	CR11GDR007C0	6.2	63	101	6.2	₹ 2,016	₹ 2,313
CR1XGDR001V5	CR11GDR007E5	6.3	63	101	6.3	₹ 2,016	₹ 2,319
CR1XGDR001W3	CR11GDR007H9	6.4	63	101	6.4	₹ 2,016	₹ 2,322
CR1XGDR001X0	CR11GDR007K2	6.5	63	101	6.5	₹ 2,016	₹ 2,322
CR1XGDR001Y8	CR11GDR007M8	6.6	69	109	6.6	₹ 2,016	₹ 2,322
CR1XGDR001Z6	CR11GDR007P1	6.7	69	109	6.7	₹ 2,016	₹ 2,322
CR1XGDR00207	CR11GDR007S4	6.8	69	109	6.8	₹ 2,016	₹ 2,322
CR1XGDR00215	CR11GDR007U0	6.9	69	109	6.9	₹ 2,016	₹ 2,322
CR1XGDR00223	CR11GDR007X3	7.0	69	109	7.0	₹ 2,016	₹ 2,322
CR1XGDR00231	CR11GDR007Z9	7.1	69	109	7.1	₹ 2,394	₹ 2,736



PL-51 w.e.f 15-Dec-2018
 { GST Extra As Applicable }

Series		C1GJ		Carbide GP-Drills JOBBER Series			
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51 Uncoated	PL-51 TiAlN Coated
CR1XGDR00249	CR11GDR00818	7.2	69	109	7.2	₹ 2,394	₹ 2,736
CR1XGDR00256	CR11GDR00834	7.3	69	109	7.3	₹ 2,394	₹ 2,754
CR1XGDR00264	CR11GDR00859	7.4	69	109	7.4	₹ 2,394	₹ 2,754
CR1XGDR00272	CR11GDR00891	7.5	69	109	7.5	₹ 2,394	₹ 2,754
CR1XGDR00280	CR11GDR008B1	7.6	75	117	7.6	₹ 2,493	₹ 2,952
CR1XGDR00298	CR11GDR008D6	7.7	75	117	7.7	₹ 2,493	₹ 2,952
CR1XGDR002A0	CR11GDR008F2	7.8	75	117	7.8	₹ 2,493	₹ 2,952
CR1XGDR002B8	CR11GDR008H8	7.9	75	117	7.9	₹ 2,493	₹ 2,952
CR1XGDR002C6	CR11GDR008K1	8.0	75	117	8.0	₹ 2,532	₹ 2,994
CR1XGDR002E1	CR11GDR008M7	8.1	75	117	8.1	₹ 3,024	₹ 3,393
CR1XGDR002F9	CR11GDR008Q8	8.2	75	117	8.2	₹ 3,024	₹ 3,399
CR1XGDR002G7	CR11GDR008S3	8.3	75	117	8.3	₹ 3,024	₹ 3,396
CR1XGDR002H5	CR11GDR008U9	8.4	75	117	8.4	₹ 3,024	₹ 3,396
CR1XGDR002J0	CR11GDR008Z8	8.5	75	117	8.5	₹ 3,024	₹ 3,396
CR1XGDR002K8	CR11GDR00917	8.6	81	125	8.6	₹ 3,207	₹ 3,615
CR1XGDR002L6	CR11GDR00941	8.7	81	125	8.7	₹ 3,207	₹ 3,615
CR1XGDR002M4	CR11GDR00974	8.8	81	125	8.8	₹ 3,207	₹ 3,615
CR1XGDR002N1	CR11GDR00990	8.9	81	125	8.9	₹ 3,207	₹ 3,615
CR1XGDR002P7	CR11GDR009C8	9.0	81	125	9.0	₹ 3,207	₹ 3,615
CR1XGDR002Q5	CR11GDR009F1	9.1	81	125	9.1	₹ 3,906	₹ 4,356
CR1XGDR002R3	CR11GDR009H7	9.2	81	125	9.2	₹ 3,906	₹ 4,356
CR1XGDR002S0	CR11GDR009K0	9.3	81	125	9.3	₹ 3,906	₹ 4,356
CR1XGDR002T8	CR11GDR009M6	9.4	81	125	9.4	₹ 3,906	₹ 4,356
CR1XGDR002U6	CR11GDR009P9	9.5	81	125	9.5	₹ 3,906	₹ 4,356
CR1XGDR002V4	CR11GDR009R5	9.6	87	133	9.6	₹ 4,230	₹ 4,749
CR1XGDR002W2	CR11GDR009T0	9.7	87	133	9.7	₹ 4,230	₹ 4,749
CR1XGDR002X9	CR11GDR009W4	9.8	87	133	9.8	₹ 4,230	₹ 4,749
CR1XGDR002Y7	CR11GDR009Y9	9.9	87	133	9.9	₹ 4,230	₹ 4,749
CR1XGDR002Z5	CR11GDR00A01	10.0	87	133	10.0	₹ 4,230	₹ 4,749
CR1XGDR00306	C1GJ1010-F	10.1	87	133	10.1	₹ 4,884	₹ 5,391
CR1XGDR00322	C1GJ1020-F	10.2	87	133	10.2	₹ 4,884	₹ 5,391
CR1XGDR00330	C1GJ1030-F	10.3	87	133	10.3	₹ 4,884	₹ 5,436
CR1XGDR00348	C1GJ1040-F	10.4	87	133	10.4	₹ 4,884	₹ 5,436
CR1XGDR00355	C1GJ1050-F	10.5	87	133	10.5	₹ 4,884	₹ 5,436
CR1XGDR00363	C1GJ1060-F	10.6	94	142	10.6	₹ 5,991	₹ 6,546
CR1XGDR00371	C1GJ1070-F	10.7	94	142	10.7	₹ 5,991	₹ 6,555
CR1XGDR00389	C1GJ1080-F	10.8	94	142	10.8	₹ 5,991	₹ 6,555
CR1XGDR00397	C1GJ1090-F	10.9	94	142	10.9	₹ 5,991	₹ 6,555
CR1XGDR003A9	CR11GDR00AF3	11.0	94	142	11.0	₹ 5,991	₹ 6,555
CR1XGDR003B7	C1GJ1110-F	11.1	94	142	11.1	₹ 6,789	₹ 7,509
CR1XGDR003C5	C1GJ1120-F	11.2	94	142	11.2	₹ 6,789	₹ 7,509
CR1XGDR003D2	C1GJ1130-F	11.3	94	142	11.3	₹ 6,789	₹ 7,521
CR1XGDR003E0	C1GJ1140-F	11.4	94	142	11.4	₹ 6,789	₹ 7,521
CR1XGDR003F8	CR11GDR00AM8	11.5	94	142	11.5	₹ 6,789	₹ 7,521
CR1XGDR003G6	C1GJ1160-F	11.6	101	151	11.6	₹ 6,864	₹ 7,566
CR1XGDR003H4	C1GJ1170-F	11.7	101	151	11.7	₹ 6,864	₹ 7,566
CR1XGDR003J9	C1GJ1180-F	11.8	101	151	11.8	₹ 6,864	₹ 7,566
CR1XGDR003K7	C1GJ1190-F	11.9	101	151	11.9	₹ 6,864	₹ 7,566
CR1XGDR003L5	CR11GDR00AT2	12.0	101	151	12.0	₹ 6,864	₹ 7,566
CR1XGDR003M3	C1GJ1210-F	12.1	101	151	12.1	₹ 8,229	₹ 8,919
CR1XGDR003N0	C1GJ1220-F	12.2	101	151	12.2	₹ 8,229	₹ 8,919
CR1XGDR003P6	C1GJ1230-F	12.3	101	151	12.3	₹ 8,229	₹ 8,919



PL-51 w.e.f 15-Dec-2018
 { GST Extra As Applicable }

Series		C1GJ	Carbide GP-Drills JOBBER Series					
Item Code Uncoated	Item Code	TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51 Uncoated	PL-51 TiALN Coated
CR1XGDR003Q4	C1GJ1240-F		12.4	101	151	12.4	₹ 8,229	₹ 8,919
CR1XGDR003R2	C1GJ1250-F		12.5	101	151	12.5	₹ 8,229	₹ 8,919
CR1XGDR003S9	C1GJ1260-F		12.6	101	151	12.6	₹ 8,229	₹ 8,919
CR1XGDR003T7	C1GJ1270-F		12.7	101	151	12.7	₹ 8,229	₹ 8,919
CR1XGDR003U5	C1GJ1280-F		12.8	101	151	12.8	₹ 8,229	₹ 8,919
CR1XGDR003V3	C1GJ1290-F		12.9	101	151	12.9	₹ 8,229	₹ 8,919
CR1XGDR003W1	CR11GDR00NU7		13.0	101	151	13.0	₹ 8,229	₹ 8,919
CR1XGDR003X8	C1GJ1310-F		13.1	101	151	13.1	₹ 9,711	₹ 10,488
CR1XGDR003Y6	C1GJ1320-F		13.2	101	151	13.2	₹ 9,951	₹ 10,749
CR1XGDR003Z4	C1GJ1330-F		13.3	101	151	13.3	₹ 9,951	₹ 10,749
CR1XGDR00405	C1GJ1340-F		13.4	101	151	13.4	₹ 9,951	₹ 10,749
CR1XGDR00413	C1GJ1350-F		13.5	101	151	13.5	₹ 9,951	₹ 10,749
CR1XGDR00421	C1GJ1360-F		13.6	101	151	13.6	₹ 10,476	₹ 11,316
CR1XGDR00439	C1GJ1370-F		13.7	101	151	13.7	₹ 10,476	₹ 11,316
CR1XGDR00447	C1GJ1380-F		13.8	101	151	13.8	₹ 10,476	₹ 11,316
CR1XGDR00454	C1GJ1390-F		13.9	101	151	13.9	₹ 10,476	₹ 11,316
CR1XGDR00462	C1GJ1400-F		14.0	101	151	14.0	₹ 10,476	₹ 11,316
CR1XGDR00470	C1GJ1410-F		14.1	101	151	14.1	₹ 12,294	₹ 13,278
CR1XGDR00488	C1GJ1420-F		14.2	101	151	14.2	₹ 12,294	₹ 13,278
CR1XGDR00496	C1GJ1430-F		14.3	101	151	14.3	₹ 12,294	₹ 13,278
CR1XGDR004A8	C1GJ1440-F		14.4	101	151	14.4	₹ 12,294	₹ 13,278
CR1XGDR004C4	C1GJ1450-F		14.5	101	151	14.5	₹ 12,294	₹ 13,278
CR1XGDR004D1	C1GJ1460-F		14.6	101	151	14.6	₹ 12,591	₹ 13,599
CR1XGDR004E9	C1GJ1470-F		14.7	101	151	14.7	₹ 12,591	₹ 13,599
CR1XGDR004F7	C1GJ1480-F		14.8	101	151	14.8	₹ 12,591	₹ 13,599
CR1XGDR004G5	C1GJ1490-F		14.9	101	151	14.9	₹ 12,591	₹ 13,599
CR1XGDR004H3	C1GJ1500-F		15.0	101	151	15.0	₹ 12,591	₹ 13,599
CR1XGDR004J8	C1GJ1600-F		16.0	101	151	16.0	₹ 13,011	₹ 14,052
CR1XGDR004K6	C1GJ1700-F		17.0	101	151	17.0	₹ 15,057	₹ 16,263
CR1XGDR004L4	C1GJ1800-F		18.0	101	151	18.0	₹ 15,318	₹ 16,545
CR1XGDR004M2	C1GJ1900-F		19.0	101	151	19.0	₹ 17,967	₹ 19,407
CR1XGDR004N9	C1GJ2000-F		20.0	101	151	20.0	₹ 18,321	₹ 19,788



PL-51 w.e.f 15-Dec-2018
 { GST Extra As Applicable }

Series	C1HP			
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	PL-51
C1HP0300-F	3.0	28	63	₹ 891
C1HP0310-F	3.1	28	63	₹ 975
C1HP0320-F	3.2	28	63	₹ 975
C1HP0330-F	3.3	28	63	₹ 975
C1HP0340-F	3.4	28	63	₹ 1,047
C1HP0350-F	3.5	28	63	₹ 1,047
C1HP0360-F	3.6	28	63	₹ 1,047
C1HP0370-F	3.7	28	63	₹ 1,047
C1HP0380-F	3.8	28	63	₹ 1,047
C1HP0390-F	3.9	28	63	₹ 1,047
C1HP0400-F	4.0	40	80	₹ 1,197
C1HP0410-F	4.1	40	80	₹ 1,248
C1HP0420-F	4.2	40	80	₹ 1,284
C1HP0430-F	4.3	40	80	₹ 1,284
C1HP0440-F	4.4	40	80	₹ 1,284
C1HP0450-F	4.5	40	80	₹ 1,284
C1HP0460-F	4.6	40	80	₹ 1,284
C1HP0470-F	4.7	40	80	₹ 1,284
C1HP0480-F	4.8	40	80	₹ 1,284
C1HP0490-F	4.9	40	80	₹ 1,284
C1HP0500-F	5.0	40	80	₹ 1,284
C1HP0510-F	5.1	40	80	₹ 1,569
C1HP0520-F	5.2	40	80	₹ 1,590
C1HP0530-F	5.3	40	80	₹ 1,590
C1HP0540-F	5.4	40	80	₹ 1,590
C1HP0550-F	5.5	40	80	₹ 1,590
C1HP0560-F	5.6	40	80	₹ 1,590
C1HP0570-F	5.7	40	80	₹ 1,590
C1HP0580-F	5.8	40	80	₹ 1,590
C1HP0590-F	5.9	40	80	₹ 1,590
C1HP0600-F	6.0	40	80	₹ 1,590
C1HP0610-F	6.1	40	80	₹ 2,238
C1HP0620-F	6.2	40	80	₹ 2,238
C1HP0630-F	6.3	40	80	₹ 2,238
C1HP0640-F	6.4	40	80	₹ 2,238
C1HP0650-F	6.5	40	80	₹ 2,238
C1HP0660-F	6.6	40	80	₹ 2,238
C1HP0670-F	6.7	40	80	₹ 2,238
C1HP0680-F	6.8	40	80	₹ 2,238
C1HP0690-F	6.9	40	80	₹ 2,238
C1HP0700-F	7.0	40	80	₹ 2,238
C1HP0710-F	7.1	40	80	₹ 2,682
C1HP0720-F	7.2	40	80	₹ 2,682
C1HP0730-F	7.3	40	80	₹ 2,682
C1HP0740-F	7.4	40	80	₹ 2,682
C1HP0750-F	7.5	40	80	₹ 2,682
C1HP0760-F	7.6	40	80	₹ 2,682
C1HP0770-F	7.7	40	80	₹ 2,682
C1HP0780-F	7.8	40	80	₹ 2,682
C1HP0790-F	7.9	40	80	₹ 2,682
C1HP0800-F	8.0	60	105	₹ 3,177

Carbide HP-Drills Parallel Shank				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	PL-51
C1HP0810-F	8.1	60	105	₹ 3,696
C1HP0820-F	8.2	60	105	₹ 3,696
C1HP0830-F	8.3	60	105	₹ 3,696
C1HP0840-F	8.4	60	105	₹ 3,696
C1HP0850-F	8.5	60	105	₹ 3,696
C1HP0860-F	8.6	60	105	₹ 3,696
C1HP0870-F	8.7	60	105	₹ 3,696
C1HP0880-F	8.8	60	105	₹ 3,696
C1HP0890-F	8.9	60	105	₹ 3,696
C1HP0900-F	9.0	60	105	₹ 3,696
C1HP0910-F	9.1	60	105	₹ 4,182
C1HP0920-F	9.2	60	105	₹ 4,182
C1HP0930-F	9.3	60	105	₹ 4,182
C1HP0940-F	9.4	60	105	₹ 4,182
C1HP0950-F	9.5	60	105	₹ 4,182
C1HP0960-F	9.6	60	105	₹ 4,182
C1HP0970-F	9.7	60	105	₹ 4,182
C1HP0980-F	9.8	60	105	₹ 4,182
C1HP0990-F	9.9	60	105	₹ 4,182
C1HP1000-F	10.0	60	105	₹ 4,182
C1HP1010-F	10.1	60	105	₹ 5,016
C1HP1020-F	10.2	60	105	₹ 5,016
C1HP1030-F	10.3	60	105	₹ 5,016
C1HP1040-F	10.4	60	105	₹ 5,016
C1HP1050-F	10.5	60	105	₹ 5,016
C1HP1060-F	10.6	60	105	₹ 5,016
C1HP1070-F	10.7	60	105	₹ 5,016
C1HP1090-F	10.8	60	105	₹ 5,016
C1HP1090-F	10.9	60	105	₹ 5,016
C1HP1100-F	11.0	60	105	₹ 5,016
C1HP1110-F	11.1	60	105	₹ 5,757
C1HP1120-F	11.2	60	105	₹ 5,757
C1HP1130-F	11.3	60	105	₹ 5,757
C1HP1140-F	11.4	60	105	₹ 5,757
C1HP1150-F	11.5	60	105	₹ 5,757
C1HP1160-F	11.6	60	105	₹ 5,757
C1HP1170-F	11.7	60	105	₹ 5,757
C1HP1180-F	11.8	60	105	₹ 5,757
C1HP1190-F	11.9	60	105	₹ 5,757
C1HP1200-F	12.0	60	105	₹ 5,757
C1HP1300-F	13.0	60	105	₹ 6,744
C1HP1350-F	13.5	60	105	₹ 7,377
C1HP1400-F	14.0	60	105	₹ 7,377
C1HP1450-F	14.5	60	105	₹ 9,270
C1HP1500-F	15.0	60	105	₹ 9,270
C1HP1550-F	15.5	60	105	₹ 9,270
C1HP1600-F	16.0	60	105	₹ 9,270



Rohit Cutting Tools India
Helping World Manufacturing Reduce Costs Since 1963
PL-51 w.e.f 15-Dec-2018
{ GST Extra As Applicable }

Solid Carbide Drills
(GP and HP Drills)

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,413
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,413
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,413
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,413
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,413
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,413
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,413
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,413
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,413
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,413
CR3AHDR00CC6	3.0	20	62	6.0	₹ 1,764
CR3AHDR00CD3	3.1	20	62	6.0	₹ 1,764
CR3AHDR00CE1	3.2	20	62	6.0	₹ 1,764
CR3AHDR00CF9	3.3	20	62	6.0	₹ 1,764
CR3AHDR00CG7	3.4	20	62	6.0	₹ 1,764
CR3AHDR00CH5	3.5	20	62	6.0	₹ 1,764
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 1,764
CR3AHDR00CK8	3.7	20	62	6.0	₹ 1,764
CR3AHDR00CL6	3.8	24	62	6.0	₹ 1,764
CR3AHDR00CM4	3.9	24	62	6.0	₹ 1,764
CR3AHDR00CN1	4.0	24	62	6.0	₹ 1,764
CR3AHDR00CP7	4.1	24	62	6.0	₹ 1,764
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 1,764
CR3AHDR00CR3	4.3	24	62	6.0	₹ 1,764
CR3AHDR00CS0	4.4	24	62	6.0	₹ 1,764
CR3AHDR00CT8	4.5	24	62	6.0	₹ 1,764
CR3AHDR00CU6	4.6	24	62	6.0	₹ 1,764
CR3AHDR00CV4	4.7	24	62	6.0	₹ 1,764
CR3AHDR00CW2	4.8	28	62	6.0	₹ 1,764
CR3AHDR00CX9	4.9	28	62	6.0	₹ 1,764
CR3AHDR00CY7	5.0	28	62	6.0	₹ 1,764
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 1,764
CR3AHDR00D06	5.2	28	62	6.0	₹ 1,764
CR3AHDR00D14	5.3	28	62	6.0	₹ 1,764
CR3AHDR00D22	5.4	28	62	6.0	₹ 1,764
CR3AHDR00D30	5.5	28	62	6.0	₹ 1,764
CR3AHDR00D48	5.6	28	62	6.0	₹ 1,764
CR3AHDR00D55	5.7	28	62	6.0	₹ 1,764
CR3AHDR00D63	5.8	28	62	6.0	₹ 1,764
CR3AHDR00D71	5.9	28	62	6.0	₹ 1,764
CR3AHDR00D89	6.0	28	62	6.0	₹ 1,764
CR3AHDR00D97	6.1	34	75	8.0	₹ 2,970
CR3AHDR00DA9	6.2	34	75	8.0	₹ 2,970
CR3AHDR00DB7	6.3	34	75	8.0	₹ 2,970
CR3AHDR00DC5	6.4	34	75	8.0	₹ 2,970
CR3AHDR00DD2	6.5	34	75	8.0	₹ 2,970
CR3AHDR00DE0	6.6	34	75	8.0	₹ 2,970
CR3AHDR00DF8	6.7	34	75	8.0	₹ 2,970



Rohit Cutting Tools India
Helping World Manufacturing Reduce Costs Since 1963
PL-51 w.e.f 15-Dec-2018
{ GST Extra As Applicable }

Solid Carbide Drills
(GP and HP Drills)

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR3AHDR00DG6	6.8	34	75	8.0	₹ 2,970
CR3AHDR00DH4	6.9	34	75	8.0	₹ 2,970
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 2,970
CR3AHDR00DK7	7.1	40	80	8.0	₹ 3,219
CR3AHDR00DL5	7.2	40	80	8.0	₹ 3,219
CR3AHDR00DM3	7.3	40	80	8.0	₹ 3,219
CR3AHDR00DN0	7.4	40	80	8.0	₹ 3,219
CR3AHDR00DP6	7.5	40	80	8.0	₹ 3,219
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 3,219
CR3AHDR00DR2	7.7	40	80	8.0	₹ 3,219
CR3AHDR00DS9	7.8	40	80	8.0	₹ 3,219
CR3AHDR00DT7	7.9	40	80	8.0	₹ 3,219
CR3AHDR00DU5	8.0	40	80	8.0	₹ 3,219
C3HS0818-N	8.1	40	80	10.0	₹ 4,125
CR3AHDR00NV3	8.2	40	80	10.0	₹ 4,125
CR3AHDR00NP6	8.3	40	80	10.0	₹ 4,125
CR3AHDR00NH4	8.4	40	80	10.0	₹ 4,125
CR3AHDR00NJ9	8.5	40	80	10.0	₹ 4,125
CR3AHDR00NK7	8.6	40	80	10.0	₹ 4,125
C3HS0878-N	8.7	40	80	10.0	₹ 4,125
C3HS0888-N	8.8	40	80	10.0	₹ 4,125
C3HS0898-N	8.9	40	80	10.0	₹ 4,125
CR3AHDR00NW1	9.0	40	80	10.0	₹ 4,125
C3HS0918-N	9.1	40	80	10.0	₹ 4,125
C3HS0928-N	9.2	40	80	10.0	₹ 4,125
C3HS0938-N	9.3	40	80	10.0	₹ 4,125
C3HS0948-N	9.4	40	80	10.0	₹ 4,125
C3HS0958-N	9.5	40	80	10.0	₹ 4,125
C3HS0968-N	9.6	40	80	10.0	₹ 4,125
C3HS0978-N	9.7	40	80	10.0	₹ 4,125
C3HS0988-N	9.8	40	80	10.0	₹ 4,125
C3HS0998-N	9.9	40	80	10.0	₹ 4,125
CR3AHDR00NX8	10.0	40	80	10.0	₹ 4,125
CR3AHDR00DV3	8.1	51	100	10.0	₹ 4,677
CR3AHDR00DW1	8.2	51	100	10.0	₹ 4,677
CR3AHDR00DX8	8.3	51	100	10.0	₹ 4,677
CR3AHDR00DY6	8.4	51	100	10.0	₹ 4,677
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 4,677
CR3AHDR00E05	8.6	51	100	10.0	₹ 4,677
CR3AHDR00E13	8.7	51	100	10.0	₹ 4,677
CR3AHDR00E21	8.8	51	100	10.0	₹ 4,677
CR3AHDR00E39	8.9	51	100	10.0	₹ 4,677
CR3AHDR00E47	9.0	51	100	10.0	₹ 4,677
CR3AHDR00E54	9.1	51	100	10.0	₹ 4,677
CR3AHDR00E62	9.2	51	100	10.0	₹ 4,677
CR3AHDR00E70	9.3	51	100	10.0	₹ 4,677
CR3AHDR00E88	9.4	51	100	10.0	₹ 4,677
CR3AHDR00E96	9.5	51	100	10.0	₹ 4,677



Rohit Cutting Tools India
Helping World Manufacturing Reduce Costs Since 1963
PL-51 w.e.f 15-Dec-2018
{ GST Extra As Applicable }

Solid Carbide Drills
(GP and HP Drills)

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR3AHDR00EA8	9.6	51	100	10.0	₹ 4,677
CR3AHDR00EB6	9.7	51	100	10.0	₹ 4,677
CR3AHDR00EC4	9.8	51	100	10.0	₹ 4,677
CR3AHDR00ED1	9.9	51	100	10.0	₹ 4,677
CR3AHDR00EE9	10.0	51	100	10.0	₹ 4,677
CR3AHDR00EF7	10.1	55	100	12.0	₹ 6,168
CR3AHDR00EG5	10.2	55	100	12.0	₹ 6,168
CR3AHDR00EH3	10.3	55	100	12.0	₹ 6,168
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 6,168
CR3AHDR00EK6	10.5	55	100	12.0	₹ 6,168
CR3AHDR00EL4	10.6	55	100	12.0	₹ 6,168
CR3AHDR00EM2	10.7	55	100	12.0	₹ 6,168
CR3AHDR00EN9	10.8	55	100	12.0	₹ 6,168
CR3AHDR00EP5	10.9	55	100	12.0	₹ 6,168
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 6,168
CR3AHDR00ER1	11.1	55	100	12.0	₹ 6,168
CR3AHDR00ES8	11.2	55	100	12.0	₹ 6,168
CR3AHDR00ET6	11.3	55	100	12.0	₹ 6,168
CR3AHDR00EU4	11.4	55	100	12.0	₹ 6,168
CR3AHDR00EV2	11.5	55	100	12.0	₹ 6,168
CR3AHDR00EW0	11.6	55	100	12.0	₹ 6,168
CR3AHDR00EX7	11.7	55	100	12.0	₹ 6,168
CR3AHDR00EY5	11.8	55	100	12.0	₹ 6,168
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 6,168
CR3AHDR00F04	12.0	55	100	12.0	₹ 6,168
CR3AHDR00F12	12.5	55	105	14.0	₹ 8,193
CR3AHDR00F20	13.0	55	105	14.0	₹ 8,193
CR3AHDR00F38	13.5	55	105	14.0	₹ 8,193
CR3AHDR00F46	14.0	55	105	14.0	₹ 8,193
CR3AHDR00F53	14.5	58	105	16.0	₹ 9,669
CR3AHDR00F61	15.0	58	105	16.0	₹ 9,669
CR3AHDR00F79	15.5	58	105	16.0	₹ 9,669
CR3AHDR00F87	16.0	58	105	16.0	₹ 9,669
CR3AHDR00F95	16.5	58	105	18.0	₹ 13,035
CR3AHDR00FA7	17.0	58	105	18.0	₹ 13,035
CR3AHDR00FB5	17.5	58	105	18.0	₹ 13,035
CR3AHDR00FC3	18.0	58	105	18.0	₹ 13,035
CR3AHDR00FD0	18.5	58	105	20.0	₹ 15,798
CR3AHDR00FE8	19.0	58	105	20.0	₹ 15,798
CR3AHDR00FF6	19.5	58	105	20.0	₹ 15,798
CR3AHDR00FG4	20.0	58	105	20.0	₹ 15,798



Series	C3HL				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR3AHDR00FH2	2.0	21	57	4.0	₹ 1,839
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 1,839
CR3AHDR00FK5	2.2	21	57	4.0	₹ 1,839
CR3AHDR00FL3	2.3	21	57	4.0	₹ 1,839
CR3AHDR00FM1	2.4	21	57	4.0	₹ 1,839
CR3AHDR00FN8	2.5	21	57	4.0	₹ 1,839
CR3AHDR00FP4	2.6	21	57	4.0	₹ 1,839
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 1,839
CR3AHDR00FR0	2.8	21	57	4.0	₹ 1,839
CR3AHDR00FS7	2.9	21	57	4.0	₹ 1,839
CR3AHDR00FT5	3.0	28	62	6.0	₹ 2,163
CR3AHDR00FU3	3.1	28	62	6.0	₹ 2,163
CR3AHDR00FV1	3.2	28	62	6.0	₹ 2,163
CR3AHDR00FW9	3.3	28	62	6.0	₹ 2,163
CR3AHDR00FX6	3.4	28	62	6.0	₹ 2,163
CR3AHDR00FY4	3.5	28	62	6.0	₹ 2,163
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 2,163
CR3AHDR00G03	3.7	28	62	6.0	₹ 2,163
CR3AHDR00G11	3.8	36	75	6.0	₹ 2,652
CR3AHDR00G29	3.9	36	75	6.0	₹ 2,652
CR3AHDR00G37	4.0	36	75	6.0	₹ 2,652
CR3AHDR00G45	4.1	36	75	6.0	₹ 2,652
CR3AHDR00G52	4.2	36	75	6.0	₹ 2,652
CR3AHDR00G60	4.3	36	75	6.0	₹ 2,652
CR3AHDR00G78	4.4	36	75	6.0	₹ 2,652
CR3AHDR00G86	4.5	36	75	6.0	₹ 2,652
CR3AHDR00G94	4.6	36	75	6.0	₹ 2,652
CR3AHDR00GA6	4.7	36	75	6.0	₹ 2,652
CR3AHDR00GB4	4.8	42	80	6.0	₹ 2,652
CR3AHDR00GC2	4.9	42	80	6.0	₹ 2,652
CR3AHDR00GD9	5.0	42	80	6.0	₹ 2,652
CR3AHDR00GE7	5.1	42	80	6.0	₹ 2,652
CR3AHDR00GF5	5.2	42	80	6.0	₹ 2,652
CR3AHDR00GG3	5.3	42	80	6.0	₹ 2,652
CR3AHDR00GH1	5.4	42	80	6.0	₹ 2,652
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 2,652
CR3AHDR00GK4	5.6	42	80	6.0	₹ 2,652
CR3AHDR00GL2	5.7	42	80	6.0	₹ 2,652
CR3AHDR00GM0	5.8	42	80	6.0	₹ 2,652
CR3AHDR00GN7	5.9	42	80	6.0	₹ 2,652
CR3AHDR00GP3	6.0	42	80	6.0	₹ 2,652
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 3,711
CR3AHDR00GR9	6.2	55	100	8.0	₹ 3,711
CR3AHDR00GS6	6.3	55	100	8.0	₹ 3,711
CR3AHDR00GT4	6.4	55	100	8.0	₹ 3,711
CR3AHDR00GU2	6.5	55	100	8.0	₹ 3,711
CR3AHDR00GV0	6.6	55	100	8.0	₹ 3,711
CR3AHDR00GW8	6.7	55	100	8.0	₹ 3,711
CR3AHDR00GX5	6.8	55	100	8.0	₹ 3,711
CR3AHDR00GY3	6.9	55	100	8.0	₹ 3,711
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 3,711
CR3AHDR00H02	7.1	60	105	8.0	₹ 3,711
CR3AHDR00H10	7.2	60	105	8.0	₹ 3,711
CR3AHDR00H28	7.3	60	105	8.0	₹ 3,711
CR3AHDR00H36	7.4	60	105	8.0	₹ 3,711
CR3AHDR00H44	7.5	60	105	8.0	₹ 3,711
CR3AHDR00H51	7.6	60	105	8.0	₹ 3,711
CR3AHDR00H69	7.7	60	105	8.0	₹ 3,711
CR3AHDR00H77	7.8	60	105	8.0	₹ 3,711

Carbide HP-Drills (LONG) Reinforced Shank					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CR3AHDR00H85	7.9	60	105	8.0	₹ 3,711
CR3AHDR00H93	8.0	60	105	8.0	₹ 3,711
CR3AHDR00HA5	8.1	75	125	10.0	₹ 5,928
CR3AHDR00HB3	8.2	75	125	10.0	₹ 5,928
CR3AHDR00HC1	8.3	75	125	10.0	₹ 5,928
CR3AHDR00HD8	8.4	75	125	10.0	₹ 5,928
CR3AHDR00HE6	8.5	75	125	10.0	₹ 5,928
CR3AHDR00HF4	8.6	75	125	10.0	₹ 5,928
CR3AHDR00HG2	8.7	75	125	10.0	₹ 5,928
CR3AHDR00HH0	8.8	75	125	10.0	₹ 5,928
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 5,928
CR3AHDR00HK3	9.0	75	125	10.0	₹ 5,928
CR3AHDR00HL1	9.1	75	125	10.0	₹ 5,928
CR3AHDR00HM9	9.2	75	125	10.0	₹ 5,928
CR3AHDR00HN6	9.3	75	125	10.0	₹ 5,928
CR3AHDR00HP2	9.4	75	125	10.0	₹ 5,928
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 5,928
CR3AHDR00HR8	9.6	75	125	10.0	₹ 5,928
CR3AHDR00HS5	9.7	75	125	10.0	₹ 5,928
CR3AHDR00HT3	9.8	75	125	10.0	₹ 5,928
CR3AHDR00HU1	9.9	75	125	10.0	₹ 5,928
CR3AHDR00HV9	10.0	75	125	10.0	₹ 5,928
CR3AHDR00HW7	10.1	85	140	12.0	₹ 8,784
CR3AHDR00HX4	10.2	85	140	12.0	₹ 8,784
CR3AHDR00HY2	10.3	85	140	12.0	₹ 8,784
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 8,784
CR3AHDR00J00	10.5	85	140	12.0	₹ 8,784
CR3AHDR00J18	10.6	85	140	12.0	₹ 8,784
CR3AHDR00J26	10.7	85	140	12.0	₹ 8,784
CR3AHDR00J34	10.8	85	140	12.0	₹ 8,784
CR3AHDR00J42	10.9	85	140	12.0	₹ 8,784
CR3AHDR00J59	11.0	85	140	12.0	₹ 8,784
CR3AHDR00J67	11.1	85	140	12.0	₹ 8,784
CR3AHDR00J75	11.2	85	140	12.0	₹ 8,784
CR3AHDR00J83	11.3	85	140	12.0	₹ 8,784
CR3AHDR00J91	11.4	85	140	12.0	₹ 8,784
CR3AHDR00JA3	11.5	85	140	12.0	₹ 8,784
CR3AHDR00JB1	11.6	85	140	12.0	₹ 8,784
CR3AHDR00JC9	11.7	85	140	12.0	₹ 8,784
CR3AHDR00JD6	11.8	85	140	12.0	₹ 8,784
CR3AHDR00JE4	11.9	85	140	12.0	₹ 8,784
CR3AHDR00JF2	12.0	85	140	12.0	₹ 8,784
CR3AHDR00JG0	12.5	85	140	14.0	₹ 11,523
CR3AHDR00JH8	13.0	85	140	14.0	₹ 11,523
CR3AHDR00JJ3	13.5	85	140	14.0	₹ 11,523
CR3AHDR00JK1	14.0	85	140	14.0	₹ 11,523
CR3AHDR00JL9	14.5	90	145	16.0	₹ 13,533
CR3AHDR00JM7	15.0	90	145	16.0	₹ 13,533
CR3AHDR00JN4	15.5	90	145	16.0	₹ 13,533
CR3AHDR00JP0	16.0	90	145	16.0	₹ 13,533
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 17,595
CR3AHDR00JR6	17.0	95	150	18.0	₹ 17,595
CR3AHDR00JS3	17.5	95	150	18.0	₹ 17,595
CR3AHDR00JT1	18.0	95	150	18.0	₹ 17,595
CR3AHDR00JU9	18.5	98	150	20.0	₹ 21,375
CR3AHDR00JV7	19.0	98	150	20.0	₹ 21,375
CR3AHDR00JW5	19.5	98	150	20.0	₹ 21,375
CR3AHDR00JX2	20.0	98	150	20.0	₹ 21,375



Series	CTHS				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CTHS0410-N	4.1	24	62	6.0	₹ 2,844
CTHS0420-N	4.2	24	62	6.0	₹ 2,844
CTHS0430-N	4.3	24	62	6.0	₹ 2,844
CTHS0440-N	4.4	24	62	6.0	₹ 2,844
CTHS0450-N	4.5	24	62	6.0	₹ 2,844
CTHS0460-N	4.6	24	62	6.0	₹ 2,844
CTHS0470-N	4.7	24	62	6.0	₹ 2,844
CTHS0480-N	4.8	28	62	6.0	₹ 2,844
CTHS0490-N	4.9	28	62	6.0	₹ 2,844
CTHS0500-N	5.0	28	62	6.0	₹ 2,844
CTHS0510-N	5.1	28	62	6.0	₹ 2,844
CTHS0520-N	5.2	28	62	6.0	₹ 2,844
CTHS0530-N	5.3	28	62	6.0	₹ 2,844
CTHS0540-N	5.4	28	62	6.0	₹ 2,844
CTHS0550-N	5.5	28	62	6.0	₹ 2,844
CTHS0560-N	5.6	28	62	6.0	₹ 2,844
CTHS0570-N	5.7	28	62	6.0	₹ 2,844
CTHS0580-N	5.8	28	62	6.0	₹ 2,844
CTHS0590-N	5.9	28	62	6.0	₹ 2,844
CTHS0600-N	6.0	28	62	6.0	₹ 2,844
CTHS0610-N	6.1	34	75	8.0	₹ 4,128
CTHS0620-N	6.2	34	75	8.0	₹ 4,128
CTHS0630-N	6.3	34	75	8.0	₹ 4,128
CTHS0640-N	6.4	34	75	8.0	₹ 4,128
CTHS0650-N	6.5	34	75	8.0	₹ 4,128
CTHS0660-N	6.6	34	75	8.0	₹ 4,128
CTHS0670-N	6.7	34	75	8.0	₹ 4,128
CTHS0680-N	6.8	34	75	8.0	₹ 4,128
CTHS0690-N	6.9	34	75	8.0	₹ 4,128
CTHS0700-N	7.0	34	75	8.0	₹ 4,128
CTHS0710-N	7.1	40	80	8.0	₹ 4,128
CTHS0720-N	7.2	40	80	8.0	₹ 4,128
CTHS0730-N	7.3	40	80	8.0	₹ 4,128
CTHS0740-N	7.4	40	80	8.0	₹ 4,128
CTHS0750-N	7.5	40	80	8.0	₹ 4,128
CTHS0760-N	7.6	40	80	8.0	₹ 4,128
CTHS0770-N	7.7	40	80	8.0	₹ 4,128
CTHS0780-N	7.8	40	80	8.0	₹ 4,128
CTHS0790-N	7.9	40	80	8.0	₹ 4,128
CTHS0800-N	8.0	40	80	8.0	₹ 4,128
CTHS0818-N	8.1	40	80	10.0	₹ 5,121
CTHS0828-N	8.2	40	80	10.0	₹ 5,121
CTHS0838-N	8.3	40	80	10.0	₹ 5,121
CTHS0848-N	8.4	40	80	10.0	₹ 5,121
CTHS0858-N	8.5	40	80	10.0	₹ 5,121
CTHS0868-N	8.6	40	80	10.0	₹ 5,121
CTHS0878-N	8.7	40	80	10.0	₹ 5,121
CTHS0888-N	8.8	40	80	10.0	₹ 5,121
CTHS0898-N	8.9	40	80	10.0	₹ 5,121
CTHS0908-N	9.0	40	80	10.0	₹ 5,121
CTHS0918-N	9.1	40	80	10.0	₹ 5,121
CTHS0928-N	9.2	40	80	10.0	₹ 5,121
CTHS0938-N	9.3	40	80	10.0	₹ 5,121
CTHS0948-N	9.4	40	80	10.0	₹ 5,121
CTHS0958-N	9.5	40	80	10.0	₹ 5,121
CTHS0968-N	9.6	40	80	10.0	₹ 5,121
CTHS0978-N	9.7	40	80	10.0	₹ 5,121
CTHS0988-N	9.8	40	80	10.0	₹ 5,121
CTHS0998-N	9.9	40	80	10.0	₹ 5,121
CTHS1008-N	10.0	40	80	10.0	₹ 5,121

Carbide HP-Drills with Coolant Hole (SHORT)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CTHS0810-N	8.1	51	100	10.0	₹ 6,150
CTHS0820-N	8.2	51	100	10.0	₹ 6,150
CTHS0830-N	8.3	51	100	10.0	₹ 6,150
CTHS0840-N	8.4	51	100	10.0	₹ 6,150
CTHS0850-N	8.5	51	100	10.0	₹ 6,150
CTHS0860-N	8.6	51	100	10.0	₹ 6,150
CTHS0870-N	8.7	51	100	10.0	₹ 6,150
CTHS0880-N	8.8	51	100	10.0	₹ 6,150
CTHS0890-N	8.9	51	100	10.0	₹ 6,150
CTHS0900-N	9.0	51	100	10.0	₹ 6,150
CTHS0910-N	9.1	51	100	10.0	₹ 6,150
CTHS0920-N	9.2	51	100	10.0	₹ 6,150
CTHS0930-N	9.3	51	100	10.0	₹ 6,150
CTHS0940-N	9.4	51	100	10.0	₹ 6,150
CTHS0950-N	9.5	51	100	10.0	₹ 6,150
CTHS0960-N	9.6	51	100	10.0	₹ 6,150
CTHS0970-N	9.7	51	100	10.0	₹ 6,150
CTHS0980-N	9.8	51	100	10.0	₹ 6,150
CTHS0990-N	9.9	51	100	10.0	₹ 6,150
CTHS1000-N	10.0	51	100	10.0	₹ 6,150
CTHS1010-N	10.1	55	100	12.0	₹ 7,890
CTHS1020-N	10.2	55	100	12.0	₹ 7,890
CTHS1030-N	10.3	55	100	12.0	₹ 7,890
CTHS1040-N	10.4	55	100	12.0	₹ 7,890
CTHS1050-N	10.5	55	100	12.0	₹ 7,890
CTHS1060-N	10.6	55	100	12.0	₹ 7,890
CTHS1070-N	10.7	55	100	12.0	₹ 7,890
CTHS1080-N	10.8	55	100	12.0	₹ 7,890
CTHS1090-N	10.9	55	100	12.0	₹ 7,890
CTHS1100-N	11.0	55	100	12.0	₹ 7,890
CTHS1110-N	11.1	55	100	12.0	₹ 7,890
CTHS1120-N	11.2	55	100	12.0	₹ 7,890
CTHS1130-N	11.3	55	100	12.0	₹ 7,890
CTHS1140-N	11.4	55	100	12.0	₹ 7,890
CTHS1150-N	11.5	55	100	12.0	₹ 7,890
CTHS1160-N	11.6	55	100	12.0	₹ 7,890
CTHS1170-N	11.7	55	100	12.0	₹ 7,890
CTHS1180-N	11.8	55	100	12.0	₹ 7,890
CTHS1190-N	11.9	55	100	12.0	₹ 7,890
CTHS1200-N	12.0	55	100	12.0	₹ 7,890
CTHS1250-N	12.5	55	105	14.0	₹ 10,458
CTHS1300-N	13.0	55	105	14.0	₹ 10,458
CTHS1350-N	13.5	55	105	14.0	₹ 10,458
CTHS1400-N	14.0	55	105	14.0	₹ 10,458
CTHS1450-N	14.5	58	105	16.0	₹ 12,393
CTHS1500-N	15.0	58	105	16.0	₹ 12,393
CTHS1550-N	15.5	58	105	16.0	₹ 12,393
CTHS1600-N	16.0	58	105	16.0	₹ 12,393
CTHS1650-N	16.5	58	105	18.0	₹ 17,307
CTHS1700-N	17.0	58	105	18.0	₹ 17,307
CTHS1750-N	17.5	58	105	18.0	₹ 17,307
CTHS1800-N	18.0	58	105	18.0	₹ 17,307
CTHS1850-N	18.5	58	105	20.0	₹ 20,238
CTHS1900-N	19.0	58	105	20.0	₹ 20,238
CTHS1950-N	19.5	58	105	20.0	₹ 20,238
CTHS2000-N	20.0	58	105	20.0	₹ 19,764



Series	CTHL				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CTHL0410-N	4.1	36	75	6.0	₹ 3,339
CTHL0420-N	4.2	36	75	6.0	₹ 3,339
CTHL0430-N	4.3	36	75	6.0	₹ 3,339
CTHL0440-N	4.4	36	75	6.0	₹ 3,339
CTHL0450-N	4.5	36	75	6.0	₹ 3,339
CTHL0460-N	4.6	36	75	6.0	₹ 3,339
CTHL0470-N	4.7	36	75	6.0	₹ 3,339
CTHL0480-N	4.8	42	80	6.0	₹ 3,339
CTHL0490-N	4.9	42	80	6.0	₹ 3,339
CTHL0500-N	5.0	42	80	6.0	₹ 3,339
CTHL0510-N	5.1	42	80	6.0	₹ 3,339
CTHL0520-N	5.2	42	80	6.0	₹ 3,339
CTHL0530-N	5.3	42	80	6.0	₹ 3,339
CTHL0540-N	5.4	42	80	6.0	₹ 3,339
CTHL0550-N	5.5	42	80	6.0	₹ 3,339
CTHL0560-N	5.6	42	80	6.0	₹ 3,339
CTHL0570-N	5.7	42	80	6.0	₹ 3,339
CTHL0580-N	5.8	42	80	6.0	₹ 3,339
CTHL0590-N	5.9	42	80	6.0	₹ 3,339
CTHL0600-N	6.0	42	80	6.0	₹ 3,339
CTHL0610-N	6.1	55	100	8.0	₹ 4,848
CTHL0620-N	6.2	55	100	8.0	₹ 4,848
CTHL0630-N	6.3	55	100	8.0	₹ 4,848
CTHL0640-N	6.4	55	100	8.0	₹ 4,848
CTHL0650-N	6.5	55	100	8.0	₹ 4,848
CTHL0660-N	6.6	55	100	8.0	₹ 4,848
CTHL0670-N	6.7	55	100	8.0	₹ 4,848
CTHL0680-N	6.8	55	100	8.0	₹ 4,848
CTHL0690-N	6.9	55	100	8.0	₹ 4,848
CTHL0700-N	7.0	55	100	8.0	₹ 4,848
CTHL0710-N	7.1	60	105	8.0	₹ 5,052
CTHL0720-N	7.2	60	105	8.0	₹ 5,052
CTHL0730-N	7.3	60	105	8.0	₹ 5,052
CTHL0740-N	7.4	60	105	8.0	₹ 5,052
CTHL0750-N	7.5	60	105	8.0	₹ 5,052
CTHL0760-N	7.6	60	105	8.0	₹ 5,052
CTHL0770-N	7.7	60	105	8.0	₹ 5,052
CTHL0780-N	7.8	60	105	8.0	₹ 5,052
CTHL0790-N	7.9	60	105	8.0	₹ 5,052
CTHL0800-N	8.0	60	105	8.0	₹ 5,052
CTHL0810-N	8.1	75	125	10.0	₹ 7,353
CTHL0820-N	8.2	75	125	10.0	₹ 7,353
CTHL0830-N	8.3	75	125	10.0	₹ 7,353
CTHL0840-N	8.4	75	125	10.0	₹ 7,353
CTHL0850-N	8.5	75	125	10.0	₹ 7,353
CTHL0860-N	8.6	75	125	10.0	₹ 7,353
CTHL0870-N	8.7	75	125	10.0	₹ 7,353
CTHL0880-N	8.8	75	125	10.0	₹ 7,353
CTHL0890-N	8.9	75	125	10.0	₹ 7,353

Carbide HP-Drills with Coolant Hole (LONG)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CTHL0900-N	9.0	75	125	10.0	₹ 7,353
CTHL0910-N	9.1	75	125	10.0	₹ 7,353
CTHL0920-N	9.2	75	125	10.0	₹ 7,353
CTHL0930-N	9.3	75	125	10.0	₹ 7,353
CTHL0940-N	9.4	75	125	10.0	₹ 7,353
CTHL0950-N	9.5	75	125	10.0	₹ 7,353
CTHL0960-N	9.6	75	125	10.0	₹ 7,353
CTHL0970-N	9.7	75	125	10.0	₹ 7,353
CTHL0980-N	9.8	75	125	10.0	₹ 7,353
CTHL0990-N	9.9	75	125	10.0	₹ 7,353
CTHL1000-N	10.0	75	125	10.0	₹ 7,353
CTHL1010-N	10.1	85	140	12.0	₹ 11,310
CTHL1020-N	10.2	85	140	12.0	₹ 11,310
CTHL1030-N	10.3	85	140	12.0	₹ 11,310
CTHL1040-N	10.4	85	140	12.0	₹ 11,310
CTHL1050-N	10.5	85	140	12.0	₹ 11,310
CTHL1060-N	10.6	85	140	12.0	₹ 11,310
CTHL1070-N	10.7	85	140	12.0	₹ 11,310
CTHL1080-N	10.8	85	140	12.0	₹ 11,310
CTHL1090-N	10.9	85	140	12.0	₹ 11,310
CTHL1100-N	11.0	85	140	12.0	₹ 11,310
CTHL1110-N	11.1	85	140	12.0	₹ 11,310
CTHL1120-N	11.2	85	140	12.0	₹ 11,310
CTHL1130-N	11.3	85	140	12.0	₹ 11,310
CTHL1140-N	11.4	85	140	12.0	₹ 11,310
CTHL1150-N	11.5	85	140	12.0	₹ 11,310
CTHL1160-N	11.6	85	140	12.0	₹ 11,310
CTHL1170-N	11.7	85	140	12.0	₹ 11,310
CTHL1180-N	11.8	85	140	12.0	₹ 11,310
CTHL1190-N	11.9	85	140	12.0	₹ 11,310
CTHL1200-N	12.0	85	140	12.0	₹ 11,310
CTHL1250-N	12.5	85	140	14.0	₹ 14,778
CTHL1300-N	13.0	85	140	14.0	₹ 14,778
CTHL1350-N	13.5	85	140	14.0	₹ 14,778
CTHL1400-N	14.0	85	140	14.0	₹ 14,778
CTHL1450-N	14.5	90	145	16.0	₹ 17,490
CTHL1500-N	15.0	90	145	16.0	₹ 17,490
CTHL1550-N	15.5	90	145	16.0	₹ 17,490
CTHL1600-N	16.0	90	145	16.0	₹ 17,490
CTHL1650-N	16.5	95	150	18.0	₹ 22,332
CTHL1700-N	17.0	95	150	18.0	₹ 22,332
CTHL1750-N	17.5	95	150	18.0	₹ 22,332
CTHL1800-N	18.0	95	150	18.0	₹ 22,332
CTHL1850-N	18.5	98	150	20.0	₹ 26,583
CTHL1900-N	19.0	98	150	20.0	₹ 26,583
CTHL1950-N	19.5	98	150	20.0	₹ 26,583
CTHL2000-N	20.0	98	150	20.0	₹ 26,583



Rohit Cutting Tools India
Helping World Manufacturing Reduce Costs Since 1963 **Solid Carbide Drills**
PL-51 w.e.f 15-Dec-2018 **(GP and HP DRills)**
{ GST Extra As Applicable }

Series	CTHM	Carbide HP-MQL Drills With Coolant Hole			
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
CTHM0420-N	4.2	57	105	6.0	₹ 4,899
CTHM0450-N	4.5	57	105	6.0	₹ 4,899
CTHM0500-N	5.0	65	108	6.0	₹ 4,899
CTHM0550-N	5.5	72	127	6.0	₹ 5,802
CTHM0600-N	6.0	78	133	6.0	₹ 5,802
CTHM0650-N	6.5	85	141	8.0	₹ 7,536
CTHM0700-N	7.0	91	147	8.0	₹ 7,536
CTHM0750-N	7.5	98	155	8.0	₹ 7,725
CTHM0800-N	8.0	104	160	8.0	₹ 7,725
CTHM0850-N	8.5	111	160	10.0	₹ 9,786
CTHM0900-N	9.0	117	175	10.0	₹ 11,952
CTHM0950-N	9.5	124	182	10.0	₹ 11,952
CTHM1000-N	10.0	130	188	10.0	₹ 12,213
CTHM1050-N	10.5	137	201	12.0	₹ 15,435
CTHM1100-N	11.0	143	207	12.0	₹ 15,435
CTHM1150-N	11.5	150	215	12.0	₹ 15,801
CTHM1200-N	12.0	156	221	12.0	₹ 16,149



Series	C4HT				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
C4HT0200-N	2.0	14	50	4.0	₹ 1,980
C4HT0210-N	2.1	14	50	4.0	₹ 1,980
C4HT0220-N	2.2	14	50	4.0	₹ 1,980
C4HT0230-N	2.3	14	50	4.0	₹ 1,980
C4HT0240-N	2.4	14	50	4.0	₹ 1,980
C4HT0250-N	2.5	14	50	4.0	₹ 1,980
C4HT0260-N	2.6	14	50	4.0	₹ 1,980
C4HT0270-N	2.7	14	50	4.0	₹ 1,980
C4HT0280-N	2.8	14	50	4.0	₹ 1,980
C4HT0290-N	2.9	14	50	4.0	₹ 1,980
C4HT0300-N	3.0	20	62	6.0	₹ 2,442
C4HT0310-N	3.1	20	62	6.0	₹ 2,442
C4HT0320-N	3.2	20	62	6.0	₹ 2,442
C4HT0330-N	3.3	20	62	6.0	₹ 2,442
C4HT0340-N	3.4	20	62	6.0	₹ 2,442
C4HT0350-N	3.5	20	62	6.0	₹ 2,442
C4HT0360-N	3.6	20	62	6.0	₹ 2,442
C4HT0370-N	3.7	20	62	6.0	₹ 2,442
C4HT0380-N	3.8	24	62	6.0	₹ 2,442
C4HT0390-N	3.9	24	62	6.0	₹ 2,442
C4HT0400-N	4.0	24	62	6.0	₹ 2,442
C4HT0410-N	4.1	24	62	6.0	₹ 2,442
C4HT0420-N	4.2	24	62	6.0	₹ 2,442
C4HT0430-N	4.3	24	62	6.0	₹ 2,442
C4HT0440-N	4.4	24	62	6.0	₹ 2,442
C4HT0450-N	4.5	24	62	6.0	₹ 2,442
C4HT0460-N	4.6	24	62	6.0	₹ 2,442
C4HT0470-N	4.7	24	62	6.0	₹ 2,442
C4HT0480-N	4.8	28	62	6.0	₹ 2,442
C4HT0490-N	4.9	28	62	6.0	₹ 2,442
C4HT0500-N	5.0	28	62	6.0	₹ 2,442
C4HT0510-N	5.1	28	62	6.0	₹ 2,442
C4HT0520-N	5.2	28	62	6.0	₹ 2,442
C4HT0530-N	5.3	28	62	6.0	₹ 2,442
C4HT0540-N	5.4	28	62	6.0	₹ 2,442
C4HT0550-N	5.5	28	62	6.0	₹ 2,442
C4HT0560-N	5.6	28	62	6.0	₹ 2,442
C4HT0570-N	5.7	28	62	6.0	₹ 2,442
C4HT0580-N	5.8	28	62	6.0	₹ 2,442
C4HT0590-N	5.9	28	62	6.0	₹ 2,442
C4HT0600-N	6.0	28	62	6.0	₹ 2,442
C4HT0610-N	6.1	34	75	8.0	₹ 3,969
C4HT0620-N	6.2	34	75	8.0	₹ 3,969
C4HT0630-N	6.3	34	75	8.0	₹ 3,969
C4HT0640-N	6.4	34	75	8.0	₹ 3,969
C4HT0650-N	6.5	34	75	8.0	₹ 3,969
C4HT0660-N	6.6	34	75	8.0	₹ 3,969
C4HT0670-N	6.7	34	75	8.0	₹ 3,969
C4HT0680-N	6.8	34	75	8.0	₹ 3,969
C4HT0690-N	6.9	34	75	8.0	₹ 3,969
C4HT0700-N	7.0	34	75	8.0	₹ 3,969
C4HT0710-N	7.1	40	80	8.0	₹ 4,302
C4HT0720-N	7.2	40	80	8.0	₹ 4,302
C4HT0730-N	7.3	40	80	8.0	₹ 4,302
C4HT0740-N	7.4	40	80	8.0	₹ 4,302
C4HT0750-N	7.5	40	80	8.0	₹ 4,302
C4HT0760-N	7.6	40	80	8.0	₹ 4,302
C4HT0770-N	7.7	40	80	8.0	₹ 4,302
C4HT0780-N	7.8	40	80	8.0	₹ 4,302
C4HT0790-N	7.9	40	80	8.0	₹ 4,302
C4HT0800-N	8.0	40	80	8.0	₹ 4,302
C4HT0818-N	8.1	40	80	10.0	₹ 5,409
C4HT0828-N	8.2	40	80	10.0	₹ 5,409
C4HT0838-N	8.3	40	80	10.0	₹ 5,409
C4HT0848-N	8.4	40	80	10.0	₹ 5,409
C4HT0858-N	8.5	40	80	10.0	₹ 5,409

Carbide HP-Drills with PEROX Coating					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-51
C4HT0868-N	8.6	40	80	10.0	₹ 5,409
C4HT0878-N	8.7	40	80	10.0	₹ 5,409
C4HT0888-N	8.8	40	80	10.0	₹ 5,409
C4HT0898-N	8.9	40	80	10.0	₹ 5,409
C4HT0908-N	9.0	40	80	10.0	₹ 5,409
C4HT0918-N	9.1	40	80	10.0	₹ 5,409
C4HT0928-N	9.2	40	80	10.0	₹ 5,409
C4HT0938-N	9.3	40	80	10.0	₹ 5,409
C4HT0948-N	9.4	40	80	10.0	₹ 5,409
C4HT0958-N	9.5	40	80	10.0	₹ 5,409
C4HT0968-N	9.6	40	80	10.0	₹ 5,409
C4HT0978-N	9.7	40	80	10.0	₹ 5,409
C4HT0988-N	9.8	40	80	10.0	₹ 5,409
C4HT0998-N	9.9	40	80	10.0	₹ 5,409
C4HT1008-N	10.0	40	80	10.0	₹ 5,409
C4HT0810-N	8.1	60	100	10.0	₹ 6,474
C4HT0820-N	8.2	60	100	10.0	₹ 6,474
C4HT0830-N	8.3	60	100	10.0	₹ 6,474
C4HT0840-N	8.4	60	100	10.0	₹ 6,474
C4HT0850-N	8.5	60	100	10.0	₹ 6,474
C4HT0860-N	8.6	60	100	10.0	₹ 6,474
C4HT0870-N	8.7	60	100	10.0	₹ 6,474
C4HT0880-N	8.8	60	100	10.0	₹ 6,474
C4HT0890-N	8.9	60	100	10.0	₹ 6,474
C4HT0900-N	9.0	60	100	10.0	₹ 6,474
C4HT0910-N	9.1	60	100	10.0	₹ 6,474
C4HT0920-N	9.2	60	100	10.0	₹ 6,474
C4HT0930-N	9.3	60	100	10.0	₹ 6,474
C4HT0940-N	9.4	60	100	10.0	₹ 6,474
C4HT0950-N	9.5	60	100	10.0	₹ 6,474
C4HT0960-N	9.6	60	100	10.0	₹ 6,474
C4HT0970-N	9.7	60	100	10.0	₹ 6,474
C4HT0980-N	9.8	60	100	10.0	₹ 6,474
C4HT0990-N	9.9	60	100	10.0	₹ 6,474
C4HT1000-N	10.0	60	100	10.0	₹ 6,474
C4HT1010-N	10.1	60	100	12.0	₹ 8,541
C4HT1020-N	10.2	60	100	12.0	₹ 8,541
C4HT1030-N	10.3	60	100	12.0	₹ 8,541
C4HT1040-N	10.4	60	100	12.0	₹ 8,541
C4HT1050-N	10.5	60	100	12.0	₹ 8,541
C4HT1060-N	10.6	60	100	12.0	₹ 8,541
C4HT1070-N	10.7	60	100	12.0	₹ 8,541
C4HT1080-N	10.8	60	100	12.0	₹ 8,541
C4HT1090-N	10.9	60	100	12.0	₹ 8,541
C4HT1100-N	11.0	60	100	12.0	₹ 8,541
C4HT1110-N	11.1	60	100	12.0	₹ 8,541
C4HT1120-N	11.2	60	100	12.0	₹ 8,541
C4HT1130-N	11.3	60	100	12.0	₹ 8,541
C4HT1140-N	11.4	60	100	12.0	₹ 8,541
C4HT1150-N	11.5	60	100	12.0	₹ 8,541
C4HT1160-N	11.6	60	100	12.0	₹ 8,541
C4HT1170-N	11.7	60	100	12.0	₹ 8,541
C4HT1180-N	11.8	60	100	12.0	₹ 8,541
C4HT1190-N	11.9	60	100	12.0	₹ 8,541
C4HT1200-N	12.0	60	100	12.0	₹ 8,541
C4HT1250-N	12.5	55	105	14.0	₹ 11,337
C4HT1300-N	13.0	55	105	14.0	₹ 11,337
C4HT1350-N	13.5	55	105	14.0	₹ 11,337
C4HT1400-N	14.0	55	105	14.0	₹ 11,337
C4HT1450-N	14.5	58	105	16.0	₹ 13,845
C4HT1500-N	15.0	58	105	16.0	₹ 13,845
C4HT1550-N	15.5	58	105	16.0	₹ 13,845
C4HT1600-N	16.0	58	105	16.0	₹ 13,845



Series	C1N1	Carbide NC-Spotting drills 90°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-51
C1N10600-U	6	13	50	6	₹ 1,422
C1N10800-U	8	23	60	8	₹ 2,016
C1N11000-U	10	24	70	10	₹ 2,868
C1N11200-U	12	24	70	12	₹ 3,699
C1N11600-U	16	29	75	16	₹ 6,825
C1N12000-U	20	35	100	20	₹ 12,846

Series	C1N2	Carbide NC-Spotting drills 120°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-51
C1N20600-U	6	13	50	6	₹ 1,422
C1N20800-U	8	23	60	8	₹ 2,016
C1N21000-U	10	24	70	10	₹ 2,868
C1N21200-U	12	24	70	12	₹ 3,699
C1N21600-U	16	29	75	16	₹ 6,825
C1N22000-U	20	35	100	20	₹ 12,846

Series	C1CB	Carbide Centre Drills BS 328 Series				
Ordering No.	Size	Flute Diameter (D1)	Flute Length	Overall Length (L1)	Shank Diameter (D2)	PL-51
C1CB-BS1-U	BS1	3/64	3/64	1-1/2	1/8	₹ 1,215
C1CB-BS2-U	BS2	5/64	5/64	1-7/8	3/16	₹ 1,410
C1CB-BS3-U	BS3	7/64	7/64	2	1/4	₹ 1,911
C1CB-BS4-U	BS4	1/8	1/8	2-1/4	5/16	₹ 2,361
C1CB-BS5-U	BS5	3/16	3/16	2-3/4	7/16	₹ 4,188
C1CB-BS6-U	BS6	7/32	7/32	3	1/2	₹ 5,640
C1CB-BS7-U	BS7	1/4	1/4	3-1/4	5/8	₹ 7,917
C1CB-BS8-U	BS8	5/16	5/16	3-1/2	3/4	₹ 14,058

Series	C1CD	Carbide Centre Drills DIN 333			
Ordering No.	Flute Diameter (D1)	Flute Length	Overall Length (L1)	Shank Diameter (D2)	PL-51
C1CD0125-U	1.25	1.6	32	3.15	₹ 1,260
C1CD0160-U	1.6	2	36	4	₹ 1,260
C1CD0200-U	2	2.5	40	5	₹ 1,464
C1CD0250-U	2.5	3.1	45	6.3	₹ 1,986
C1CD0315-U	3.15	3.9	50	8	₹ 2,454
C1CD0400-U	4	5	56	10	₹ 3,177
C1CD0500-U	5	6.3	63	12.5	₹ 4,941
C1CD0630-U	6.3	8	71	16	₹ 7,380
C1CD0800-U	8	10.1	80	20	₹ 11,931