

# Pneumatic Staplers

## 80/16 EMPIRE



## 80/16, 71/16, 14/16



## 1013J, SJK-16, 425J Pneumatic Stapler




## 80-16LN Long Nose Stapler



## N-40L Light Duty Stapler



## N-50 Heavy Duty Stapler




## Technical Specifications

Model No.	Gauge	Crown (mm)	Length (mm)	Shank (T/W)	Weight (kg)	Load Capacity	Dimension (HWL)
80/16	21	12.9	6~16	0.65/0.95	0.9	160 pcs	155 x 45 x 225
71/16	22	9.1	6~16	0.6/0.75	0.9	200 pcs	155 x 45 x 225
14/16	22	10.1	6~16	0.6/0.75	0.9	200 pcs	155 x 45 x 225
10/13J	20	11.2	6~13	0.6/1.2	0.85	100 pcs	145 x 45 x 210
SJK-16	22	4.1	6~16	0.6/0.75	0.85	100 pcs	140 x 45 x 210
425J	20	5.2	10~25	0.6/1.2	1.2	100 pcs	174 x 55 x 250
80/16LN	21	12.9	6~16	0.65/0.95	1.0	160 pcs	210 x 45 x 225
N-40L	16	10.8	19~40	1.4/1.6	1.4	100 pcs	240 x 59 x 245
N-50	16	10.8	25~50	1.4/1.6	2.65	150 pcs	295 x 92 x 380

# Carton Staplers


**HDCS-1935 / HDCS-2235**  
Manual Carton Stapler



**H3518**  
Manual Carton Stapler




**ADB19-35 / ADB22-35**  
Pneumatic Carton Stapler




**A3518**  
Pneumatic Carton Stapler



**80/16 BJH**  
Plier Type Stapler



**1025J BJH**  
Plier Type Stapler



## Technical Specifications

Model	Crown(mm)	Shank (T/W)	Length (mm)	Weight (kg)	Load Capacity	Dimension (HWL)
HDCS-1935	34.8	0.9/2.2	15 & 18	1.65	100 pcs	310x102x340
HDCS-2235	34.8	0.9/2.2	22	1.65	100 pcs	310x102x340
H3518	34.8	0.9/2.2	15 & 18	1.67	100 pcs	310x102x460
ADB19-35	34.7	0.9/2.25	15 & 18	1.9	100 pcs	220x115x415
ADB22-35	34.7	0.9/2.25	22	1.9	100 pcs	220x115x415
A3518	34.8	0.9/2.2	15 & 18	2.0	100 pcs	200X102X400
80/16 BJH	12.9	0.65/0.95	6 - 16	1.2	200 pcs	165x45x225
1025J BJH	11.2	0.6/1.2	10 - 25	1.5	100 pcs	192x55x250

# Pneumatic Nailers

## F-18/35

18 G Brad Nailer



10	mm	—	3/8"
15	mm	—	5/8"
20	mm	—	3/4"
25	mm	—	1"
30	mm	—	1-1/6"
32	mm	—	1-1/4"
35	mm	—	1-3/8"

<b>Head Dia</b>	<b>Shank (T / W)</b>	<b>Length</b>
	1.0 / 1.25 mm	10 - 35 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
210x59x260 mm	100 pcs	1.2 kg

## F-18/50

18 G Brad Nailer



15	mm	—	5/8"
20	mm	—	3/4"
25	mm	—	1"
30	mm	—	1-1/6"
35	mm	—	1-2/5"
40	mm	—	1-9/16"
45	mm	—	1-3/4"
50	mm	—	2"

<b>Head Dia</b>	<b>Shank (T / W)</b>	<b>Length</b>
1.9 mm	1.0 / 1.25 mm	15 - 50 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
240x59x235 mm	100 pcs	1.48 kg

## P0.6/30, P0.6/50

Micro Pinner




15	mm	—	0.591
18	mm	—	0.709
21	mm	—	0.827
25	mm	—	0.984
30	mm	—	1.181
35	mm	—	1.378
40	mm	—	1.600
45	mm	—	1.772
50	mm	—	1.968

<b>Model</b>	<b>Dimension (HWL)</b>	<b>Length</b>	<b>Weight</b>
P0.6/30	190x45x220 mm	12 - 30 mm	0.9 kg
P0.6/50	220x40x230 mm	15 - 50 mm	1.15 kg
<b>Gauge</b>	<b>Shank (T / W)</b>	<b>Load Capacity</b>	<b>Nail Type</b>
23	0.64 / 0.64 mm	200 pcs	Pin

## ZN-12A, ZN-12B


Decorative Nailer



<b>Diameter</b>	<b>Thickness</b>	<b>Length</b>
8.5-10.5 mm	3.3-4.0 mm	14 - 16 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
200x100x220 mm	100 pcs	1.1 kg

## V-15AH

Frame Assembly Nailer



<b>Crown</b>	<b>Thickness</b>	<b>Height</b>
10.3 mm (10.5 Type)	0.3 mm	4.0 - 4.1 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
200x70x255 mm	300 pcs	1.3 kg

## V-15AHAP



Frame Assembly Setup



# Air Coil Nailers





**C-57**



<b>Head Dia</b>	<b>Shank Dia</b>	<b>Length</b>
5.0 - 6.0 mm	2.1 - 2.3 mm	25 - 57 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
310x130x300 mm	200 - 300 pcs	2.2 kg




**C-75**




<b>Head Dia</b>	<b>Shank Dia</b>	<b>Length</b>
5.7 - 7.0 mm	2.3 - 2.9 mm	45 - 75 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
340x125x340 mm	150 - 300 pcs	3.6 kg

**C-90**




<b>Head Dia</b>	<b>Shank Dia</b>	<b>Length</b>
6.0 - 7.2 mm	2.5 - 3.3 mm	50 - 90 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
375x125x340 mm	150 - 300 pcs	3.7 kg

**C-100**





<b>Head Dia</b>	<b>Shank Dia</b>	<b>Length</b>
6.0 - 7.2 mm	2.5 - 3.3 mm	50 - 100 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
385x130x370 mm	200 - 300 pcs	5.0 kg

**SC7C**  
C-Ring



<b>Crown</b>	<b>Shank Dia</b>	<b>Shank Height</b>
23.9 mm	1.8 mm	12 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
374x87x187 mm	100 pcs	1.45 kg


**SP88/25SJ**  
Plier



<b>Crown</b>	<b>Shank (T/W)</b>	<b>Length</b>
13.2 mm	0.5 / 1.2 mm	12 - 25 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
302x63x3362 mm	200 pcs	2.1 kg


# Electric & Cordless Staplers / Nailers

## E80/16S Electric Stapler & Nailer




Nail Type	Gauge	Shank (T / W)	Length
Staple	21	0.65 / 0.95 mm	6 - 16 mm
Brad	18	1.0 / 1.25 mm	15 mm
Crown	Dimension (HWL)	Load Capacity	Weight
12.9	195x68x215 mm	140 pcs	1.23 kg

## E80/25, E425J Electric Stapler




Model	Gauge	Shank (T / W)	Crown (mm)
E80/25	21	0.65 / 0.95 mm	12.9
E425J	20	0.6 / 1.20 mm	5.2
Length	Dimension (HWL)	Load Capacity	Weight
13 - 25 mm	230x68x250 mm	100 pcs	1.82 kg

## EF18/35C Electric Nailer & Stapler




Nail Type	Crown	Shank (T / W)	Length
Staple	5,8	1.0 / 1.25 mm	13 - 30 mm
Brad	-	1.0 / 1.25 mm	15 - 35 mm
Gauge	Dimension (HWL)	Load Capacity	Weight
18	231x68x272 mm	100 pcs	1.9 kg

## DF18/35 Cordless Brad Nailer



Gauge	Shank (T / W)	Length
18	1.0 / 1.25 mm	10-35 mm
Dimension (HWL)	Load Capacity	Weight
245x82x265 mm	100 pcs	3.2 kg

## D8025, D425J Cordless Stapler



Model	Gauge	Shank (T / W)	Crown (mm)
D8025	21	0.65 / 0.95 mm	12.9
D425J	20	0.6 / 1.20 mm	5.2
Length	Dimension (HWL)	Load Capacity	Weight
13 - 25 mm	245x82x265 mm	100 pcs	3.2 kg

## CG-50 Caulking Gun



**Application:**  
Molding and furniture  
Decorative Trim  
Glazing strips  
Mirror and Picture Frame


## AOP-CP1106 Fastener Remover



No. of Impact	Weight	Length
633 bpm	0.32 kg	240 mm

# UNOAIR Pneumatic Staplers & Nailers


## AN-8016 21 G Pneumatic Stapler



<b>Crown</b>	<b>Shank (T / W)</b>	<b>Length</b>
12.8 mm	0.65 / 0.95 mm	6 - 16 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
147X42X230 mm	160 pcs	0.96 kg

**Application :** Furniture, Wood Box & Shoe Manf


## AN-422J 20 G Pneumatic Stapler



<b>Crown</b>	<b>Shank (T / W)</b>	<b>Length</b>
5.2 mm	0.60 / 1.20 mm	13-22 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
295X87X380 mm	100 pcs	1.4 kg

**Application :** Furniture, Wood Box & Shoe Manf


## F-1850L 18 G Wire Finish Nailer



<b>Head Dia</b>	<b>Shank (T / W)</b>	<b>Length</b>
1.9 mm	1.0 / 1.25 mm	15-50 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
240X55X255 mm	100 pcs	1.40 kg

**Application:** Staircases, Paneling, Interior Finish & Trimm, Customs Cabinets, Mouldings & Crafts

## FS-2150 2-in-1 Nailer For Brad & Staple




<b>Nail Type</b>	<b>Crown</b>	<b>Shank (T / W)</b>	<b>Length</b>
Brad	-	1.0 / 1.25 mm	15-50 mm
Staple	5.8 mm	1.0 / 1.25 mm	19-40 mm
<b>Gauge</b>	<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
18	190X50X200 mm	100 pcs	1.8 kg

**Application:** Staircases, Paneling, Interior Finish & Trimm, Customs Cabinets, Mouldings & Crafts

## HS-3519 / HS-3218

Hand Drive Carton Stapler




<b>Model</b>	<b>Crown</b>	<b>Shank (T / W)</b>	<b>Length</b>
HS3519	35 mm	0.9 / 2.2 mm	16 & 19 mm
HS3218	32 mm	0.9 / 1.9 mm	15 & 18 mm
	<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
	290X115X400 mm	100 pcs	1.7 kg

**Application:** Corogated Box Packing

## AN-16851

16 G Heavy Duty Pneumatic Stapler



<b>Crown</b>	<b>Shank (T / W)</b>	<b>Length</b>
11.1 mm	1.40 / 1.60 mm	25-50 mm
<b>Dimension (HWL)</b>	<b>Load Capacity</b>	<b>Weight</b>
177X51X240 mm	150 pcs	1.50 kg

**Application :** Creates, Pallets, Woodens Frames etc.