


**Nityo**

*Air Tools Catalogue*





Air Tools Catalogue

## Air Hammer

Model - NI 1112H



- Impact 2200 times per minute
- Effective stroke 89 mm
- Lightweight & durable aluminum housing
- Alloy tubing for longer life
- Heat treated internal parts for longer life and low maintenance
- Handle grip for better holding

### Features

- Heavy Industrial design
- Quick change chuck available
- Rear Exhaust
- Power stability
- Strong power, long performance life



### Specifications

- Stroke Speed (bpm) : 2200
- Stroke (mm) : 89
- Chisel Shank (mm) : 10.2
- Chisel Type : Round
- Weight(Kg) : 1.95
- Exhaust : Front
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Hammer

Model - NI 1113H



- Impact 3500 times per minute
- Effective stroke 67 mm
- Lightweight & durable aluminum housing
- Alloy tubing for longer life
- Heat treated internal parts for longer life and low maintenance
- Handle grip for better holding

### Features

- Heavy Industrial design
- Quick change chuck available
- Rear Exhaust
- Power stability
- Strong power, long performance life

### Specifications

- Stroke Speed (bpm) : 3500
- Stroke (mm) : 67
- Chisel Shank (mm) : 10.2
- Chisel Type : Round
- Weight(Kg) : 1.55
- Exhaust : Front
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 1/2" Ratchet Wrench

Model - NI 2223H



- Ball type anvil for easy socket changing
- Easy to use even in narrow spaces
- Low noise
- Low vibration for smooth tightening
- Comfortable grip
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Greasing plug for lubrication of ratchet mechanism
- Heat Treated internal parts for longer life

### Specifications

- Sq Drive (inch) : 1/2
- Free Speed (rpm) : 150
- Torque (Nm) : 90
- Weight(Kg) : 1.2
- Length (mm) : 260
- Exhaust : Front
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 3/8" Ratchet Wrench

Model - NI 2226 H



- Ball type anvil for easy socket changing
- Easy to use even in narrow spaces
- Low noise
- Low vibration for smooth tightening
- Comfortable grip
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life

### Specifications

- Sq Drive (inch) : 3/8
- Free Speed (rpm) : 180
- Torque (Nm) : 30
- Weight(Kg) : 1.0
- Length (mm) : 180
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Drill

Model - NI 3312 H



- Planet gear mechanism system
- Low vibration design
- Low noise
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life
- High and stable speed
- Easy forward reverse switch, single handed operation



### Specifications

- Chuck Size (mm) : 10
- Free Speed (rpm) : 1800
- Gear Box : 3 Gears
- Weight(Kg) : 1.2
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Drill

Model - NI 3314 H



- Planet gear mechanism system
- Low vibration design
- Low noise
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life
- High and stable speed
- Easy forward reverse switch, single handed operation



### Specifications

- Chuck Size (mm) : 13
- Free Speed (rpm) : 700
- Gear Box : 3 Gears
- Weight(Kg) : 1.5
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Drill

Model - NI 3316 H



- Planet gear mechanism system
- Low vibration design
- Low noise
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life
- High and stable speed
- Easy forward reverse switch, single handed operation

### Specifications

- Chuck Size (mm) : 10
- Free Speed (rpm) : 1800
- Gear Box : 3 Gears
- Weight(Kg) : 0.7
- Exhaust : Side
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25





Air Tools Catalogue

## Air Drill

Model - NI 3320 H



- Planet gear mechanism system
- Low vibration design
- Low noise
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life
- High and stable speed
- Easy forward reverse switch, single handed operation



### Specifications

- Chuck Size (mm) : 10
- Free Speed (rpm) : 1800
- Gear Box : 6 Gears
- Weight(Kg) : 1.1
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Drill

Model - NI 3321 H



- Planet gear mechanism system
- Low vibration design
- Low noise
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Power stability
- Strong power, long performance life
- Heat Treated internal parts for longer life
- High and stable speed
- Easy forward reverse switch, single handed operation



### Specifications

- Chuck Size (mm) : 13
- Free Speed (rpm) : 700
- Gear Box : 6 Gears
- Weight(Kg) : 1.3
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 4
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Angle Die Grinder

Model - NI 4412 H



- Available in 6mm Collet
- Low vibration for smooth finishing
- Lightweight & durable aluminum housing
- Perfect for grinding, deburring of metal components
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Widely used in industrial grinding and fabrication works
- Rear Exhaust
- Power stability
- Strong power, long performance life

### Specifications

- Collet Size (mm) : 6
- Free Speed (rpm) : 20000
- Weight(Kg) : 0.5
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 6mm Die Grinder

Model - NI 4416 H



- Available in 6mm Collet
- Low vibration for smooth finishing
- Lightweight & durable aluminum housing
- Perfect for grinding, deburring of metal components
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Widely used in industrial grinding and fabrication works
- Rear Exhaust
- Power stability
- Strong power, long performance life

### Specifications

- Collet Size (mm) : 6
- Free Speed (rpm) : 25000
- Weight(Kg) : 0.4
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 6mm Die Grinder

Model - NI 4417H



- Available in 6mm Collet
- Low vibration for smooth finishing
- Lightweight & durable aluminum housing
- Perfect for grinding, deburring of metal components
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Widely used in industrial grinding and fabrication works
- 360° Rear Exhaust
- Power stability
- Strong power, long performance life

### Specifications

- Collet Size (mm) : 6
- Free Speed (rpm) : 25000
- Weight(Kg) : 0.39
- Length (mm) : 170
- Exhaust : 360° Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (cfm) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 4" Angle Grinder

Model - NI 4422 H



- Available in 4" Disc
- Lightweight & durable aluminum housing
- Perfect for heavy duty applications
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Safety Lever for operators convenience and safety
- Widely used in industrial grinding and fabrication works
- Front Exhaust
- Power stability
- Strong power, long performance life

### Specifications

- Disc Size (inch) : 4
- Free Speed (rpm) : 10000
- Weight(Kg) : 1.75
- Length (mm) : 230
- Exhaust : Front
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 165
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Sander

Model - NI 5512 H



- Available in 3", 4", 5" pad
- Stable power
- Lightweight parts but designed for heavy duty applications

### Features

- Light weight design
- Durable
- Easy to use due to compact design
- Front exhaust
- Adjustable speed for operators convenience

### Specifications

- Pad size (inch) : 3", 4", 5"
- Free Speed (rpm) : 18000
- Weight(Kg) : 0.97
- Length (mm) : 127
- Exhaust : Front
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 4
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

# Mini Polisher

Model - NI 5521 S/ O/ P



- Available in 2" and 3" Velcro pads
- Rear Exhaust
- Adjustable speed for operators convenience
- Light weight aluminum housing

## Features

- Light weight design
- Durable
- Easy to use due to compact design
- Front exhaust
- Adjustable speed for operators convenience



## Specifications

- Pad size (inch) : 3"
- Length (mm) : 160
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



Sander

Orbital Sander

Polisher

	NI 5521 S	NI 5521 O	NI 5521 P
Free Speed (rpm)	13000	13000	2500
Net Weight (Kg)	0.65	0.7	0.8

## Nityo Tools India Pvt Ltd

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25





Air Tools Catalogue

## Belt Sander

Model - NI 5522 H

- Available in 10x330 mm belt size
- Heavy duty pulley bearings
- Stable power
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Easy to use even in narrow place
- Rear exhaust
- Adjustable speed for operators convenience

### Specifications

- Belt size (mm) : 10x330
- Free Speed (rpm) : 16000
- Weight(Kg) : 0.95
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Belt Sander

Model - NI 5523 H

- Available in 20x520 mm belt size
- Heavy duty pulley bearings
- Stable power
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Easy to use even in narrow place
- Rear exhaust
- Adjustable speed for operators convenience

### Specifications

- Belt size (mm) : 20x520
- Free Speed (rpm) : 16000
- Weight(Kg) : 1.4
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Belt Sander

Model - NI 5525 H



- Available in 10x330 mm belt size
- Heavy duty pulley bearings
- Stable power
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Easy to use even in narrow place
- Rear exhaust
- Adjustable speed for operators convenience

### Specifications

- Belt size (mm) : 10x330
- Free Speed (rpm) : 18000
- Weight(Kg) : 0.75
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Belt Sander

Model - NI 5530 H



- Available in 20x520 mm belt size
- Heavy duty pulley bearings
- Stable power
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Easy to use even in narrow place
- Rear exhaust
- Adjustable speed for operators convenience

### Specifications

- Belt size (mm) : 20x520
- Free Speed (rpm) : 17000
- Weight(Kg) : 1.0
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Screwdriver

Model - NI 6612 H



- Perfect for assemble and disassemble of small assemblies
- Lightweight parts but designed for heavy duty applications
- Widely used for maintenance of assembly line of vehicle and motor bike

### Features

- Heavy Industrial design
- Durable
- Powerful Torque
- Heavy duty hammer mechanism

### Specifications

- Sq Drive (inch) : 1/4 Female
- Free Speed (rpm) : 10000
- Torque (Nm) : 22
- Weight(Kg) : 0.7
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

# 1-1/2" Impact Wrench

Model - NI 7709 H



- Available in 3" Anvil
- Design of pinless clutch, can keep high torque output
- Perfect for Construction and high torque applications
- Lightweight parts but designed for heavy duty applications

## Features

- Heavy Industrial design
- Durable
- Widely used for high torque application
- Pinless Clutch
- Powerful Torque



## Specifications

- Sq Drive (inch) : 1-1/2"
- Free Speed (rpm) : 2800
- Torque(N.m) : 5600
- Anvil Length (inch) : 3
- Weight(Kg) : 20
- Air Pressure (Kg/cm<sup>2</sup>) : 8-10
- Air Inlet (NPT) : 1/2"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

# 1" Impact Wrench

Model - NI 7711 H



- Available in 3" and 9" Anvil
- Design of pin less clutch, can keep high torque output
- Perfect for assemble and disassemble tyre of truck and high torque applications
- Lightweight parts but designed for heavy duty applications

## Features

- Heavy Industrial design
- Durable
- Widely used for truck, bus tyres
- Pinless Clutch
- Powerful Torque



## Specifications

- Sq Drive (inch) : 1"
- Free Speed (rpm) : 3000
- Torque(N.m) : 3800
- Anvil Length (inch) : 3 & 9
- Weight(Kg) : 17
- Air Pressure (Kg/cm<sup>2</sup>) : 8-10
- Avg. Air Consumption (cfm) : 15
- Air Inlet (NPT) : 1/2"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 3/4" Impact Wrench

Model - NI 7716 H



- Available in standard Anvil
- Lightweight & durable aluminum housing
- Perfect for heavy duty applications
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Widely used in heavy duty applications
- Powerful Torque



### Specifications

- Sq Drive (inch) : 3/4"
- Free Speed (rpm) : 4000
- Torque(N.m) : 1600
- Length (mm) : 235
- Weight(Kg) : 5.9
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 250
- Air Inlet (NPT) : 1/2"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25





Air Tools Catalogue

## 1/2" Impact Wrench

Model - NI 7718 H

- Available in standard Anvil
- Lightweight & durable composite housing
- Perfect for heavy duty applications
- Lightweight parts but designed for heavy duty applications



### Features

- Heavy Industrial design
- Durable twin hammer mechanism
- Widely used in motor bike factory assembly line
- high Torque output

### Specifications

- Sq Drive (inch) : 1/2"
- Free Speed (rpm) : 8000
- Max Torque(N.m) : 800
- Weight(Kg) : 2.1
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 450
- Air Inlet (NPT) : 1/4"

- Hammer mechanism - Twin Hammer



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 1/2" Impact Wrench

Model - NI 7724 H



- Available in standard Anvil
- Lightweight & durable aluminum housing
- Perfect for heavy duty applications
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable twin hammer mechanism
- Widely used in service stations & garages
- high Torque output



### Specifications

- Sq Drive (inch) : 1/2"
- Free Speed (rpm) : 7500
- Torque(N.m) : 610
- Weight(Kg) : 2.6
- Length (mm) : 185
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 195
- Air Inlet (NPT) : 1/4"

- Hammer mechanism - Twin Hammer

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## 3/8" Impact Wrench

Model - NI 7729 H

- Available in standard Anvil
- Lightweight & durable composite housing
- Perfect for heavy duty applications
- Lightweight parts but designed for heavy duty applications



### Features

- Heavy Industrial design
- Durable twin hammer mechanism
- Widely used in motor bike factory assembly line
- High Torque output



### Specifications

- Sq Drive (inch) : 3/8"
- Free Speed (rpm) : 9800
- Torque(N.m) : 600
- Weight(Kg) : 1.4
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 350
- Air Inlet (NPT) : 1/4"

- Hammer mechanism : Twin Hammer

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Body Saw

Model - NI 8810 H

- Perfect to cut light plate, plastic and sheet metal
- Low vibration for operator convenience
- Powerful 10000 strokes per minute
- Lightweight parts but designed for heavy duty applications



### Features

- Heavy Industrial design
- Safety lever for safe operations
- Durable
- Easy to use even in narrow place
- Rear exhaust
- Adjustable speed for operators convenience

### Specifications

- Stroke per minute (bpm) : 10000
- Stroke (mm) : 1.5
- Weight(Kg) : 1.0
- Exhaust : Rear
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Avg. Air Consumption (L/min) : 3
- Air Inlet (NPT) : 1/4"



**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Riveter Tool

Model - NI 8821

- 11000 (N) traction power
- Light weight composite housing for easy handling
- Industrial o-rings and seals for longer life
- Lightweight parts but designed for heavy duty applications



### Features

- Heavy Industrial design
- Durable
- Unique three jaw design for better grip
- Removable mandrel collection system

### Specifications

- Traction power (N) : 8000-11000
- Rivet Capacity (mm) : 3.2,4,4.8
- Stroke (mm) : 18
- Weight(Kg) : 1.4
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25



Air Tools Catalogue

## Air Riveter

Model - NI 8821 V



- 11000 (N) traction power
- Light weight composite housing for easy handling
- Industrial o-rings and seals for longer life
- Lightweight parts but designed for heavy duty applications

### Features

- Heavy Industrial design
- Durable
- Unique three jaw design for better grip
- Removable mandrel collection system

### Specifications

- Traction power (N) : 8000-11000
- Rivet Capacity (mm) : 3.2,4,4.8
- Stroke (mm) : 18
- Weight(Kg) : 1.4
- Air Pressure (Kg/cm<sup>2</sup>) : 6.3
- Air Inlet (NPT) : 1/4"

**Nityo Tools India Pvt Ltd**

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayani Nagar, Bhosari, Pune - 411 026

www.nityotools.com | sales@nityotools.com | 7276333324 / 25

## Nityo Tools India Pvt Ltd

Sector No 1, Vishwanath Vihar, Near Vaishnavimata Mandir, Indrayaninagar, Pune - 411 026

[www.nityotools.com](http://www.nityotools.com) | [sales@nityotools.com](mailto:sales@nityotools.com) | 7276333324 / 25