



**DEEPAK  
FASTENERS  
LIMITED**

## 8.8 Standard Products

INR Price List No. DFL-08

Effective 1st Oct 2018



AD 2000

15048  
14399

ISO  
9001

IATF  
16949

ISO  
14001

OHSAS  
18001

## Limited Warranty And Exclusive Remedy

Deepak Fasteners Limited (DFL) warrants that these products conform to industry standards specified herein and will be free from defects in materials and workmanship. This warranty is expressly given in lieu of any and all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and in lieu of any other obligation on our part of DFL will at its option, repair or replace free of charge (excluding all shipping and handling costs) any products which have not been subject to misuse, abuse, or modification and which in its sole determination were not manufactured in compliance with the warranty given above.

The remedy provided herein shall be the exclusive remedy for any breach of warranty or any claim arising in any way out of the manufacture, sale or use of these products. In no event shall Deepak Fasteners be liable for consequential, incidental or any other damages of any nature whatsoever except those specifically provided herein for any breach of warranty or any claim arising in any way of the manufacture, sale or use of these products. No other person is authorised by Deepak Fasteners to give any other warranty, written or oral, pertaining to the products.

## Disclaimer

All information contained in this pricelist has been prepared to assist users in their requirements for Fasteners. The information is based on International Fastener Standards. All such source material and information beyond the control of Deepak Fastener Limited (DFL) is subject to change.

Whilst every care has been taken to ensure that all information and technical data is accurate, DFL will not be liable to any customer that relies on any matter, fact or representation nor will it be liable for any subsequent damage or loss resulting from the use of any information contained in this pricelist. Customers are advised to make their own enquiries or seek independent advice regarding the fitness and suitability of the products listed.

Deepak Fasteners Limited has the right to change the price without any information, if there is a big change in the price of steel or zinc. No guarantee can be given for DFL (hex bolt & nut) products which are plated by users and/or outside plates, who may not have considered hydrogen embrittlement problem. The products listed in this pricelist might not be stocked at DFL at all times and customers are advised to enquire the availability of the same.  
E. & O. E.

## Note

- Surface Finish : All the products, unless otherwise ordered, are supplied in black thermal finish with a coat of rust preventive oil.
- Packing : All products are supplied in standard packing as described in respective price tables. For sizes M6 (1/4) and above 3% extra packing charges will be applicable if the order quantity is less than one carton.
- Plating : No guarantee can be given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.
- Pricing : GST extra as applicable.



## Delivery:

All offers for delivery from stocks are subject to goods remaining unsold at the time of receipt of order. For forward delivery, dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the company's control.

## Infringement of patent and trade mark:

When products are forged to customer's drawings and / or specifications, the responsibility to ensure that these do not result in infringement of any patent or trademark will lie entirely with customer concerned and the customer will be solely responsible for the consequence in case of any such infringement.

## Order confirmation:

The company accepts no responsibility for orders booked by the company's salesman or representatives, till it is confirmed in writing by the company.

## Acceptance and return:

Wrong dispatches should be notified to the company within 15days from the date of receipt of goods and the Company's consent should be obtained in writing before return of such goods.

## Force Majeure:

The company shall not be responsible for failure or delay in delivering the goods or any part thereof (or any consequential damages) due to acts of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lock-outs, stoppages of labour.

## Certifications



ISO 9001:2015



NABL  
ISO/IEC 17025:2005



IATF 16949



CE Certification  
14399 & 15048



## Hex Head Bolts / Screws

Metric

Dia	M4			M5			M6			M8			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
10	616724	<b>204</b>	10000	616745	<b>213</b>	6000	616767	<b>171</b>	4000				
12	616725	<b>204</b>	10000	616746	<b>213</b>	6000	616768	<b>185</b>	3800	616815	<b>353</b>	1500	
16	616727	<b>239</b>	8000	616748	<b>251</b>	5000	616770	<b>215</b>	3000	616817	<b>400</b>	1500	
18	616728	<b>239</b>	7000	616749	<b>251</b>	4500	616771	<b>229</b>	3000	616818	<b>420</b>	1500	
20	616729	<b>261</b>	7000	616750	<b>273</b>	4000	616772	<b>243</b>	3000	616819	<b>442</b>	1500	
22	624809	<b>283</b>	5000	624810	<b>296</b>	3500	616773	<b>258</b>	2500	616820	<b>464</b>	1500	
25	613042	<b>283</b>	5000	613047	<b>296</b>	3000	616774	<b>278</b>	2500	616821	<b>499</b>	1000	
30	613044	<b>318</b>	4500	613049	<b>333</b>	3000	613054	<b>337</b>	2000	616823	<b>559</b>	1000	
35	613045	<b>339</b>	4000	613050	<b>378</b>	2500	613055	<b>382</b>	1500	613070	<b>654</b>	1000	
40	613046	<b>381</b>	3500	613051	<b>442</b>	2400	613056	<b>429</b>	1500	613071	<b>730</b>	800	
45	794433	<b>427</b>	3200	613052	<b>491</b>	2000	613057	<b>472</b>	1500	613072	<b>799</b>	700	
50	794434	<b>469</b>	3000	613053	<b>536</b>	2000	613058	<b>514</b>	1500	613073	<b>871</b>	700	
55	794435	<b>512</b>	2800	794437	<b>605</b>	1500	613059	<b>561</b>	1000	613074	<b>928</b>	700	
60	794436	<b>554</b>	2500	794438	<b>654</b>	1500	613060	<b>602</b>	1000	613075	<b>1,002</b>	600	
65				794439	<b>730</b>	1500	624811	<b>653</b>	1000	613076	<b>1,073</b>	500	
70				794440	<b>781</b>	1500	624812	<b>703</b>	1000	613077	<b>1,145</b>	500	
75				794441	<b>834</b>	1500	624813	<b>753</b>	1000	613078	<b>1,213</b>	500	
80							624814	<b>803</b>	800	613079	<b>1,284</b>	500	
90							794442	<b>956</b>	800	624815	<b>1,444</b>	400	
100							794443	<b>1,061</b>	800	624816	<b>1,648</b>	400	
110							794444	<b>1,632</b>	700	561206	<b>2,350</b>	400	
120							794445	<b>1,766</b>	600	794449	<b>2,871</b>	300	
130							794446	<b>1,901</b>	600	794450	<b>3,083</b>	300	
140							794447	<b>2,041</b>	500	794451	<b>3,441</b>	250	
150							794448	<b>2,169</b>	500	794452	<b>3,696</b>	250	
160										794453	<b>3,929</b>	250	
170										794454	<b>4,163</b>	250	
180										794455	<b>4,396</b>	200	
190										794456	<b>4,629</b>	200	
200										794457	<b>4,862</b>	200	

1. **Specifications** : Generally conforming to IS:1364, ISO:4014, 4017.

2. **Threads** : ISO Metric 6g as per IS per IS:4218.

3. **Material Mechanical Properties** : Property Class 8.8 as per IS:1367.

4. **Note** : Grey shaded sizes are fully threaded.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

5. **Marking** : DFL 8.8

6. **Plating** : No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

**8% will be Charged Extra For Zinc Cr3+Plating**

7. **Pricing** : GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.



## Hex Head Bolts / Screws

Metric

Dia	M10			M12			(M14)			M16			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
16	616844	<b>718</b>	1000										
18	616845	<b>757</b>	700										
20	616846	<b>764</b>	700	616876	<b>1,161</b>	500							
22	616847	<b>799</b>	700	-									
25	616848	<b>852</b>	700	616878	<b>1,278</b>	500	616907	<b>1,906</b>	300	616935	<b>2,856</b>	250	
30	616850	<b>944</b>	600	616880	<b>1,357</b>	400	616909	<b>2,082</b>	300	616937	<b>2,768</b>	200	
35	616851	<b>1,032</b>	600	616881	<b>1,487</b>	400	616910	<b>2,262</b>	250	616938	<b>3,006</b>	200	
40	613080	<b>1,259</b>	500	616882	<b>1,616</b>	400	616911	<b>2,444</b>	250	616939	<b>3,246</b>	200	
45	613081	<b>1,368</b>	400	613093	<b>1,930</b>	300	616912	<b>2,624</b>	200	616940	<b>3,496</b>	200	
50	613082	<b>1,480</b>	400	613094	<b>2,091</b>	300	613107	<b>2,951</b>	200	616941	<b>3,706</b>	150	
55	613083	<b>1,575</b>	400	613095	<b>2,253</b>	250	613108	<b>3,169</b>	200	613122	<b>4,138</b>	150	
60	613084	<b>1,688</b>	400	613096	<b>2,412</b>	250	613109	<b>3,386</b>	200	613123	<b>4,426</b>	150	
65	613085	<b>1,800</b>	300	613097	<b>2,529</b>	200	613110	<b>3,555</b>	150	613124	<b>4,714</b>	150	
70	613086	<b>1,911</b>	300	613098	<b>2,689</b>	200	613111	<b>3,778</b>	150	613125	<b>5,002</b>	100	
75	613087	<b>2,023</b>	300	613099	<b>2,846</b>	200	613112	<b>3,994</b>	150	613126	<b>5,290</b>	100	
80	613088	<b>2,134</b>	250	613100	<b>3,008</b>	200	613113	<b>4,210</b>	150	613127	<b>5,578</b>	100	
90	613090	<b>2,356</b>	250	613102	<b>3,324</b>	200	613115	<b>4,571</b>	150	613129	<b>6,153</b>	100	
100	613092	<b>2,579</b>	250	613104	<b>3,634</b>	150	613117	<b>5,002</b>	100	613131	<b>6,692</b>	75	
110	624817	<b>4,088</b>	200	613105	<b>3,922</b>	150	613118	<b>5,659</b>	100	613132	<b>7,269</b>	75	
120	624818	<b>4,261</b>	200	613106	<b>4,491</b>	150	613119	<b>6,146</b>	100	613133	<b>7,845</b>	75	
130	624819	<b>4,581</b>	200	624823	<b>4,833</b>	150	613120	<b>6,520</b>	100	613134	<b>8,619</b>	75	
140	624820	<b>4,904</b>	200	624824	<b>5,218</b>	100	613121	<b>6,932</b>	75	613135	<b>9,220</b>	75	
150	624821	<b>5,228</b>	150	624825	<b>5,562</b>	100	624835	<b>7,345</b>	75	613136	<b>9,818</b>	50	
160	794458	<b>6,095</b>	150	624826	<b>5,934</b>	100	624836	<b>7,834</b>	75	613137	<b>10,500</b>	50	
180	794459	<b>6,788</b>	150	624828	<b>6,675</b>	100	624838	<b>9,234</b>	75	624841	<b>11,708</b>	50	
200	794460	<b>7,483</b>	150	624830	<b>7,762</b>	75	791593	<b>11,466</b>	50	624843	<b>13,478</b>	50	
220				624831	<b>8,539</b>	75	791595	<b>12,495</b>	50	624844	<b>14,741</b>	50	
240				624832	<b>9,314</b>	75	791597	<b>13,558</b>	50	624845	<b>16,002</b>	50	
260				624833	<b>10,464</b>	75	791599	<b>14,622</b>	50	624846	<b>17,263</b>	50	
280				624834	<b>11,268</b>	50	791601	<b>15,685</b>	50	624847	<b>18,525</b>	50	
300				794424	<b>12,014</b>	50	791603	<b>16,748</b>	50	624848	<b>19,786</b>	50	

- Specifications :** Generally conforming to IS:1364, ISO:4014, 4017.
- Threads :** ISO Metric 6g as per IS per IS:4218.
- Material Mechanical Properties :** Property Class 8.8 as per IS:1367.
- Note :** Sizes in brackets are non-preferred standard. Grey shaded sizes are fully threaded.  
Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
- Marking :** DFL 8.8
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- Pricing :** GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.



## Hex Head Bolts / Screws

Metric

Dia	(M18)			M20			(M22)			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
40	616965	<b>4,318</b>	150	616996	<b>5,578</b>	100				
45	616966	<b>4,606</b>	150	616997	<b>5,938</b>	100				
50	616967	<b>4,894</b>	100	616998	<b>6,334</b>	75	617029	<b>7,881</b>	75	
55	616968	<b>5,218</b>	100	616999	<b>6,692</b>	75	617030	<b>8,349</b>	75	
60	624849	<b>5,865</b>	100	617000	<b>7,053</b>	75	617031	<b>8,781</b>	75	
65	613138	<b>6,153</b>	100	613154	<b>7,881</b>	75	617032	<b>9,250</b>	50	
70	613139	<b>6,513</b>	75	613155	<b>8,311</b>	75	613172	<b>10,112</b>	50	
75	613140	<b>6,872</b>	75	613156	<b>8,744</b>	75	613173	<b>10,651</b>	50	
80	613141	<b>7,198</b>	75	613157	<b>9,176</b>	50	613174	<b>11,191</b>	50	
90	613143	<b>7,916</b>	75	613159	<b>10,042</b>	50	613176	<b>12,270</b>	50	
100	613145	<b>8,638</b>	75	613161	<b>10,903</b>	50	613178	<b>13,315</b>	50	
110	613146	<b>9,356</b>	50	613162	<b>11,768</b>	50	613179	<b>14,633</b>	50	
120	613147	<b>10,077</b>	50	613163	<b>12,630</b>	50	613180	<b>15,729</b>	50	
130	613148	<b>11,092</b>	50	613164	<b>14,044</b>	50	613181	<b>16,460</b>	50	
140	613149	<b>11,843</b>	50	613165	<b>14,914</b>	50	613182	<b>17,559</b>	50	
150	613150	<b>12,590</b>	50	613166	<b>15,689</b>	50	613183	<b>18,885</b>	50	
160	613151	<b>13,235</b>	50	613167	<b>16,513</b>	50	613184	<b>19,996</b>	50	
180	613153	<b>15,607</b>	50	613169	<b>19,469</b>	50	613186	<b>22,216</b>	25	
200	624851	<b>17,263</b>	50	613171	<b>21,442</b>	50	613188	<b>24,929</b>	25	
220	794425	<b>18,760</b>	50	624854	<b>23,411</b>	25	613189	<b>29,164</b>	20	
240	794426	<b>20,336</b>	50	624855	<b>25,381</b>	25	624860	<b>31,817</b>	20	
260	794427	<b>21,913</b>	50	624857	<b>27,353</b>	25	624861	<b>34,469</b>	20	
280	794428	<b>23,489</b>	25	624858	<b>29,324</b>	20	624862	<b>37,120</b>	20	
300	794429	<b>25,066</b>	25	624859	<b>31,293</b>	20	791643	<b>39,044</b>	15	

- Specifications :** Generally conforming to IS:1364, ISO:4014, 4017.
- Threads :** ISO Metric 6g as per IS per IS:4218.
- Material Mechanical Properties :** Property Class 8.8 as per IS:1367.
- Note :** Sizes in brackets are non-preferred standard. Grey shaded sizes are fully threaded.  
Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
- Marking :** DFL 8.8
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- Pricing :** GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.





## Hex Head Bolts / Screws

Metric

Dia	M24			(M27)*			M30*		
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs
50	617060	<b>10,522</b>	50	617088	<b>15,873</b>	50	617112	<b>20,882</b>	50
55	617061	<b>11,099</b>	50	617089	<b>16,732</b>	50	617113	<b>21,851</b>	50
60	617062	<b>11,675</b>	50	617090	<b>17,513</b>	50	617114	<b>22,862</b>	50
65	617063	<b>12,251</b>	50	617091	<b>18,313</b>	50	617115	<b>23,830</b>	50
70	617064	<b>12,827</b>	50	617092	<b>19,114</b>	50	617116	<b>24,839</b>	25
75	617065	<b>13,143</b>	50	617093	<b>19,914</b>	50	617117	<b>25,850</b>	25
80	613190	<b>14,806</b>	50	617094	<b>20,714</b>	50	617118	<b>26,818</b>	25
90	613192	<b>16,165</b>	50	617096	<b>22,357</b>	50	617120	<b>28,840</b>	20
100	613194	<b>17,526</b>	50	613209	<b>25,387</b>	25	613225	<b>32,292</b>	20
110	613195	<b>18,886</b>	50	613210	<b>27,367</b>	25	613226	<b>34,650</b>	20
120	613196	<b>20,208</b>	50	613211	<b>29,261</b>	25	613227	<b>37,050</b>	20
130	613197	<b>21,151</b>	50	613212	<b>30,314</b>	20	613228	<b>38,733</b>	20
140	613198	<b>22,473</b>	25	613213	<b>32,207</b>	20	613229	<b>41,049</b>	15
150	613199	<b>23,796</b>	25	613214	<b>34,102</b>	20	613230	<b>43,365</b>	15
160	613200	<b>25,118</b>	25	613215	<b>36,419</b>	20	613231	<b>45,682</b>	15
180	613202	<b>27,761</b>	20	613217	<b>39,787</b>	15	613233	<b>50,523</b>	15
200	613204	<b>31,727</b>	20	613219	<b>43,365</b>	15	613235	<b>55,153</b>	10
220	613205	<b>35,241</b>	20	613220	<b>47,575</b>	15	613236	<b>59,785</b>	10
240	613206	<b>37,874</b>	15	613221	<b>51,365</b>	15	613237	<b>64,416</b>	10
260	624869	<b>40,507</b>	15	613222	<b>55,153</b>	15	613238	<b>69,048</b>	10
280	624870	<b>43,140</b>	15	624873	<b>59,363</b>	15	613239	<b>73,680</b>	10
300	624871	<b>45,772</b>	15	624874	<b>63,574</b>	10	613240	<b>78,310</b>	10

- Specifications :** Generally conforming to IS:1364, ISO:4014, 4017.
- Threads :** ISO Metric 6g as per IS per IS:4218.
- Material Mechanical Properties :** Property Class 8.8 as per IS:1367.
- Note :** Sizes in brackets are non-preferred standard. Grey shaded sizes are fully threaded.  
Prices for fully threaded screws beyond shaded sizes will cost 10% extra.  
\* Long Delivery Items - Subject to extended deliveries (3 to 4 months)  
Users are advised to plan their requirements in advance.
- Marking :** DFL 8.8
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- Pricing :** GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.



## Hex Head Bolts / Screws

Metric

Dia	(M33)*			M36*			M42*			M48			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
75	617141	<b>32,629</b>	20										
80	617142	<b>33,934</b>	20	617166	<b>41,680</b>	15							
90	617144	<b>36,461</b>	20	617168	<b>44,629</b>	15	617215	<b>80,070</b>	10				10
100	617146	<b>38,733</b>	20	617170	<b>47,996</b>	15	617217	<b>84,671</b>	10	617263	<b>117,751</b>	10	
110	613242	<b>42,944</b>	15	613257	<b>52,206</b>	15	617218	<b>89,298</b>	10	617264	<b>124,222</b>	10	
120	613243	<b>45,891</b>	15	613258	<b>55,575</b>	10	617219	<b>89,986</b>	10	617265	<b>124,952</b>	10	
130	613244	<b>48,417</b>	15	613259	<b>58,522</b>	10	613286	<b>93,786</b>	10	617266	<b>130,158</b>	10	
140	613245	<b>51,365</b>	15	613260	<b>61,889</b>	10	613287	<b>99,005</b>	10	613312	<b>145,398</b>	10	
150	613246	<b>54,311</b>	10	613261	<b>65,258</b>	10	613288	<b>104,213</b>	8	613313	<b>151,978</b>	8	
160	613247	<b>56,838</b>	10	613262	<b>68,626</b>	10	613289	<b>109,428</b>	8	613314	<b>158,604</b>	8	
180	613249	<b>62,312</b>	10	613264	<b>75,362</b>	10	613291	<b>119,368</b>	5	613316	<b>171,808</b>	5	
200	613251	<b>67,785</b>	10	613266	<b>82,099</b>	10	613293	<b>124,768</b>	5	613318	<b>178,051</b>	5	
220	613252	<b>73,680</b>	10	613267	<b>88,835</b>	8	613294	<b>160,040</b>	5	613319	<b>226,323</b>	5	
240	613253	<b>79,152</b>	10	613268	<b>95,570</b>	8	613295	<b>171,918</b>	5	613320	<b>241,404</b>	5	
260	613254	<b>85,046</b>	10	613269	<b>102,307</b>	8	613296	<b>183,833</b>	5	613321	<b>256,485</b>	5	
280	613255	<b>90,519</b>	8	613270	<b>109,043</b>	5	613297	<b>195,725</b>	5	613322	<b>271,566</b>	5	
300	613256	<b>96,412</b>	8	613271	<b>115,779</b>	5	613298	<b>207,609</b>	5	613323	<b>286,647</b>	5	

- Specifications :** Generally conforming to IS:1364, ISO:4014, 4017.
- Threads :** ISO Metric 6g as per IS per IS:4218.
- Material Mechanical Properties :** Property Class 8.8 as per IS:1367.
- Note :** Sizes in brackets are non-preferred standard. Grey shaded sizes are fully threaded.  
Prices for fully threaded screws beyond shaded sizes will cost 10% extra.  
\* Long Delivery Items - Subject to extended deliveries (3 to 4 months)  
Users are advised to plan their requirements in advance.
- Marking :** DFL 8.8
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- Pricing :** GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.





## Hex Nuts

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
M4 x 0.70	623196	36	20000
M5 x 0.80	623197	51	14000
M6 x 1	623198	94	6000
M8 x 1.25	623200	184	3000
(M10) x 1.25	787925	414	1500
M10 x 1.5	623201	393	1500
M12 x 1.75	623202	580	1000
(M12) x 1.5	787926	607	1000
(M14) x 1.5	624890	950	700
M14 x 2	623203	906	700
(M16) x 1.5	787927	1,237	500
M16 x 2	623204	1,178	500
(M18) x 1.5	624891	2,071	300
M18 x 2.5	623205	1,972	300
(M20) x 1.5	624892	2,700	250
M20 x 2.5	623206	2,572	250
(M22) x 2.5	623207	3,154	200
M24 x 3	623208	4,395	150
(M27) x 3	623209	7,527	100
M30 x 3.5	623210	10,485	75
(M33) x 3.5	623211	14,214	50
M36 x 4	623212	19,420	50
M42 x 4.5	623214	32,141	25
M48 X5	623216	44,186	25

- Specifications :** Generally conforming to IS:1364, ISO:4032.
- Threads :** ISO Metric 6H as per IS:4218, ISO:261, ISO:965.
- Material and Mechanical Properties :** Property Class 8 as per IS:1367, ISO:898 Part-II.
- Note :** Sizes in brackets are non-preferred non-standard sizes.
- Marking :** M6 to M42 Marking will be DFL 8.
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- Pricing :** GST extra as applicable.



- All material is bulk packed  
- Minimum order quantity is one carton for each size.



## Plain Washer

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
4mm	787853	26	50000
5mm	787854	33	35000
6mm	787855	55	15000
8mm	787856	87	9000
10mm	628850	161	4500
12mm	561034	288	3000
14mm	787857	396	2000
16mm	561035	503	1500
18mm	561051	655	1500
20mm	561030	767	1000
22mm	561033	815	1000
24mm	561036	1,438	500
27mm	561031	1,884	400
30mm	561032	2,386	400
33mm	561037	3,355	250
36mm	561038	4,096	200
42mm	561040	8,149	100
48mm	561042	17,040	100

- 1. Specifications :** Generally conforming to IS : 2016
- 2. Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.  
**8% will be Charged Extra For Zinc Cr3+Plating**
- 3. Pricing :** GST extra as applicable.



- All material is bulk packed
- Minimum order quantity is one carton for each size.

## Specialized Coatings

The product's life and quality is measured not only by its grades and standards but also by its finish, which prevents it from rusting and adds strength to the material.

Deepak Fasteners offers a wide range of generic and proprietary coating to meet exacting customer requirements. In-house capability includes Zinc / Zinc-Nickel Electroplating, Geomet, Mechanical Galvanizing, Delta Dorcken, Hot Dip Galvanizing, PTFE, Unbrako Wiscoat.



# Construction Fasteners

## Arc Welding Stud



The UNBRAKO Arc Welding Stud also known as shear connector is used in the construction of tall buildings, bridges and steel structures. The drawn-arc process produces a full cross-sectional weld forming a bond that is greater than the surrounding material. It improves the strength of the structure.

Product Range :  
Metric: M13, M16, M19,  
M22, M25 – Any Length

Inch: 1/2", 5/8", 3/4",  
7/8", 1" – Any Length

## Direct Tension Indicator



UNBRAKO Direct Tension Indicator also known as Auto Torque Indicator, are single-use mechanical load cells designed to indicate the magnitude of preload in the assembly. It shows if the bolt is properly tensioned, very useful while tensioning High Strength Structural Bolts.

Product Range :  
Metric: M16 – M36 as per  
BS EN 14399-9  
Unbrako Feeler Gauge is  
available to check if the  
required torque is achieved.

## Tension Control Structural Bolt



Unbrako  
Electric  
Shear Wrench

Tension Control Structural Bolt is an easy to install Heavy Duty Bolt used in Steel Frame Construction. It has its own built-in torque control device. The outer socket of wrench rotates the nut until the torque control groove in the spline shears off, thereby achieving proper bolt tension.

Product Range :  
Metric: M12 – M30  
(any length) – As Per  
BS EN 14399 - 10

Unbrako Electric Shear  
Wrench is also Available.

## Rebar Coupler



Unbrako Rebar Coupler Systems, also known as Reinforcing bar couplers or coupler splicing connection, is a threaded sleeve that guarantees an ultimate tensile strength of the splice (joint) greater than that of the parent bar. Coupler splicing system is suitable for joining reinforcement bars end to end.

Product Range :  
Metric: 13mm to 57mm  
Bar Diameter

As per ASTM A615, ASTM A706,  
ASTM A775, ACI 318, ACI 349,  
A.A.S.H.T.O and UBC 1997.



Unbrako provides complete  
equipment for bar-end  
preparation on site.

Prices available on request.  
Contact Unbrako for further detail.