BAKER
....a passion for precision

BOWERS INTERNAL MICROMETERS
PRICE LIST – W.E.F. 01-04-2020 to 31-03-2021

BOWERS GROUP

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
XT ANALOGUE - SETS **Includes: Individual Instruments & Setting Rings**				
1	SMXTA1M	2-3 mm	0.001 mm	89750
2	SMXTA2M	3-6 mm	0.001 mm	121940
3	SMXTA3M	6-10 mm	0.002 mm	35910
4	SMXTA4M	10-20 mm	0.002 mm	48620
5	SXTA5M	20-50 mm	0.005 mm	79770
6	SXTA6M	50-100 mm	0.005 mm	113530
7	SXTA7M	100-150 mm	0.005 mm	86130
8	SXTA8M	150-200 mm	0.005 mm	125170
XT ANALOGUE - INDIVIDUALS **Includes: Individual Instrument & Setting Ring**				
1	MXTA1M	2-2.5 mm	0.001 mm	49210
2	MXTA2M	2.5-3 mm	0.001 mm	49210
3	MXTA3M	3-4 mm	0.001 mm	42000
4	MXTA4M	4-5 mm	0.001 mm	42000
5	MXTA5M	5-6 mm	0.001 mm	42000
6	MXTA6M	6-8 mm	0.002 mm	19180
7	MXTA8M	8-10 mm	0.002 mm	18390
8	MXTA10M	10-12.5 mm	0.002 mm	18390
9	MXTA12M	12.5-16 mm	0.002 mm	18390
10	MXTA16M	16-20 mm	0.002 mm	18280
11	XTA20M	20-25 mm	0.005 mm	19890
12	XTA25M	25-35 mm	0.005 mm	26580
13	XTA35M	35-50 mm	0.005 mm	28990
14	XTA50M	50-65 mm	0.005 mm	35340
15	XTA65M	65-80 mm	0.005 mm	36340
16	XTA80M	80-100 mm	0.005 mm	41970
17	XTA100M	100-125 mm	0.005 mm	41140
18	XTA125M	125-150 mm	0.005 mm	44140
19	XTA150M	150-175 mm	0.005 mm	52650
20	XTA175M	175-200 mm	0.005 mm	59690
21	XTA200M	200-225 mm	0.005 mm	67670
22	XTA225M	225-250 mm	0.005 mm	66130
23	XTA250M	250-275 mm	0.005 mm	84910
24	XTA275M	275-300 mm	0.005 mm	86450

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
XT3 DIGITAL WITH BLUETOOTH - SETS **Includes: Digital Display Unit, Measuring Heads, Setting Rings**				
1	SXTD1M-BT	2-6 mm	0.001 mm	217850
2	SXTD3M-BT	6-10 mm	0.001 mm	91500
3	SXTD4M-BT	10-20 mm	0.001 mm	104400
4	SXTD5M-BT	20-50 mm	0.001 mm	144310
5	SXTD6M-BT	50-100 mm	0.001 mm	159880
6	SXTD7M-BT	100-150 mm	0.001 mm	136370
7	SXTD8M-BT	150-200 mm	0.001 mm	180630
8	SXTD9M-BT	100-200 mm	0.001 mm	287220
XT3 DIGITAL WITH BLUETOOTH - INDIVIDUALS **Includes: Digital Display Unit, Measuring Head, Setting Ring**				
1	XTD1M-BT	2-2.5 mm	0.001 mm	96710
2	XTD2M-BT	2.5-3 mm	0.001 mm	96710
3	XTD3M-BT	3-4 mm	0.001 mm	95370
4	XTD4M-BT	4-5 mm	0.001 mm	95370
5	XTD5M-BT	5-6 mm	0.001 mm	95370
6	XTD6M-BT	6-8 mm	0.001 mm	63590
7	XTD8M-BT	8-10 mm	0.001 mm	63590
8	XTD10M-BT	10-12.5 mm	0.001 mm	64160
9	XTD12M-BT	12.5-16 mm	0.001 mm	64830
10	XTD16M-BT	16-20 mm	0.001 mm	64270
11	XTD20M-BT	20-25 mm	0.001 mm	76390
12	XTD25M-BT	25-35 mm	0.001 mm	93530
13	XTD35M-BT	35-50 mm	0.001 mm	97070
14	XTD50M-BT	50-65 mm	0.001 mm	107930
15	XTD65M-BT	65-80 mm	0.001 mm	107930
16	XTD80M-BT	80-100 mm	0.001 mm	112450
17	XTD100M-BT	100-125 mm	0.001 mm	109630
18	XTD125M-BT	125-150 mm	0.001 mm	112910
19	XTD150M-BT	150-175 mm	0.001 mm	125430
20	XTD175M-BT	175-200 mm	0.001 mm	132890
21	XTD200M-BT	200-225 mm	0.001 mm	155480
22	XTD225M-BT	225-250 mm	0.001 mm	170360
23	XTD250M-BT	250-275 mm	0.001 mm	186350
24	XTD275M-BT	275-300 mm	0.001 mm	201670

- **IP67 Electronics**
- **4 Preset Memories**
- **Bluetooth Data Transmission**
- **Data Transmission also by Proximity-RS232 or Proximity-USB**

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
XT3 HOLEMATIC WITH BLUETOOTH - SETS **Includes: Digital Display Unit, Measuring Heads, Setting Rings**				
1	SXTH1M-BT	2-6 mm	0.001 mm	239100
2	SXTH3M-BT	6-10 mm	0.001 mm	96450
3	SXTH4M-BT	10-20 mm	0.001 mm	111730
4	SXTH5M-BT	20-50 mm	0.001 mm	146540
5	SXTH6M-BT	50-100 mm	0.001 mm	162150
6	SXTH7M-BT	100-150 mm	0.001 mm	143720
7	SXTH8M-BT	150-200 mm	0.001 mm	190290
8	SXTH9M-BT	100-200 mm	0.001 mm	295930
9	SXTH10M-BT	6-20 mm	0.001 mm	131420
10	SXTH11M-BT	20-100 mm	0.001 mm	230480
XT3 HOLEMATIC WITH BLUETOOTH - INDIVIDUALS **Includes: Digital Display Unit, Measuring Head, Setting Ring**				
1	XTH1M-BT	2-2.5 mm	0.001 mm	109450
2	XTH2M-BT	2.5-3 mm	0.001 mm	109450
3	XTH3M-BT	3-4 mm	0.001 mm	109450
4	XTH4M-BT	4-5 mm	0.001 mm	109450
5	XTH5M-BT	5-6 mm	0.001 mm	109450
6	XTH6M-BT	6-8 mm	0.001 mm	79550
7	XTH8M-BT	8-10 mm	0.001 mm	77950
8	XTH10M-BT	10-12.5 mm	0.001 mm	82870
9	XTH12M-BT	12.5-16 mm	0.001 mm	83090
10	XTH16M-BT	16-20 mm	0.001 mm	87000
11	XTH20M-BT	20-25 mm	0.001 mm	92500
12	XTH25M-BT	25-35 mm	0.001 mm	99630
13	XTH35M-BT	35-50 mm	0.001 mm	102210
14	XTH50M-BT	50-65 mm	0.001 mm	109020
15	XTH65M-BT	65-80 mm	0.001 mm	109020
16	XTH80M-BT	80-100 mm	0.001 mm	114720
17	XTH100M-BT	100-125 mm	0.001 mm	116560
18	XTH125M-BT	125-150 mm	0.001 mm	123170
19	XTH150M-BT	150-175 mm	0.001 mm	127480
20	XTH175M-BT	175-200 mm	0.001 mm	134200
21	XTH200M-BT	200-225 mm	0.001 mm	167250
22	XTH225M-BT	225-250 mm	0.001 mm	183890
23	XTH250M-BT	250-275 mm	0.001 mm	194450
24	XTH275M-BT	275-300 mm	0.001 mm	212400

- **IP67 Electronics**
- **4 Preset Memories**
- **Bluetooth Data Transmission**
- **Data Transmission also by Proximity-RS232 or Proximity-USB**

SR. NO.	MODEL NO.	RANGE	PRICE IN INR
XT3 XTD DIGITAL READOUTS WITH BLUETOOTH • IP67 Electronics • 4 Preset Memories • Bluetooth Data Transmission • Data Transmission also by Proximity-RS232 or Proximity-USB			
1	XTDU2M-BT	2-6 mm	64300
2	XTDU6M-BT	6-10 mm	64300
3	XTDU10M-BT	10-20 mm	64300
4	XTDU20M-BT	20-50 mm	71800
5	XTDU50M-BT	50-100 mm	71800
6	XTDU100M-BT	100-200 mm	71800
7	XTDU200M-BT	200-300 mm	71800

SR. NO.	MODEL NO.	RANGE	PRICE IN INR
XT3 XTH PISTOL GRIP DIGITAL READOUTS WITH BLUETOOTH • IP67 Electronics • 4 Preset Memories • Bluetooth Data Transmission • Data Transmission also by Proximity-RS232 or Proximity-USB			
1	XTPG01M-BT	2-6 mm	81750
2	XTPG02M-BT	6-20 mm	81750
3	XTPG03M-BT	20-100 mm	81750
4	XTPG04M-BT	100-300 mm	81750

PRODUCT NO.	DESCRIPTION	PRICE IN INR
UTILTY SOFTWARE FOR BLUETOOTH DATA TRANSMISSION		
BT SMART	For Android Phone iOS Version 4.3 or later + Bluetooth® 4.0 - GOOGLE PLAY	FREE
30-981-7100	Bluetooth Dongle for Windows PC and Sylvac D300S	16000
30-981-7161	VMUX Standard Software - Up to 8 Channels	48000

SR. NO.	MODEL NO.	TO FIT HEADS	LENGTH	PRICE IN INR
XT DEEP HOLE EXTENSIONS				
1	EGX0200	6-10 mm	63 mm	5710
2	EGX0400	10-12.5 mm	76 mm	5710
3	EGX0500	12.5-20 mm	100 mm	5710
4	EGX0001	20-50 mm	150 mm	8370
5	EGX0004	50-300 mm	150 mm	8870

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
XT LEVER - SETS **Includes: Holder with Digital Dial Indicator, Measuring Heads & Setting Rings**				
1	SXTL3M	6-10 mm	0.001 mm	96390
2	SXTL4M	10-20 mm	0.001 mm	111620
3	SXTL5M	20-50 mm	0.001 mm	144710
4	SXTL6M	50-100 mm	0.001 mm	161670
XT LEVER - INDIVIDUALS **Includes: Holder with Digital Dial Indicator, Measuring Head & Setting Ring**				
1	XTL6M	6-8 mm	0.001 mm	79070
2	XTL8M	8-10 mm	0.001 mm	77450
3	XTL10M	10-12.5 mm	0.001 mm	82580
4	XTL12M	12.5-16 mm	0.001 mm	82460
5	XTL16M	16-20 mm	0.001 mm	86610
6	XTL20M	20-25 mm	0.001 mm	89280
7	XTL25M	25-35 mm	0.001 mm	98190
8	XTL35M	35-50 mm	0.001 mm	100840
9	XTL50M	50-65 mm	0.001 mm	107830
10	XTL65M	65-80 mm	0.001 mm	107830
11	XTL80M	80-100 mm	0.001 mm	112730

SR. NO.	MODEL NO.	RANGE	PRICE IN INR
XT SPARE MEASURING HEADS Without Setting Ring			
1	XTHD1M	2-2.5 mm	31110
2	XTHD2M	2.5-3 mm	31110
3	XTHD3M	3-4 mm	31110
4	XTHD4M	4-5 mm	31110
5	XTHD5M	5-6 mm	31110
6	XTHD6M	6-8 mm	14650
7	XTHD8M	8-10 mm	14650
8	XTHD10M	10-12.5 mm	14650
9	XTHD12M	12.5-16 mm	14650
10	XTHD16M	16-20 mm	14650
11	XTHD20M	20-25 mm	17380
12	XTHD25M	25-35 mm	25760
13	XTHD35M	35-50 mm	29030
14	XTHD50M	50-65 mm	34000
15	XTHD65M	65-80 mm	34000
16	XTHD80M	80-100 mm	41970
17	XTHD100M	100-125 mm	42880
18	XTHD125M	125-150 mm	49160
19	XTHD150M	150-175 mm	55300
20	XTHD175M	175-200 mm	58310
21	XTHD200M	200-225 mm	72560
22	XTHD225M	225-250 mm	78580
23	XTHD250M	250-275 mm	84850
24	XTHD275M	275-300 mm	100410

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
XT500 - SETS **Includes: Digital Display Unit, Measuring Head with Exchangeable Anvils and 300mm Setting Ring**				
1	SXT3000M	300-400 mm	0.001 mm	381330
2	SXT4000M	400-500 mm	0.001 mm	470330
3	SXT5000M	300-500 mm	0.001 mm	598400
XT500 - INDIVIDUALS **Includes: Digital Display Unit, Measuring Head with Exchangeable Anvils and 300mm Setting Ring**				
1	XT5001M-BT	300-325 mm	0.001 mm	253130
2	XT5002M-BT	300-325 mm , 325-350 mm	0.001 mm	289280
3	XT5003M-BT	300-325 mm , 350-375 mm	0.001 mm	296570
4	XT5004M-BT	300-325 mm , 375-400 mm	0.001 mm	303720
5	XT5005M-BT	300-325 mm , 400-425 mm	0.001 mm	311000
6	XT5006M-BT	300-325 mm , 425-450 mm	0.001 mm	318290
7	XT5007M-BT	300-325 mm , 450-475 mm	0.001 mm	325430
8	XT5008M-BT	300-325 mm , 475-500 mm	0.001 mm	332720

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
MICROGAUGE - SETS **Includes: Digital Indicator, Measuring Heads, Cone, Setting Rings, Depth Stop, Screwdriver, Spanner, Two Spare Batteries and Wooden Case**				
1	SMG001M	0.95 - 1.55 mm	0.0005 mm	169680
2	SMG002M	1.50 - 2.45 mm	0.0005 mm	106560
3	SMG003M	2.25 - 4.25 mm	0.0005 mm	151160
4	SMG004M	3.65 - 6.35 mm	0.0005 mm	120360
5	SMG005M	6.15 - 10.35mm	0.0005 mm	173820
6	SMG010M	0.95 - 2.45 mm	0.0005 mm	198280
7	SMG011M	1.50 - 4.25 mm	0.0005 mm	186600
8	SMG012M	2.25 - 6.35 mm	0.0005 mm	196840
MICROGAUGE INDIVIDUAL SET **Includes: Digital Indicator, Measuring Head, Cone, Setting Ring, Depth Stop, Screwdriver, Spanner, Two Spare Batteries and Plastic Case**				
1	MGS11	0.95 - 1.15 mm	0.0005 mm	73950
2	MGS12	1.07 - 1.25 mm	0.0005 mm	73950
3	MGS13	1.17 - 1.35 mm	0.0005 mm	73950
4	MGS14	1.27 - 1.45 mm	0.0005 mm	73950
5	MGS15	1.37 - 1.55 mm	0.0005 mm	73950
6	MGS16	1.50 - 1.90 mm	0.0005 mm	64500
7	MGS17	1.80 - 2.20 mm	0.0005 mm	64500
8	MGS18	2.05 - 2.45 mm	0.0005 mm	64500
9	MGS19	2.25 - 2.75 mm	0.0005 mm	64500
10	MGS20	2.5 - 3.00 mm	0.0005 mm	64500
11	MGS21	2.75 - 3.25 mm	0.0005 mm	64500
12	MGS22	3.0 - 3.50 mm	0.0005 mm	64500
13	MGS23	3.25 - 3.75 mm	0.0005 mm	64500
14	MGS24	3.50 - 4.00 mm	0.0005 mm	64500
15	MGS25	3.75 - 4.25 mm	0.0005 mm	64500
16	MGS26	3.65 - 4.35 mm	0.0005 mm	64500
17	MGS27	4.15 - 4.85 mm	0.0005 mm	64500
18	MGS28	4.65 - 5.35 mm	0.0005 mm	64500
19	MGS29	5.15 - 5.85 mm	0.0005 mm	64500
20	MGS30	5.65 - 6.35 mm	0.0005 mm	64500
21	MGS31	6.16 - 6.85 mm	0.0005 mm	64500
22	MGS32	6.65 - 7.35 mm	0.0005 mm	64500
23	MGS33	7.15 - 7.85 mm	0.0005 mm	64500
24	MGS34	7.65 - 8.35 mm	0.0005 mm	64500
25	MGS35	8.15 - 8.85 mm	0.0005 mm	64500
26	MGS36	8.65 - 9.35 mm	0.0005 mm	64500
27	MGS37	9.15 - 9.85 mm	0.0005 mm	64500
28	MGS38	9.65-10.35 mm	0.0005 mm	64500

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
MT ANALOGUE - SETS **Includes: Individual Instruments, Extension & Setting Rings**				
1	SMTA1M	2-3 mm	0.001 mm	65130
2	SMTA2M	3-6 mm	0.001 mm	86450
3	SMTA3M	6-12 mm	0.001 mm	31560
4	SMTA4M	12-20 mm	0.005 mm	42550
5	SMTA5M	20-50 mm	0.005 mm	57320
6	SMTA6M	50-100 mm	0.005 mm	78950
7	SMTA7M	100-200 mm	0.005 mm	218290
MT ANALOGUE - INDIVIDUALS **Includes: Individual Instrument & Setting Ring**				
1	MTA1M	2-2.5 mm	0.001 mm	35580
2	MTA2M	2.5-3 mm	0.001 mm	35580
3	MTA3M	3-4 mm	0.001 mm	30730
4	MTA4M	4-5 mm	0.001 mm	30730
5	MTA5M	5-6 mm	0.001 mm	30730
6	MTA6M	6-8 mm	0.001 mm	14220
7	MTA8M	8-10 mm	0.001 mm	13350
8	MTA10M	10-12 mm	0.001 mm	13350
9	MTA12M	12-16 mm	0.005 mm	14580
10	MTA16M	16-20 mm	0.005 mm	15110
11	MTA20M	20-25 mm	0.005 mm	15850
12	MTA25M	25-30 mm	0.005 mm	20350
13	MTA30M	30-40 mm	0.005 mm	20670
14	MTA40M	40-50 mm	0.005 mm	20950
15	MTA50M	50-63 mm	0.005 mm	25630
16	MTA62M	62-75 mm	0.005 mm	25630
17	MTA75M	75-88 mm	0.005 mm	26940
18	MTA87M	87-100 mm	0.005 mm	29880
19	MTA100M	100-125 mm	0.005 mm	31770
20	MTA125M	125-150 mm	0.005 mm	36450
21	MTA150M	150-175 mm	0.005 mm	48200
22	MTA175M	175-200 mm	0.005 mm	50410
23	MTA200M	200-225 mm	0.005 mm	66010
24	MTA225M	225-250 mm	0.005 mm	67610
25	MTA250M	250-275 mm	0.005 mm	83600
26	MTA275M	275-300 mm	0.005 mm	87590

SR. NO.	MODEL NO.	RANGE	READING	PRICE IN INR
MT ANALOGUE - INDIVIDUALS Includes: Individual Instrument (Without Setting Ring)				
1	MTA1W	2-2.5 mm	0.001 mm	32050
2	MTA2W	2.5-3 mm	0.001 mm	32050
3	MTA3W	3-4 mm	0.001 mm	28430
4	MTA4W	4-5 mm	0.001 mm	28430
5	MTA5W	5-6 mm	0.001 mm	28430
6	MTA6W	6-8 mm	0.001 mm	12670
7	MTA8W	8-10 mm	0.001 mm	11790
8	MTA10W	10-12 mm	0.001 mm	11790
9	MTA12W	12-16 mm	0.005 mm	13020
10	MTA16W	16-20 mm	0.005 mm	13550
11	MTA20W	20-25 mm	0.005 mm	14260
12	MTA25W	25-30 mm	0.005 mm	18760
13	MTA30W	30-40 mm	0.005 mm	19080
14	MTA40W	40-50 mm	0.005 mm	19360
15	MTA50W	50-63 mm	0.005 mm	22800
16	MTA62W	62-75 mm	0.005 mm	22800
17	MTA75W	75-88 mm	0.005 mm	23100
18	MTA87W	87-100 mm	0.005 mm	26050
19	MTA100W	100-125 mm	0.005 mm	25980
20	MTA125W	125-150 mm	0.005 mm	30660
21	MTA150W	150-175 mm	0.005 mm	37670
22	MTA175W	175-200 mm	0.005 mm	39880
23	MTA200W	200-225 mm	0.005 mm	43070
24	MTA225W	225-250 mm	0.005 mm	44660
25	MTA250W	250-275 mm	0.005 mm	47850
26	MTA275W	275-300 mm	0.005 mm	51840

GOKUL TRADERS
Associate of Laddha Group, Estd. 1932

Head Office : 983, Raviwar Peth, Laxmi Road, Pune-411 002

Contact No.: +91-20-24450644, +91-20-24483758
+91-7972- 969-901

Marketing Office:
1201/11, Shirole Road, Rajnigandha Apt, Flat No.4, Pune- 411004

Contact No.: +91-7410524141

Email ID: mail@gokultraders.com