


# Articulated Holders FAT & FAB\*



**NOGA**  
*simply sophisticated*

# \*Fine Adjustment Top & Base



**MG6161**  
Overall arm length 317 mm



**DG6160**  
Overall arm length 282 mm



**NF6160**  
Overall arm length 178 mm




# Articulated Holders F&A & F&B\*



## NOGA articulated holders with double fine adjustment


- New double fine adjustment:  
BOTTOM: unique single direction  
TOP: universal swivel clamp
- Holds 6 mm, 8 mm, 3/8" and dovetail.
- Unique central locking mechanism with Noga designed spring loaded bearing.
- Five axis holder.
- Powerful ON/OFF magnetic base.
- Instantly fastens in any position.
- Fast and easy to set up gauges into required position.
- Black finished arms.

# \*Fine Adjustment Top & Base



FA1500

FA1510



Holder			Arm length			Magnet			
Order no.	Bottom thread	Weight	Bottom arm	Top arm	Total	Force	Dimension		
	D	[Kg]	L1	L2	L1 + L2 + L3	[N]	W	L	H
NF6160	Ext. M5	0.550	56	51	178	320	30	40	35
DG6160	Ext. M8	1.450	110	101	282	800	50	60	55
MG6161	Ext. M8	2.000	133	113	317	800	50	60	55

All measurements are in mm unless otherwise mentioned