







W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Graduation	Price (₹)*		
	PLUNGER TYPE DIAL GAUGE (MODEL 40)	K39	5 mm	0.01 mm	0-50-0	2,000		
		K40	5 mm	0.01 mm	0-100	2,000		
		K41	0.25"	0.001"	0-50-0	2,185		
		K42	0.25"	0.001"	0-100	2,185		
		K35	10 mm	0.1 mm	0-10	2,300		
		K36	5 mm	0.01mm	0-50	2,400		
		K43	0.25"	0.0005"	0-50	2,405		
		K40Z	0.8 mm	0.01 mm	40-0-40	2,200		
	PLUNGER TYPE DIAL GAUGE (MODEL 56)	KZ	0.8 mm	0.01 mm	40-0-40	1,525		
		K01	10 mm	0.01 mm	0-50-0	1,410		
		K02	10 mm	0.01 mm	0-100	1,410		
		K03	5 mm	0.01 mm	0-50-0	1,325		
		K04	5 mm	0.01 mm	0-100	1,325		
		K05	10 mm	0.1 mm	0-10	1,325		
		K06A	25 mm	0.1 mm	0-10	1,850		
		K07	30 mm	0.01 mm	0-100	3,065		
		K08A	25 mm	0.01 mm	0-100	2,120		
		K09	2 mm	0.002 mm	0-10-0	3,065		
		K10	2 mm	0.002 mm	0-20	3,065		
		K11	5 mm	0.002 mm	0-10-0	3,660		
		K12	5 mm	0.002 mm	0-20	3,040		
		K13A	12 mm	0.002 mm	0-10-0	5,930		
		K14A	12 mm	0.002 mm	0-20	5,930		
		K17S	1 mm	0.001 mm	0-100-0	2,975		
		K20	50 mm	0.01 mm	0-100	4,600		
		KY	0.08"	0.001"	40-0-40	1,525		
		K50	1"	0.001"	0-100	2,410		
		K51	0.5"	0.001"	0-50-0	1,830		
		K52	0.5"	0.001"	0-100	1,830		
		K53	0.5"	0.0005"	0-25-0	2,250		
		K54	0.5"	0.0005"	0-50	2,250		
K61	0.2"	0.0001"	0-50-0	4,045				
K62	0.2"	0.0001"	0-100	4,045				
K63A	0.5"	0.0001"	0-50-0	6,525				
K64A	0.5"	0.0001"	0-100	6,525				
K21	2"	0.001"	0-100	4,600				
	PLUNGER TYPE DIAL GAUGE (MODEL 88)	K72	50 mm	0.01 mm	0-100	6,180		
		K76	2"	0.001"	0-100	6,530		
	PLUNGER TYPE DIAL GAUGE (MODEL 100)	K100	100 mm	0.01 mm	0-100	19,845		
	PLUNGER TYPE DIAL GAUGE (MODEL 105)	K101	2 mm	0.01 mm	0-50-0	5,855		
	HARDNESS TESTER DIAL (ROCKWELL) STANDARD	-	-	-	-	2,640		
	DIGITAL DIAL GAUGE (RS232 DATA OUTPUT) 'W' Series : IP67 'MD' Series : IP65	W1	12.5 mm/0.5"	0.001 mm/0.00005"	-	17,700		
		W2	25 mm/1"	0.001 mm/0.00005"	-	19,705		
		W3	50 mm/2"	0.001 mm/0.00005"	-	30,740		
		W1A	12.5 mm/0.5"	0.001 mm/0.00005"	-	18,810		
		W2A	25 mm/1"	0.001 mm/0.00005"	-	20,820		
		W3A	50 mm/2"	0.001 mm/0.00005"	-	31,800		
		BAKER Proximity cable with RS232 interface suitable for BAKER digital dials W1, W2, W3						6,180
		BAKER Proximity cable with USB interface suitable for BAKER digital dials W1, W2, W3						6,180
		MD001	12.5 mm/0.5"	0.001 mm/0.00005"	-	23,320		
		BAKER RS232 cable + Power supply for MINI Plunger Type Dial Gauge						6,495













W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	DIGITAL DIAL GAUGE	V1	12.5 mm/0.5"	0.01 mm/0.0005"	-	5,700	
		V2	25 mm/1"	0.01 mm/0.0005"	-	7,135	
		V3	50 mm/2"	0.01 mm/0.0005"	-	18,270	
		V1P	12.5 mm/0.5"	0.001 mm/0.00005"	-	10,915	
		V2P	25 mm/1"	0.001 mm/0.00005"	-	13,120	
	LEVER TYPE DIAL GAUGE (MODEL 29)	302P	0.8 mm	0.01 mm	0-40-0	4,210	
		304	0.2 mm	0.002 mm	0-10-0	5,425	
		Supplied with \varnothing 2 mm T.C. Ball Stylus fitted to the gauge & 1 mm T.C. Ball Stylus, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Calmp as standard accessories in a box.					
		302AP	0.8 mm	0.01 mm	0-40-0	3,335	
		304A	0.2 mm	0.002 mm	0-10-0	4,825	
	Supplied with \varnothing 2 mm T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge						
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 29)	302L	0.8 mm	0.01 mm	0-40-0	5,355	
		Supplied with 33mm long \varnothing 2mm T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box					
		302AL	0.8 mm	0.01 mm	0-40-0	4,650	
		Supplied with 33 mm long \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.					
	LEVER TYPE DIAL GAUGE (MODEL 38)	306P	0.8 mm	0.01 mm	0-40-0	4,810	
		308	0.2 mm	0.002 mm	0-10-0	6,750	
		Supplied with \varnothing 2mm T.C. Ball Stylus fitted to the gauge & \varnothing 1 mm T.C. Ball Stylus, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Calmp as standard accessories in a box.					
		306AP	0.8 mm	0.01 mm	0-40-0	3,665	
		308A	0.2 mm	0.002 mm	0-10-0	6,050	
	Supplied with \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.						
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 38)	306L	0.8 mm	0.01 mm	0-40-0	5,850	
		Supplied with 33 mm long \varnothing 2 mm T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		306AL	0.8 mm	0.01 mm	0-40-0	5,150	
		Supplied with 33 mm long \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.					
	DIAL BORE GAUGE	K439	4-6 mm	0.01 mm	0-50-0	28,425	
		K539	6-10 mm	0.01 mm	0-50-0	13,545	
		K639	10-18 mm	0.01 mm	0-50-0	8,155	
		K641	0.4"-0.7"	0.001"	0-50-0	8,340	
		K703	18-50 mm	0.01 mm	0-50-0	7,605	
		K709	18-50 mm	0.002 mm	0-10-0	9,190	
		K717	18-50 mm	0.001 mm	0-100-0	9,435	
		K753	0.7" - 2"	0.0005"	0-25-0	8,365	
		K761	0.7" - 2"	0.0001"	0-50-0	9,445	
		K803	50-150 mm	0.01 mm	0-50-0	7,605	
		K809	50-150 mm	0.002 mm	0-10-0	9,190	
		K817	50-150 mm	0.001 mm	0-100-0	9,435	
		K853	2" - 6"	0.0005"	0-25-0	8,365	
		K861	2" - 6"	0.0001"	0-50-0	9,445	
		K903	150-250 mm	0.01 mm	0-50-0	16,770	
		K909	150-250 mm	0.002 mm	0-10-0	18,205	
		K917	150-250 mm	0.001 mm	0-100-0	18,580	
		K953	6"-10"	0.0005"	0-25-0	17,500	
		K961	6"-10"	0.0001"	0-50-0	19,050	
		K1003	250-450 mm	0.01 mm	0-50-0	20,925	
K1009	250-450 mm	0.002 mm	0-10-0	22,510			
K1017	250-450 mm	0.001 mm	0-100-0	22,925			
K1053	10-18"	0.0005"	0-25-0	21,730			
K1061	10-18"	0.0001"	0-50-0	23,445			
	DIAL SNAP GAUGE (WITHOUT DIAL GAUGE)	Ds25	0-25 mm	-	-	8,890	
		DS50	25-50 mm	-	-	9,185	
		DS75	50-75 mm	-	-	10,480	
		DS100	75-100 mm	-	-	10,985	
		DS125	100-125 mm	-	-	13,600	
		DS150	125-150 mm	-	-	14,600	
		DS175	150-175 mm	-	-	17,500	
		DS200	175-200 mm	-	-	19,000	
	COMPARATOR STAND (PLAIN BASE)	CS150	Gauging Height 150 mm	Base Size 90 x 95mm	-	7,280	
		CS200	Gauging Height 200 mm	Base Size 150 x 100mm	-	8,770	
	COMPARATOR STAND (SERRATED BASE)	CS150-S	Gauging Height 150 mm	Base Size 90 x 95mm	-	7,570	
		CS200-S	Gauging Height 200 mm	Base Size 150 x 100mm	-	9,330	
	MICROMETER STAND	BMS100	-	-	-	1,190	
	MAGNETIC STAND WITH FINE ADJUSTMENT	MSF	-	-	-	1,645	
	MAGNETIC STAND	MS	-	-	-	1,535	
UNIVERSAL MAGNETIC STAND	UMS	-	-	-	3,255		


W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	DIAL THICKNESS GAUGE (130 series) (Throat Depth:30 mm)	K130/0	10 mm	0.1 mm	0-10	2,275	
		K130/3	10 mm	0.01 mm	0-100	2,360	
		K130/6	2 mm	0.002 mm	0-20	3,965	
		K130/7	5 mm	0.002 mm	0-20	4,385	
		K130/1	0.5"	0.001"	0-100	2,675	
		K130/8	0.05"	0.0001"	0-100	4,355	
		K130/9	0.2"	0.0001"	0-100	4,830	
	Push Down Type 138 series (Throat Depth:50 mm)	K138/0	25 mm	0.1 mm	0-10	3,885	
		K138/3	25 mm	0.01 mm	0-100	4,140	
		K138/1	1.0"	0.001"	0-100	4,550	
		K138/0L	25 mm	0.1 mm	0-10	4,225	
		K138/3L	25 mm	0.01 mm	0-100	4,480	
		K138/1L	1.0"	0.001"	0-100	4,935	
			142 series (Throat Depth:100 mm)	K142/0	10 mm	0.1 mm	0-10
K142/3	10 mm			0.01 mm	0-100	2,780	
K142/1	0.5"			0.001"	0-100	3,045	
145 series (Throat Depth:200 mm)	K145/0		10 mm	0.1 mm	0-10	3,265	
	K145/3		10 mm	0.01 mm	0-100	3,370	
	K145/1		0.5"	0.001"	0-100	3,645	
150 series (Throat Depth:200 mm)	K150/0		25 mm	0.1 mm	0-10	4,820	
	K150/3		25 mm	0.01 mm	0-100	5,085	
	K150/1		1.0"	0.001"	0-100	5,540	
	DIGITAL DIAL THICKNESS GAUGE 130 (Throat Depth:30 mm)	K130/D	12.5 mm/0.5"	0.001mm/0.00005"	-	17,350	
	142 (Throat Depth:100 mm)	K142/D	12.5 mm/0.5"	0.001mm/0.00005"	-	17,550	
	138 (Throat Depth:50 mm)	K138/D	25 mm/1"	0.001mm/0.00005"	-	20,050	
	145 (Throat Depth:200 mm)	K145/D	12.5 mm/0.5"	0.001mm/0.00005"	-	18,050	
	150 (Throat Depth:200 mm)	K150/D	25 mm/1"	0.001mm/0.00005"	-	20,550	
	VERNIER CALIPER	VC10	0-150 mm/0-6"	0.02 mm/0.001"	-	1,830	
		VC20	0-200 mm/0-8"	0.02 mm/0.001"	-	2,915	
		VC30	0-300 mm/0-12"	0.02 mm/0.001"	-	5,830	
	VERNIER CALIPER WITH FINE ADJUSTMENT	VCF10	0-130 mm/0-5"	0.02 mm/0.001"	-	2,090	
		VCF20	0-180 mm/0-7"	0.02 mm/0.001"	-	3,095	
		VCF30	0-280 mm/0-11"	0.02 mm/0.001"	-	6,085	
		VCF45	0-430 mm/0-17"	0.02 mm/0.001"	-	17,745	
		VCF60	0-580 mm/0-23"	0.02 mm/0.001"	-	21,840	
		VCF80	0-780 mm/0-31"	0.02 mm/0.001"	-	32,865	
		VCF100	0-980 mm/0-39"	0.02 mm/0.001"	-	42,840	
	DIAL CALIPER	DC10	0-150 mm	0.02 mm	-	3,255	
		DC20	0-200 mm	0.02 mm	-	5,450	
		DC30	0-300 mm	0.02 mm	-	7,265	
	DIGITAL CALIPER	ED10	0-150 mm/0-6"	0.01 mm/0.0005 "	-	3,635	
		ED20	0-200 mm/0-8"	0.01 mm/0.0005 "	-	5,475	
		ED30	0-300 mm / 0-12"	0.01 mm/0.0005 "	-	7,415	
	DIGITAL CALIPER	SDN10	0-150 mm/0-6"	0.01 mm/0.0005 "	-	4,930	
		SDN20	0-200 mm/0-8"	0.01 mm/0.0005 "	-	6,540	
		SDN30	0-300 mm/0-12"	0.01 mm/0.0005 "	-	8,600	
	DIGITAL CALIPER (IP66)	SDN50	0-500 mm/0-20"	0.01 mm/0.0005 "	-	25,975	
		SDN60	0-600 mm/0-24"	0.01 mm/0.0005 "	-	35,210	
		SDN80	0-800 mm/0-32"	0.01 mm/0.0005 "	-	45,255	
		SDN100	0-1000 mm/0-40"	0.01 mm/0.0005"	-	66,095	
	DIGITAL CALIPER (IP67 & RS232 DATA OUTPUT)	ZD10	0-150 mm/0-6"	0.01 mm/0.0005 "	-	7,850	
		ZD20	0-200 mm/0-8"	0.01 mm/0.0005 "	-	10,430	
		ZD30	0-300 mm/0-12"	0.01 mm/0.0005 "	-	13,010	
		Proximity cable for RS232 interface for ZD calipers				-	6,180
		Proximity cable for USB interface for ZD calipers				-	6,180
	DIGITAL DEPTH CALIPER	DDC10	0-150 mm/0-6"	0.01 mm/0.0005"	-	5,200	
		DDC20	0-200 mm/0-8"	0.01 mm/0.0005"	-	6,090	
		DDC30	0-300 mm/0-12"	0.01 mm/0.0005"	-	11,445	
	INTERNAL GROOVE CALIPER	IGC10	10-120mm	0.010mm	0-100-0	20,770	










W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Price (₹)*
	EXTERNAL MICROMETER	MMC25/INC1	0-25 mm/0-1"	0.01 mm/0.001"	1,685
		MMC25-1/INC1-1	0-25 mm/0-1"	0.001 mm/0.0001"	1,890
		MMC50/INC2	25-50 mm/1-2"	0.01 mm/0.001"	2,240
		MMC50-1/INC2-1	25-50 mm/1-2"	0.001 mm/0.0001"	2,565
		MMC75/INC3	50-75 mm/2-3"	0.01 mm/0.001"	2,410
		MMC75-1/INC3-1	50-75 mm/2-3"	0.001 mm/0.0001"	2,840
		MMC100/INC4	75-100 mm/3-4"	0.01 mm/0.001"	2,650
		MMC100-1/INC4-1	75-100 mm/3-4"	0.001 mm/0.0001"	3,235
		MMC125/INC5	100-125 mm/4-5"	0.01 mm/0.001"	3,215
		MMC125-1/INC5-1	100-125 mm/4-5"	0.001 mm/0.0001"	4,070
		MMC150/INC6	125-150 mm/5-6"	0.01 mm/0.001"	3,605
		MMC150-1/INC6-1	125-150 mm/5-6"	0.001 mm/0.0001"	4,325
		MMC175/INC7	150-175 mm/6-7"	0.01 mm/0.001"	4,410
MMC200/INC8	175-200 mm/7-8"	0.01 mm/0.001"	5,300		
	EXTERNAL MICROMETER	MMI0-100/INI0-4	0-100 mm / 0-4"	0.01 mm/0.001"	10,050
		MMI0-150/INI0-6	0-150 mm / 0-6"	0.01 mm/0.001"	12,395
		MMI200-300/INI8-12	200-300 mm/8-12"	0.01 mm/0.001"	16,050
		MMI150-300/INI6-12	150-300 mm / 6-12"	0.01 mm/0.001"	17,205
	EXTERNAL MICROMETER	MMI300-400/INI12-16	300-400 mm	0.01 mm	21,180
		MMI400-500/INI16-20	400-500 mm	0.01 mm	23,630
		MME500-600/INE20-24	500-600 mm	0.01 mm	29,500
		MME600-700/INE24-28	600-700 mm	0.01 mm	32,500
		MME700-800/INE28-32	700-800 mm	0.01 mm	38,500
		MME800-900/INE32-36	800-900 mm	0.01 mm	45,000
		MME900-1000/INE36-40	900-1000 mm	0.01 mm	53,000
	DIGITAL EXTERNAL MICROMETER	DMM25	0-25 mm	0.001mm/0.00005"	6,760
		DMM50	25-50 mm	0.001mm/0.00005"	8,815
		DMM75	50-75 mm	0.001mm/0.00005"	10,435
		DMM100	75-100 mm	0.001 mm/0.00005"	12,080
		DMM125	100-125 mm	0.001 mm/0.00005"	13,065
		DMM150	125-150 mm	0.001 mm/0.00005"	14,660
		DMM175	150-175 mm	0.001 mm/0.00005"	15,690
		DMM200	175-200 mm	0.001 mm/0.00005"	17,265
	DIGITAL EXTERNAL MICROMETER WITH DATA OUTPUT	DMM25-1	0-25 mm	0.001 mm/0.00005"	8,860
		DMM50-1	25-50 mm	0.001 mm/0.00005"	11,280
		DMM75-1	50-75 mm	0.001 mm/0.00005"	14,440
		DMM100-1	75-100 mm	0.001 mm/0.00005"	16,230
		DATA CABLE P1502	-	-	5,030
		SWITCH P1601	-	-	1,230
	DISC MICROMETER ROTATING	MMC25-D/INC1-D	0-25 mm/0-1"	0.01 mm/0.001"	5,440
		MMC50-D/INC2-D	25-50 mm/1-2"	0.01 mm/0.001"	6,310
		MMC75-D/INC3-D	50-75 mm/2-3"	0.01 mm/0.001"	6,755
		MMC100-D/INC4-D	75-100 mm/3-4"	0.01 mm/0.001"	7,875
	DISC MICROMETER NON-ROTATING	MMC25-ND/INC1-ND	0-25 mm/0-1"	0.01 mm/0.001"	8,110
		MMC50-ND/INC2-ND	25-50 mm/1-2"	0.01 mm/0.001"	9,755
		MMC75-ND/INC3-ND	50-75 mm/2-3"	0.01 mm/0.001"	10,360
		MMC100-ND/INC4-ND	75-100 mm/3-4"	0.01 mm/0.001"	10,760
	POINT MICROMETER 15°	MMC25-P1/INC1-P1	0-25 mm/0-1"	0.01 mm/0.001"	5,195
		MMC50-P1/INC2-P1	25-50 mm/1-2"	0.01 mm/0.001"	6,755
		MMC75-P1/INC3-P1	50-75 mm/2-3"	0.01 mm/0.001"	8,150
		MMC100-P1/INC4-P1	75-100 mm/3-4"	0.01 mm/0.001"	10,190
	POINT MICROMETER 30°	MMC25-P2/INC1-P2	0-25 mm/0-1"	0.01 mm/0.001"	4,570
		MMC50-P2/INC2-P2	25-50 mm/1-2"	0.01 mm/0.001"	5,715
		MMC75-P2/INC3-P2	50-75 mm/2-3"	0.01 mm/0.001"	6,490
		MMC100-P2/INC4-P2	75-100 mm/3-4"	0.01 mm/0.001"	7,610
	SPLINE MICROMETER Ø 2.0 mm X 5.0 mm	MMC25-S2/INC1-S2	0-25 mm/0-1"	0.01 mm/0.001"	5,100
		MMC25-S3/INC1-S3	0-25 mm/0-1"	0.01 mm/0.001"	5,100
	SPLINE MICROMETER Ø 3.0 mm X 8.0 mm	MMC50-S3/INC2-S3	25-50 mm/1-2"	0.01 mm/0.001"	6,385
		MMC75-S3/INC3-S3	50-75 mm/2-3"	0.01 mm/0.001"	7,505
		MMC100-S3/INC4-S3	75-100 mm/3-4"	0.01 mm/0.001"	7,995

W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Price (₹)*
	TUBE MICROMETER ONE END SPHERICAL	MMC25-T1/INC1-T1	0-25 mm/0-1"	0.01 mm/0.001"	2,515
		MMC50-T1/INC2-T1	25-50 mm/1-2"	0.01 mm/0.001"	3,265
		MMC75-T1/INC3-T1	50-75 mm/2-3"	0.01 mm/0.001"	3,690
		MMC100-T1/INC4-T1	75-100 mm/3-4"	0.01 mm/0.001"	4,060
	TUBE MICROMETER BOTH END SPHERICAL	MMC25-T2/INC1-T2	0-25 mm/0-1"	0.01 mm/0.001"	2,650
		MMC50-T2/INC2-T2	25-50 mm/1-2"	0.01 mm/0.001"	3,445
		MMC75-T2/INC3-T2	50-75 mm/2-3"	0.01 mm/0.001"	3,765
		MMC100-T2/INC4-T2	75-100 mm/3-4"	0.01 mm/0.001"	4,285
	BLADE MICROMETER (BLADE THICKNESS 0.75 mm)	MMC25-NB/INC1-NB	0-25 mm/0-1"	0.01 mm/0.001"	7,305
		MMC50-NB/INC2-NB	25-50 mm/1-2"	0.01 mm/0.001"	7,780
		MMC75-NB/INC3-NB	50-75 mm/2-3"	0.01 mm/0.001"	8,035
		MMC100-NB/INC4-NB	75-100 mm/3-4"	0.01 mm/0.001"	8,885
		MMC125-NB/INC5-NB	100-125 mm/4-5"	0.01 mm/0.001"	14,400
		MMC150-NB/INC6-NB	125-150 mm/5-6"	0.01 mm/0.001"	16,850
		MMC175-NB/INC7-NB	150-175 mm/6-7"	0.01 mm/0.001"	18,400
		MMC200-NB/INC8-NB	175-200 mm/7-8"	0.01 mm/0.001"	19,800
	BLADE MICROMETER (BLADE THICKNESS 0.4 mm)	MMC25-NBA/INC1-NBA	0-25 mm/0-1"	0.01 mm/0.001"	8,770
		MMC50-NBA/INC2-NBA	25-50 mm/1-2"	0.01 mm/0.001"	9,340
		MMC75-NBA/INC3-NBA	50-75 mm/2-3"	0.01 mm/0.001"	9,650
		MMC100-NBA/INC4-NBA	75-100 mm/3-4"	0.01 mm/0.001"	10,670
		MMC125-NBA/INC5-NBA	100-125 mm/4-5"	0.01 mm/0.001"	17,280
		MMC150-NBA/INC6-NBA	125-150 mm/5-6"	0.01 mm/0.001"	20,220
		MMC175-NBA/INC7-NBA	150-175 mm/6-7"	0.01 mm/0.001"	22,080
		MMC200-NBA/INC8-NBA	175-200 mm/7-8"	0.01 mm/0.001"	23,760
	DEPTH MICROMETER	MMC25-DM60/INC1-DMA	0-25 mm/0-1"	0.01 mm/0.001"	4,645
		MMC25-1DM60/INC1-1DMA	0-25 mm/0-1"	0.001 mm/0.0001"	4,855
		MMC25-DM100/INC1-DMB	0-25 mm/0-1"	0.01 mm/0.001"	5,110
		MMC25-1DM100/INC1-1DMB	0-25 mm/0-1"	0.001 mm/0.0001"	5,340
		MMC25-DM60S/INC1-DMC	0-25 mm/0-1"	0.01 mm/0.001"	5,340
		MMC25-1DM60S/INC1-1DMC	0-25 mm/0-1"	0.001 mm/0.0001"	5,585
		MMC25-DM100S/INC1-DMD	0-25 mm/0-1"	0.01 mm/0.001"	5,880
		MMC25-1DM100S/INC1-1DMD	0-25 mm/0-1"	0.001 mm/0.0001"	6,140
		MMC100-DM60/INC4-DMA	0-100 mm/0-4"	0.01 mm/0.001"	5,685
		MMC100-DM100/INC4-DMB	0-100 mm/0-4"	0.01 mm/0.001"	6,255
		MMC150-DM60/INC6-DMA	0-150 mm/0-6"	0.01 mm/0.001"	7,105
		MMC150-DM100/INC6-DMB	0-150 mm/0-6"	0.01 mm/0.001"	7,815
	MICROMETER HEAD PLAIN	MMC25-HP/INC1-HP	0-25 mm/0-1"	0.01 mm/0.001"	1,455
		MMC25-1HP/INC1-1HP	0-25 mm/0-1"	0.001 mm/0.0001"	1,615
	MICROMETER HEAD THREADED	MMC25-HT/INC1-HT	0-25 mm/0-1"	0.01 mm/0.001"	1,505
		MMC25-1HT/INC1-1HT	0-25 mm/0-1"	0.001 mm/0.0001"	1,665
	TUBULAR INTERNAL MICROMETER	MMT150	50-150 mm	0.01 mm	9,400
		MMT300	50-300 mm	0.01 mm	12,850
		MMT500	50-500 mm	0.01 mm	16,300
		MMT1000	50-1000 mm	0.01 mm	22,350
		MMT1500	50-1500 mm	0.01 mm	26,850
	MECHANICAL INTERNAL MICROMETER	SMTA1M	2-3 mm	0.001 mm	65,130
		SMTA2M	3-6 mm	0.001 mm	86,450
		SMTA3M	6-12 mm	0.001 mm	31,560
		SMTA4M	12-20 mm	0.005 mm	42,550
		SMTA5M	20-50 mm	0.005 mm	57,320
		SMTA6M	50-100 mm	0.005 mm	78,950
		SMTA7M	100-200 mm	0.005 mm	2,18,290
	DIGITAL PISTOL - GRIP INTERNAL MICROMETER (XT HOLEMATIC) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXTH1M-BT/SXTH1i-BT	2-6 mm/0.080"-0.25"	0.001 mm/0.00005"	2,39,100
		SXTH3M-BT/SXTH3i-BT	6-10 mm/1/4"-3/8"	0.001 mm/0.00005"	96,450
		SXTH4M-BT/SXTH4i-BT	10-20 mm/3/8-3/4"	0.001 mm/0.00005"	1,11,730
		SXTH5M-BT/SXTH5i-BT	20-50 mm/3/4-2"	0.001 mm/0.00005"	1,46,540
		SXTH6M-BT/SXTH6i-BT	50-100 mm/2"-4"	0.001 mm/0.00005"	1,62,150
		SXTH7M-BT/SXTH7i-BT	100-150 mm/4"-6"	0.001 mm/0.00005"	1,43,720
		SXTH8M-BT/SXTH8i-BT	150-200 mm/6"-8"	0.001 mm/0.00005"	1,90,290
		SXTH9M-BT/SXTH9i-BT	100-200 mm/4"-8"	0.001 mm/0.00005"	2,95,930
		SXTH10M-BT/SXTH10i-BT	6-20 mm/1/4"-3/4"	0.001 mm/0.00005"	1,31,420
		SXTH11M-BT/SXTH11i-BT	20-100 mm/3/4"-4"	0.001 mm/0.00005"	2,30,480
	DIGITAL INTERNAL MICROMETER (XT DIGITAL) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXTD1M-BT/SXTD1i-BT	2-6 mm/0.080" - 0.25"	0.001 mm/0.00005"	2,17,850
		SXTD3M-BT/SXTD3i-BT	6-10 mm/1/4"-3/8"	0.001 mm/0.00005"	91,500
		SXTD4M-BT/SXTD4i-BT	10-20 mm/3/8"-3/4"	0.001 mm/0.00005"	1,04,400
		SXTD5M-BT/SXTD5i-BT	20-50 mm/3/4"-2"	0.001 mm/0.00005"	1,44,310
		SXTD6M-BT/SXTD6i-BT	50-100 mm/2"-4"	0.001 mm/0.00005"	1,59,880
		SXTD7M-BT/SXTD7i-BT	100-150 mm/4"-6"	0.001 mm/0.00005"	1,36,370
		SXTD8M-BT/SXTD8i-BT	150-200 mm/6"-8"	0.001 mm/0.00005"	1,80,630
		SXTD9M-BT/SXTD9i-BT	100-200 mm/4"-8"	0.001 mm/0.00005"	2,87,220

W.E.F. 01-04-2021

Valid Until : 31-03-2022

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	LARGE DIAMETER 3-POINT DIGITAL INTERNAL MICROMETER (XT500) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXT3000M-BT	300-400	0.001 mm/0.00005"		3,81,330
		SX43000M-BT	300-325, 400-500	0.001 mm/0.00005"		4,70,330
		SXT5000M-BT	300-500	0.001 mm/0.00005"		5,98,400
	LEVER TYPE INTERNAL MICROMETER (XTL)	SXTL3M/SXTL3i	6-10 mm/1/4"-3/8"	0.001 mm/0.00005"		96,390
		SXTL4M/SXTL4i	10-20 mm/3/8"-3/4"	0.001 mm/0.00005"		1,11,620
		SXTL5M/SXTL5i	20-50 mm/3/4"-2"	0.001 mm/0.00005"		1,44,710
		SXTL6M/SXTL6i	50-100 mm/2"-4"	0.001 mm/0.00005"		1,61,670
	BACK PLUNGER TYPE DIAL GAUGE (MODEL 38)	FO1	2 mm	0.01 mm	0-50-0	2,080
		FO2	2 mm	0.01 mm	0-100	2,080
		F51	0.1"	0.001"	0-50-0	2,290
		F52	0.1"	0.001"	0-100	2,290
	UNIVERSAL TEST SET	UI01	2 mm	0.01 mm	0-50-0	3,695
		UI02	2 mm	0.01 mm	0-100	3,695
		UI51	0.1"	0.001"	0-50-0	4,065
		UI52	0.1"	0.001"	0-100	4,065
	TYRE TREAD DEPTH GAUGE	TTG01	8 mm	0.1 mm	-	2,055
		TTG02	0.32"	0.004"	-	2,260
	CRANK SHAFT GAUGE	CS1	60-600 mm	0.01 mm	0-50	6,790
		CS2	2.4"-23.6"	0.0005"	0-20	7,460
	DIAL DEPTH GAUGE	K158/0	0-200 mm	0.1 mm	10-0	2,780
		K158/3	0-200 mm	0.01 mm	100-0	3,150
		K158/1	0-8"	0.001"	100-0	3,470
	DIGITAL DIAL DEPTH GAUGE	K158/D	0-200 mm/0.8"	0.01 mm/0.0005"	-	8,450
		K158/DP	0-200 mm/0.8"	0.001 mm/0.00005"	-	12,340
	VERNIER HEIGHT GAUGE	VH300	0-300 mm/0-12"	0.02 mm/0.001"	-	13,545
		VH600	0-600 mm/0-24"	0.02 mm/0.001"	-	22,995
	DIGITAL HEIGHT GAUGE	DH300	0-300 mm/0-12"	0.01 mm/0.0005"	-	20,035
		DH600	0-600 mm/0-24"	0.01 mm/0.0005"	-	37,845
		DH1000	0-1000 mm/0-40"	0.01 mm/0.0005"	-	64,050
	DOUBLE COLUMN DIGITAL HEIGHT GAUGE	DCDH300	0-300 mm/0-12"	0.010 mm/0.0005"	-	33,600
		DCDH600	0-600 mm/0-24"	0.010 mm/0.0005"	-	50,400

TERMS & CONDITIONS

- "Certificate of Calibration" is provided with each gauge, traceable to National/International Length Standards.
- GST: Extra as applicable.
- BGIPL reserves the right to make changes to the above prices without any prior intimation.
- * Prices valid until 31st March 2022
- Warranty : 12 months against any manufacturing defect or poor workmanship.

BAKER GAUGES INDIA PRIVATE LIMITED

An ISO 9001 : 2015 Company

Head Office-Pune

Tel. : (020) 66250600

Mob. : 7447449621

E-mail : bakerhip@bakergauges.com

Tel. : (020) 66093800

Mob. : 7447438251

E-mail : bakerbmi@bakergauges.com

www.bakergauges.com

Branch Offices :

Mumbai Tel. (022) 43471701/02/03

New Delhi Tel. (011) 23328186

Chennai Tel. (044) 28140963

Bangalore Tel. (080) 22217336

Ahmedabad Tel. (079) 27540665

Indore

Rajkot

Kolkata Tel. (033) 22156387

Chandigarh Tel. (0172) 4631027

Ludhiana

Hyderabad

Nashik

Jamshedpur

Coimbatore

• Mob. 7400199752

• Mob. 9810160313

• Mob. 7550055245

• Mob. 7618720651

• Mob. 7435041140

• Mob. 7447438257

• Mob. 7435041142

• Mob. 7447444980

• Mob. 9815601027

• Mob. 7447444098

• Mob. 7447443439

• Mob. 7447438256

• Mob. 7447444978

• Mob. 9884480963



Certificate No. C-0081
NABL LABORATORY BHM DIVISION



Certificate No. C-0390
NABL LABORATORY HP DIVISION



• E-mail : bakermum@bakergauges.com

• E-mail : bakerdlh@bakergauges.com

• E-mail : bakerche@bakergauges.com

• E-mail : bakerblr@bakergauges.com

• E-mail : bakerbar@bakergauges.com

• E-mail : bakermp@bakergauges.com

• E-mail : bakerrajkot@bakergauges.com

• E-mail : bakercal@bakergauges.com

• E-mail : bakerchd@bakergauges.com

• E-mail : bakerldh@bakergauges.com

• E-mail : bakerhyd@bakergauges.com

• E-mail : baker_nsk@bakergauges.com

• E-mail : bakercal@bakergauges.com

• E-mail : bakerche@bakergauges.com