



<b>INDEX</b>							
Series Group	Series Description	Series	Stock	Page No.	DIA. RANGE (in mm)	Coating Type	Internal Coolant
<b>General Purpose Drills</b>	Carbide GP-Drills STUB Series	C1GS	Yes	2	2 ~ 20	TiALN	No
	Carbide GP-Drills JOBBER Series	C1GJ	Yes	3~5	2 ~ 20	None/TiALN	No
<b>High Performance Drills</b>	Carbide HP-Drills (Short) Reinforced Shank	C3HS	Yes	6~8	2 ~ 20	NOVA	No
	Carbide HP-Drills (Long) Reinforced Shank	C3HL	No	9~11	2 ~ 20	NOVA	No
	Carbide HP-Drills with Coolant Hole (SHORT)	CTHS	Yes	12	3 ~ 20	PEROX	Yes
	Carbide HP-Drills with Coolant Hole (LONG)	CTHL	No	13	4 ~ 20	PEROX	Yes
	Carbide HP-MQL Drills With Coolant Hole	CTHM	No	14	4 ~ 12	PEROX	Yes
	Carbide HP-Drills with PEROX Coating	C4HT	No	15	4 ~ 16	PEROX	No
<b>Misc. Drills</b>	Carbide NC-Spotting drills 90°	C1N1	No	16	6 ~ 20	None	No
	Carbide NC-Spotting drills 120°	C1N2	No	16	6 ~ 20	None	No

Terms & Conditions:
1. GST Extra as applicable
2. This Price List Supersedes all our previous Price Lists, Prices are Subject to revision without prior notice
3. All prices are in INR
4. Non-stock Items / Series will be associated with MOV of INR 10,000/- per size, so check the same with RIGPL representative before placing order.
5. Drills Series Mentioned as Stocked are only stocked up to 12mm diameter
6. Delivery time for Uncoated Non-stock Items - 1 week , Coated Non-Stock Items - 2~3 weeks

Safe use of cutting tools
· Use safety cover, safety glasses and safety shoes during operation.
· Do not touch cutting edges with bare hands.
· Do not touch cutting chips with bare hands. Chips will be hot after cutting.
· Stop cutting when the tool becomes dull.
· Stop cutting operation immediately if you hear any abnormal cutting sounds.
· Do not modify tools.
· Please use appropriate tools for the operation. Check dimensions to ensure proper selection.



PL-52 w.e.f 01-Sep-2021  
{ GST Extra As Applicable }

Click Here  
↓ ↓

Series	CIGS				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR11GDR004U3	2.0	12	39	3.0	₹ 726
CR11GDR004Y4	2.1	14	39	3.0	₹ 726
CR11GDR004Z2	2.2	14	39	3.0	₹ 726
CR11GDR00503	2.3	14	39	3.0	₹ 726
CR11GDR00511	2.4	14	39	3.0	₹ 726
CR11GDR00529	2.5	14	39	3.0	₹ 726
CR11GDR00545	2.6	20	54	3.0	₹ 774
CR11GDR00552	2.7	20	54	3.0	₹ 774
CR11GDR00560	2.8	20	54	3.0	₹ 774
CR11GDR00586	2.9	20	54	3.0	₹ 774
CR11GDR00594	3.0	20	54	3.0	₹ 711
CR11GDR005C2	3.1	20	54	3.1	₹ 765
CR11GDR005E7	3.2	20	54	3.2	₹ 765
CR11GDR005G3	3.3	20	54	3.3	₹ 777
CR11GDR005J6	3.4	20	54	3.4	₹ 777
CR11GDR005M0	3.5	20	54	3.5	₹ 777
CR11GDR005P3	3.6	22	54	3.6	₹ 777
CR11GDR005R9	3.7	22	54	3.7	₹ 777
CR11GDR005T4	3.8	22	54	3.8	₹ 777
CR11GDR005V0	3.9	22	54	3.9	₹ 786
CR11GDR005X5	4.0	22	54	4.0	₹ 786
CR11GDR005Z1	4.1	24	63	4.1	₹ 927
CR11GDR00610	4.2	24	63	4.2	₹ 927
CR11GDR00636	4.3	24	63	4.3	₹ 954
CR11GDR00651	4.4	24	63	4.4	₹ 954
CR11GDR00677	4.5	24	63	4.5	₹ 954
CR11GDR006A5	4.6	26	63	4.6	₹ 954
CR11GDR006C1	4.7	26	63	4.7	₹ 954
CR11GDR006E6	4.8	26	63	4.8	₹ 954
CR11GDR006G2	4.9	26	63	4.9	₹ 954
CR11GDR006J5	5.0	26	63	5.0	₹ 954
CR11GDR006L1	5.1	28	63	5.1	₹ 1,062
CR11GDR006N6	5.2	28	63	5.2	₹ 1,173
CR11GDR006R8	5.3	28	63	5.3	₹ 1,173
CR11GDR006U1	5.4	28	63	5.4	₹ 1,173
CR11GDR006W7	5.5	28	63	5.5	₹ 1,173
CR11GDR006Y2	5.6	28	63	5.6	₹ 1,206
CR11GDR00701	5.7	28	63	5.7	₹ 1,206
CR11GDR00727	5.8	28	63	5.8	₹ 1,206
CR11GDR00743	5.9	28	63	5.9	₹ 1,206
CR11GDR00768	6.0	28	63	6.0	₹ 1,206
CR11GDR00784	6.1	31	63	6.1	₹ 1,566
CR11GDR007A4	6.2	31	63	6.2	₹ 1,566
CR11GDR007D7	6.3	31	63	6.3	₹ 1,566
CR11GDR007F3	6.4	31	63	6.4	₹ 1,566
CR11GDR007J4	6.5	31	63	6.5	₹ 1,566
CR11GDR007L0	6.6	34	63	6.6	₹ 1,566
CR11GDR007N5	6.7	34	63	6.7	₹ 1,566
CR11GDR007Q9	6.8	34	63	6.8	₹ 1,566
CR11GDR007T2	6.9	34	63	6.9	₹ 1,566
CR11GDR007W6	7.0	34	63	7.0	₹ 1,566
CR11GDR007Y1	7.1	34	79	7.1	₹ 2,289
CR11GDR00800	7.2	34	79	7.2	₹ 2,289
CR11GDR00826	7.3	34	79	7.3	₹ 2,289
CR11GDR00842	7.4	34	79	7.4	₹ 2,289
CR11GDR00867	7.5	34	79	7.5	₹ 2,289
CR11GDR008A3	7.6	37	79	7.6	₹ 2,427
CR11GDR008C9	7.7	37	79	7.7	₹ 2,427
CR11GDR008E4	7.8	37	79	7.8	₹ 2,427
CR11GDR008G0	7.9	37	79	7.9	₹ 2,427
CR11GDR008J3	8.0	37	79	8.0	₹ 2,427
CR11GDR008L9	8.1	37	79	8.1	₹ 2,721
CR11GDR008N4	8.2	37	79	8.2	₹ 2,721
CR11GDR008R6	8.3	37	79	8.3	₹ 2,835
CR11GDR008T1	8.4	37	79	8.4	₹ 2,835
CR11GDR008W5	8.5	37	79	8.5	₹ 2,835
CR11GDR00909	8.6	40	79	8.6	₹ 2,835
CR11GDR00933	8.7	40	79	8.7	₹ 2,835



Carbide GP-Drills STUB Series					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR11GDR00958	8.8	40	79	8.8	₹ 2,835
CR11GDR00982	8.9	40	79	8.9	₹ 2,835
CR11GDR009A2	9.0	40	79	9.0	₹ 2,835
CR11GDR009E3	9.1	40	79	9.1	₹ 3,336
CR11GDR009G9	9.2	40	79	9.2	₹ 3,336
CR11GDR009J2	9.3	40	79	9.3	₹ 3,336
CR11GDR009L8	9.4	40	79	9.4	₹ 3,336
CR11GDR009N3	9.5	40	79	9.5	₹ 3,336
CR11GDR009Q7	9.6	42	79	9.6	₹ 3,336
CR11GDR009S2	9.7	42	79	9.7	₹ 3,336
CR11GDR009V6	9.8	42	79	9.8	₹ 3,336
CR11GDR009X1	9.9	42	79	9.9	₹ 3,336
CR11GDR009Z7	10.0	42	79	10.0	₹ 3,336
CR11GDR00A19	10.1	42	79	10.1	₹ 3,654
CR11GDR00A27	10.2	42	79	10.2	₹ 4,212
CR11GDR00A43	10.3	47	100	10.3	₹ 4,812
CR11GDR00A50	10.4	47	100	10.4	₹ 4,812
CR11GDR00A68	10.5	47	100	10.5	₹ 4,812
CR11GDR00A92	10.6	47	100	10.6	₹ 4,878
CR11GDR00AA4	10.7	47	100	10.7	₹ 4,878
CR11GDR00AB2	10.8	47	100	10.8	₹ 4,878
CR11GDR00AD7	10.9	47	100	10.9	₹ 4,878
CR11GDR00AE5	11.0	47	100	11.0	₹ 4,878
CR11GDR00AG1	11.1	47	100	11.1	₹ 5,445
CR11GDR00AH9	11.2	47	100	11.2	₹ 5,520
CR11GDR00AJ4	11.3	47	100	11.3	₹ 5,520
CR11GDR00AK2	11.4	47	100	11.4	₹ 5,520
CR11GDR00AL0	11.5	47	100	11.5	₹ 5,520
CR11GDR00AN5	11.6	49	100	11.6	₹ 5,520
CR11GDR00AP1	11.7	49	100	11.7	₹ 5,520
CR11GDR00AQ9	11.8	49	100	11.8	₹ 5,520
CR11GDR00AR7	11.9	49	100	11.9	₹ 5,520
CR11GDR00AS4	12.0	49	100	12.0	₹ 5,520
CR11GDR00AU0	12.1	51	102	12.1	₹ 6,048
CR11GDR00AV8	12.2	51	102	12.2	₹ 6,501
CR11GDR00AW6	12.3	51	102	12.3	₹ 6,501
CR11GDR00AX3	12.4	51	102	12.4	₹ 6,501
CR11GDR00AZ9	12.5	51	102	12.5	₹ 6,501
CR11GDR00B00	12.6	51	102	12.6	₹ 6,501
CR11GDR00B18	12.7	51	102	12.7	₹ 6,501
CR11GDR00B34	12.8	51	102	12.8	₹ 6,501
CR11GDR00B42	12.9	51	102	12.9	₹ 6,501
CR11GDR00B59	13.0	51	102	13.0	₹ 6,501
CR11GDR00B67	13.1	54	107	13.1	₹ 7,614
CR11GDR00B75	13.2	54	107	13.2	₹ 7,614
CR11GDR00B83	13.3	54	107	13.3	₹ 7,614
CR11GDR00B91	13.4	54	107	13.4	₹ 7,614
CR11GDR00BA3	13.5	54	107	13.5	₹ 7,614
CR11GDR00BB1	13.6	54	107	13.6	₹ 7,614
CR11GDR00BC9	13.7	54	107	13.7	₹ 7,614
CR11GDR00BD6	13.8	54	107	13.8	₹ 7,614
CR11GDR00BE4	13.9	54	107	13.9	₹ 7,614
CR11GDR00BF2	14.0	54	107	14.0	₹ 7,614
CR11GDR00BG0	14.1	56	109	14.1	₹ 9,051
CR11GDR00BH8	14.2	56	109	14.2	₹ 9,051
CR11GDR00BJ3	14.3	56	109	14.3	₹ 9,051
CR11GDR00BK1	14.4	56	109	14.4	₹ 9,051
CR11GDR00BL9	14.5	56	109	14.5	₹ 9,051
CR11GDR00BM7	14.6	56	109	14.6	₹ 9,051
CR11GDR00BN4	14.7	56	109	14.7	₹ 9,051
CR11GDR00BP0	14.8	56	109	14.8	₹ 9,051
CR11GDR00BQ8	14.9	56	109	14.9	₹ 9,051
CR11GDR00BS3	15.0	56	109	15.0	₹ 9,051
CR11GDR00BT1	16.0	56	109	16.0	₹ 10,392
CR11GDR00BU9	17.0	56	109	18.0	₹ 13,833
CR11GDR00BV7	18.0	56	109	18.0	₹ 13,833
CR11GDR00BW5	19.0	56	109	19.0	₹ 16,668
CR11GDR00BX2	20.0	56	109	20.0	₹ 16,668



Click Here  
↓ ↓

Series		C1GJ		Carbide GP-Drills JOBBER Series				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52 Uncoated	PL-52 TIALN Coated	
CR1XGDR000H7	CR11GDR00P06	2.0	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000J2	C1GJ0210-F	2.1	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000K0	CR11GDR00T44	2.2	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000L8	CR11GDR00P14	2.3	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000M6	CR11GDR00T51	2.4	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000N3	CR11GDR00099	2.5	24	61	3.0	₹ 774	₹ 927	
CR1XGDR000P9	C1GJ0260-F	2.6	33	61	3.0	₹ 795	₹ 957	
CR1XGDR000Q7	C1GJ0270-F	2.7	33	61	3.0	₹ 795	₹ 957	
CR1XGDR000R5	C1GJ0280-F	2.8	33	61	3.0	₹ 795	₹ 957	
CR1XGDR000S2	C1GJ0290-F	2.9	33	61	3.0	₹ 795	₹ 957	
CR1XGDR000T0	CR11GDR005A6	3.0	33	61	3.0	₹ 729	₹ 927	
CR1XGDR000U8	CR11GDR005D9	3.1	39	70	3.1	₹ 876	₹ 1,059	
CR1XGDR000V6	CR11GDR005F5	3.2	39	70	3.2	₹ 882	₹ 1,059	
CR1XGDR000W4	CR11GDR005H1	3.3	39	70	3.3	₹ 882	₹ 1,059	
CR1XGDR000X1	CR11GDR005K4	3.4	39	70	3.4	₹ 888	₹ 1,059	
CR1XGDR000Y9	CR11GDR005N7	3.5	39	70	3.5	₹ 888	₹ 1,059	
CR1XGDR000Z7	CR11GDR005Q1	3.6	43	75	3.6	₹ 894	₹ 1,128	
CR1XGDR00108	CR11GDR005S6	3.7	43	75	3.7	₹ 894	₹ 1,128	
CR1XGDR00116	CR11GDR005U2	3.8	43	75	3.8	₹ 915	₹ 1,131	
CR1XGDR00124	CR11GDR005W8	3.9	43	75	3.9	₹ 957	₹ 1,188	
CR1XGDR00140	CR11GDR005Y3	4.0	43	75	4.0	₹ 972	₹ 1,188	
CR1XGDR00157	CR11GDR00602	4.1	47	80	4.1	₹ 1,101	₹ 1,305	
CR1XGDR00165	CR11GDR00628	4.2	47	80	4.2	₹ 1,101	₹ 1,332	
CR1XGDR00173	CR11GDR00644	4.3	47	80	4.3	₹ 1,101	₹ 1,338	
CR1XGDR00181	CR11GDR00669	4.4	47	80	4.4	₹ 1,101	₹ 1,338	
CR1XGDR00199	CR11GDR00693	4.5	47	80	4.5	₹ 1,101	₹ 1,338	
CR1XGDR001B9	CR11GDR006B3	4.6	52	86	4.6	₹ 1,206	₹ 1,500	
CR1XGDR001C7	CR11GDR006D8	4.7	52	86	4.7	₹ 1,206	₹ 1,500	
CR1XGDR001D4	CR11GDR006F4	4.8	52	86	4.8	₹ 1,230	₹ 1,506	
CR1XGDR001E2	CR11GDR006H0	4.9	52	86	4.9	₹ 1,230	₹ 1,506	
CR1XGDR001G8	CR11GDR006K3	5.0	52	86	5.0	₹ 1,230	₹ 1,506	
CR1XGDR001H6	CR11GDR006M9	5.1	52	86	5.1	₹ 1,545	₹ 1,788	
CR1XGDR001J1	CR11GDR006Q0	5.2	52	86	5.2	₹ 1,545	₹ 1,794	
CR1XGDR001K9	CR11GDR006S5	5.3	57	93	5.3	₹ 1,572	₹ 1,812	
CR1XGDR001L7	CR11GDR006V9	5.4	57	93	5.4	₹ 1,572	₹ 1,812	
CR1XGDR001M5	CR11GDR006X4	5.5	57	93	5.5	₹ 1,572	₹ 1,812	
CR1XGDR001N2	CR11GDR006Z0	5.6	57	93	5.6	₹ 1,572	₹ 1,812	
CR1XGDR001P8	CR11GDR00719	5.7	57	93	5.7	₹ 1,572	₹ 1,812	
CR1XGDR001Q6	CR11GDR00735	5.8	57	93	5.8	₹ 1,572	₹ 1,812	
CR1XGDR001R4	CR11GDR00750	5.9	57	93	5.9	₹ 1,572	₹ 1,812	
CR1XGDR001S1	CR11GDR00776	6.0	57	93	6.0	₹ 1,572	₹ 1,812	
CR1XGDR001T9	CR11GDR00792	6.1	63	101	6.1	₹ 2,118	₹ 2,430	
CR1XGDR001U7	CR11GDR007C0	6.2	63	101	6.2	₹ 2,118	₹ 2,430	
CR1XGDR001V5	CR11GDR007E5	6.3	63	101	6.3	₹ 2,118	₹ 2,436	
CR1XGDR001W3	CR11GDR007H9	6.4	63	101	6.4	₹ 2,118	₹ 2,439	
CR1XGDR001X0	CR11GDR007K2	6.5	63	101	6.5	₹ 2,118	₹ 2,439	
CR1XGDR001Y8	CR11GDR007M8	6.6	69	109	6.6	₹ 2,118	₹ 2,439	
CR1XGDR001Z6	CR11GDR007P1	6.7	69	109	6.7	₹ 2,118	₹ 2,439	
CR1XGDR00207	CR11GDR007S4	6.8	69	109	6.8	₹ 2,118	₹ 2,439	
CR1XGDR00215	CR11GDR007U0	6.9	69	109	6.9	₹ 2,118	₹ 2,439	
CR1XGDR00223	CR11GDR007X3	7.0	69	109	7.0	₹ 2,118	₹ 2,439	
CR1XGDR00231	CR11GDR007Z9	7.1	69	109	7.1	₹ 2,514	₹ 2,874	
CR1XGDR00249	CR11GDR00818	7.2	69	109	7.2	₹ 2,514	₹ 2,874	
CR1XGDR00256	CR11GDR00834	7.3	69	109	7.3	₹ 2,514	₹ 2,892	
CR1XGDR00264	CR11GDR00859	7.4	69	109	7.4	₹ 2,514	₹ 2,892	
CR1XGDR00272	CR11GDR00891	7.5	69	109	7.5	₹ 2,514	₹ 2,892	



Click Here  
↓  
↓

Series		C1GJ	Carbide GP-Drills JOBBER Series				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52 Uncoated	PL-52 TIALN Coated
CR1XGDR00280	CR11GDR008B1	7.6	75	117	7.6	₹ 2,619	₹ 3,102
CR1XGDR00298	CR11GDR008D6	7.7	75	117	7.7	₹ 2,619	₹ 3,102
CR1XGDR002A0	CR11GDR008F2	7.8	75	117	7.8	₹ 2,619	₹ 3,102
CR1XGDR002B8	CR11GDR008H8	7.9	75	117	7.9	₹ 2,619	₹ 3,102
CR1XGDR002C6	CR11GDR008K1	8.0	75	117	8.0	₹ 2,661	₹ 3,144
CR1XGDR002E1	CR11GDR008M7	8.1	75	117	8.1	₹ 3,177	₹ 3,564
CR1XGDR002F9	CR11GDR008Q8	8.2	75	117	8.2	₹ 3,177	₹ 3,570
CR1XGDR002G7	CR11GDR008S3	8.3	75	117	8.3	₹ 3,177	₹ 3,567
CR1XGDR002H5	CR11GDR008U9	8.4	75	117	8.4	₹ 3,177	₹ 3,567
CR1XGDR002J0	CR11GDR008Z8	8.5	75	117	8.5	₹ 3,177	₹ 3,567
CR1XGDR002K8	CR11GDR00917	8.6	81	125	8.6	₹ 3,369	₹ 3,798
CR1XGDR002L6	CR11GDR00941	8.7	81	125	8.7	₹ 3,369	₹ 3,798
CR1XGDR002M4	CR11GDR00974	8.8	81	125	8.8	₹ 3,369	₹ 3,798
CR1XGDR002N1	CR11GDR00990	8.9	81	125	8.9	₹ 3,369	₹ 3,798
CR1XGDR002P7	CR11GDR009C8	9.0	81	125	9.0	₹ 3,369	₹ 3,798
CR1XGDR002Q5	CR11GDR009F1	9.1	81	125	9.1	₹ 4,104	₹ 4,575
CR1XGDR002R3	CR11GDR009H7	9.2	81	125	9.2	₹ 4,104	₹ 4,575
CR1XGDR002S0	CR11GDR009K0	9.3	81	125	9.3	₹ 4,104	₹ 4,575
CR1XGDR002T8	CR11GDR009M6	9.4	81	125	9.4	₹ 4,104	₹ 4,575
CR1XGDR002U6	CR11GDR009P9	9.5	81	125	9.5	₹ 4,104	₹ 4,575
CR1XGDR002V4	CR11GDR009R5	9.6	87	133	9.6	₹ 4,866	₹ 5,463
CR1XGDR002W2	CR11GDR009T0	9.7	87	133	9.7	₹ 4,866	₹ 5,463
CR1XGDR002X9	CR11GDR009W4	9.8	87	133	9.8	₹ 4,866	₹ 5,463
CR1XGDR002Y7	CR11GDR009Y9	9.9	87	133	9.9	₹ 4,866	₹ 5,463
CR1XGDR002Z5	CR11GDR00A01	10.0	87	133	10.0	₹ 4,866	₹ 5,463
CR1XGDR00306	C1GJ1010-F	10.1	87	133	10.1	₹ 5,619	₹ 6,201
CR1XGDR00322	C1GJ1020-F	10.2	87	133	10.2	₹ 5,619	₹ 6,201
CR1XGDR00330	C1GJ1030-F	10.3	87	133	10.3	₹ 5,619	₹ 6,252
CR1XGDR00348	C1GJ1040-F	10.4	87	133	10.4	₹ 5,619	₹ 6,252
CR1XGDR00355	C1GJ1050-F	10.5	87	133	10.5	₹ 5,619	₹ 6,252
CR1XGDR00363	C1GJ1060-F	10.6	94	142	10.6	₹ 6,291	₹ 6,876
CR1XGDR00371	C1GJ1070-F	10.7	94	142	10.7	₹ 6,291	₹ 6,885
CR1XGDR00389	C1GJ1080-F	10.8	94	142	10.8	₹ 6,291	₹ 6,885
CR1XGDR00397	C1GJ1090-F	10.9	94	142	10.9	₹ 6,291	₹ 6,885
CR1XGDR003A9	CR11GDR00AF3	11.0	94	142	11.0	₹ 6,291	₹ 6,885
CR1XGDR003B7	C1GJ1110-F	11.1	94	142	11.1	₹ 7,131	₹ 7,887
CR1XGDR003C5	C1GJ1120-F	11.2	94	142	11.2	₹ 7,131	₹ 7,887
CR1XGDR003D2	C1GJ1130-F	11.3	94	142	11.3	₹ 7,131	₹ 7,899
CR1XGDR003E0	C1GJ1140-F	11.4	94	142	11.4	₹ 7,131	₹ 7,899
CR1XGDR003F8	CR11GDR00AM8	11.5	94	142	11.5	₹ 7,131	₹ 7,899
CR1XGDR003G6	C1GJ1160-F	11.6	101	151	11.6	₹ 7,209	₹ 7,947
CR1XGDR003H4	C1GJ1170-F	11.7	101	151	11.7	₹ 7,209	₹ 7,947
CR1XGDR003J9	C1GJ1180-F	11.8	101	151	11.8	₹ 7,209	₹ 7,947
CR1XGDR003K7	C1GJ1190-F	11.9	101	151	11.9	₹ 7,209	₹ 7,947
CR1XGDR003L5	CR11GDR00AT2	12.0	101	151	12.0	₹ 7,209	₹ 7,947
CR1XGDR003M3	C1GJ1210-F	12.1	101	151	12.1	₹ 8,643	₹ 9,366
CR1XGDR003N0	C1GJ1220-F	12.2	101	151	12.2	₹ 8,643	₹ 9,366
CR1XGDR003P6	C1GJ1230-F	12.3	101	151	12.3	₹ 8,643	₹ 9,366
CR1XGDR003Q4	C1GJ1240-F	12.4	101	151	12.4	₹ 8,643	₹ 9,366
CR1XGDR003R2	C1GJ1250-F	12.5	101	151	12.5	₹ 8,643	₹ 9,366
CR1XGDR003S9	C1GJ1260-F	12.6	101	151	12.6	₹ 8,643	₹ 9,366
CR1XGDR003T7	C1GJ1270-F	12.7	101	151	12.7	₹ 8,643	₹ 9,366
CR1XGDR003U5	C1GJ1280-F	12.8	101	151	12.8	₹ 8,643	₹ 9,366
CR1XGDR003V3	C1GJ1290-F	12.9	101	151	12.9	₹ 8,643	₹ 9,366
CR1XGDR003W1	CR11GDR00NU7	13.0	101	151	13.0	₹ 8,643	₹ 9,366



Click Here  
↓ ↓

Series		C1GJ		Carbide GP-Drills JOBBER Series				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52 Uncoated	PL-52 TIALN Coated	
CR1XGDR003X8	C1GJ1310-F	13.1	101	151	13.1	₹ 10,197	₹ 11,013	
CR1XGDR003Y6	C1GJ1320-F	13.2	101	151	13.2	₹ 10,449	₹ 11,289	
CR1XGDR003Z4	C1GJ1330-F	13.3	101	151	13.3	₹ 10,449	₹ 11,289	
CR1XGDR00405	C1GJ1340-F	13.4	101	151	13.4	₹ 10,449	₹ 11,289	
CR1XGDR00413	C1GJ1350-F	13.5	101	151	13.5	₹ 10,449	₹ 11,289	
CR1XGDR00421	C1GJ1360-F	13.6	101	151	13.6	₹ 11,001	₹ 11,883	
CR1XGDR00439	C1GJ1370-F	13.7	101	151	13.7	₹ 11,001	₹ 11,883	
CR1XGDR00447	C1GJ1380-F	13.8	101	151	13.8	₹ 11,001	₹ 11,883	
CR1XGDR00454	C1GJ1390-F	13.9	101	151	13.9	₹ 11,001	₹ 11,883	
CR1XGDR00462	CR11GDR00TT3	14.0	101	151	14.0	₹ 11,001	₹ 11,883	
CR1XGDR00470	C1GJ1410-F	14.1	101	151	14.1	₹ 12,909	₹ 13,944	
CR1XGDR00488	C1GJ1420-F	14.2	101	151	14.2	₹ 12,909	₹ 13,944	
CR1XGDR00496	C1GJ1430-F	14.3	101	151	14.3	₹ 12,909	₹ 13,944	
CR1XGDR004A8	C1GJ1440-F	14.4	101	151	14.4	₹ 12,909	₹ 13,944	
CR1XGDR004C4	C1GJ1450-F	14.5	101	151	14.5	₹ 12,909	₹ 13,944	
CR1XGDR004D1	C1GJ1460-F	14.6	101	151	14.6	₹ 13,221	₹ 14,280	
CR1XGDR004E9	C1GJ1470-F	14.7	101	151	14.7	₹ 13,221	₹ 14,280	
CR1XGDR004F7	C1GJ1480-F	14.8	101	151	14.8	₹ 13,221	₹ 14,280	
CR1XGDR004G5	C1GJ1490-F	14.9	101	151	14.9	₹ 13,221	₹ 14,280	
CR1XGDR004H3	C1GJ1500-F	15.0	101	151	15.0	₹ 13,221	₹ 14,280	
CR1XGDR004J8	C1GJ1600-F	16.0	101	151	16.0	₹ 13,662	₹ 14,757	
CR1XGDR004K6	C1GJ1700-F	17.0	101	151	17.0	₹ 15,810	₹ 17,079	
CR1XGDR004L4	C1GJ1800-F	18.0	101	151	18.0	₹ 16,086	₹ 17,373	
CR1XGDR004M2	C1GJ1900-F	19.0	101	151	19.0	₹ 18,867	₹ 20,379	
CR1XGDR004N9	C1GJ2000-F	20.0	101	151	20.0	₹ 19,239	₹ 20,778	



Click Here  
↓  
↓

Series	<a href="#">C3HS</a>	Carbide HP-Drills (Short) Reinforced Shank			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,485
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,485
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,485
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,485
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,485
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,485
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,485
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,485
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,485
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,485
CR3AHDR00CC6	3.0	20	62	6.0	₹ 1,854
CR3AHDR00CD3	3.1	20	62	6.0	₹ 1,854
CR3AHDR00CE1	3.2	20	62	6.0	₹ 1,854
CR3AHDR00CF9	3.3	20	62	6.0	₹ 1,854
CR3AHDR00CG7	3.4	20	62	6.0	₹ 1,854
CR3AHDR00CH5	3.5	20	62	6.0	₹ 1,854
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 1,854
CR3AHDR00CK8	3.7	20	62	6.0	₹ 1,854
CR3AHDR00CL6	3.8	24	62	6.0	₹ 1,854
CR3AHDR00CM4	3.9	24	62	6.0	₹ 1,854
CR3AHDR00CN1	4.0	24	62	6.0	₹ 1,854
CR3AHDR00CP7	4.1	24	62	6.0	₹ 1,854
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 1,854
CR3AHDR00CR3	4.3	24	62	6.0	₹ 1,854
CR3AHDR00CS0	4.4	24	62	6.0	₹ 1,854
CR3AHDR00CT8	4.5	24	62	6.0	₹ 1,854
CR3AHDR00CU6	4.6	24	62	6.0	₹ 1,854
CR3AHDR00CV4	4.7	24	62	6.0	₹ 1,854
CR3AHDR00CW2	4.8	28	62	6.0	₹ 1,854
CR3AHDR00CX9	4.9	28	62	6.0	₹ 1,854
CR3AHDR00CY7	5.0	28	62	6.0	₹ 1,854
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 1,854
CR3AHDR00D06	5.2	28	62	6.0	₹ 1,854
CR3AHDR00D14	5.3	28	62	6.0	₹ 1,854
CR3AHDR00D22	5.4	28	62	6.0	₹ 1,854
CR3AHDR00D30	5.5	28	62	6.0	₹ 1,854
CR3AHDR00D48	5.6	28	62	6.0	₹ 1,854
CR3AHDR00D55	5.7	28	62	6.0	₹ 1,854
CR3AHDR00D63	5.8	28	62	6.0	₹ 1,854
CR3AHDR00D71	5.9	28	62	6.0	₹ 1,854
CR3AHDR00D89	6.0	28	62	6.0	₹ 1,854
CR3AHDR00D97	6.1	34	75	8.0	₹ 3,120
CR3AHDR00DA9	6.2	34	75	8.0	₹ 3,120
CR3AHDR00DB7	6.3	34	75	8.0	₹ 3,120
CR3AHDR00DC5	6.4	34	75	8.0	₹ 3,120
CR3AHDR00DD2	6.5	34	75	8.0	₹ 3,120
CR3AHDR00DE0	6.6	34	75	8.0	₹ 3,120
CR3AHDR00DF8	6.7	34	75	8.0	₹ 3,120
CR3AHDR00DG6	6.8	34	75	8.0	₹ 3,120
CR3AHDR00DH4	6.9	34	75	8.0	₹ 3,120



Click Here  
↓ ↓

Series	C3HS	Carbide HP-Drills (Short) Reinforced Shank			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 3,120
CR3AHDR00DK7	7.1	40	80	8.0	₹ 3,381
CR3AHDR00DL5	7.2	40	80	8.0	₹ 3,381
CR3AHDR00DM3	7.3	40	80	8.0	₹ 3,381
CR3AHDR00DN0	7.4	40	80	8.0	₹ 3,381
CR3AHDR00DP6	7.5	40	80	8.0	₹ 3,381
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 3,381
CR3AHDR00DR2	7.7	40	80	8.0	₹ 3,381
CR3AHDR00DS9	7.8	40	80	8.0	₹ 3,381
CR3AHDR00DT7	7.9	40	80	8.0	₹ 3,381
CR3AHDR00DU5	8.0	40	80	8.0	₹ 3,381
CR3AHDR00P53	8.1	40	80	10.0	₹ 4,332
CR3AHDR00DV3	8.1	51	100	10.0	₹ 4,911
CR3AHDR00NV3	8.2	40	80	10.0	₹ 4,332
CR3AHDR00DW1	8.2	51	100	10.0	₹ 4,911
CR3AHDR00NP6	8.3	40	75	10.0	₹ 4,332
CR3AHDR00DX8	8.3	51	100	10.0	₹ 4,911
CR3AHDR00NH4	8.4	40	75	10.0	₹ 4,332
CR3AHDR00DY6	8.4	51	100	10.0	₹ 4,911
CR3AHDR00NJ9	8.5	40	75	10.0	₹ 4,332
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 4,911
CR3AHDR00NK7	8.6	40	75	10.0	₹ 4,332
CR3AHDR00E05	8.6	51	100	10.0	₹ 4,911
CR3AHDR00NR2	8.7	40	75	10.0	₹ 4,332
CR3AHDR00E13	8.7	51	100	10.0	₹ 4,911
CR3AHDR00NZ4	8.8	40	80	10.0	₹ 4,332
CR3AHDR00E21	8.8	51	100	10.0	₹ 4,911
CR3AHDR00TU9	8.9	40	80	10.0	₹ 4,332
CR3AHDR00E39	8.9	51	100	10.0	₹ 4,911
CR3AHDR00NW1	9.0	40	80	10.0	₹ 4,332
CR3AHDR00E47	9.0	51	100	10.0	₹ 4,911
CR3AHDR00P79	9.1	40	80	10.0	₹ 4,332
CR3AHDR00E54	9.1	51	100	10.0	₹ 4,911
CR3AHDR00TQ8	9.2	40	80	10.0	₹ 4,332
CR3AHDR00E62	9.2	51	100	10.0	₹ 4,911
CR3AHDR00P87	9.3	40	80	10.0	₹ 4,332
CR3AHDR00E70	9.3	51	100	10.0	₹ 4,911
CR3AHDR00TV7	9.4	40	80	10.0	₹ 4,332
CR3AHDR00E88	9.4	51	100	10.0	₹ 4,911
CR3AHDR00P95	9.5	40	80	10.0	₹ 4,332
CR3AHDR00E96	9.5	51	100	10.0	₹ 4,911
CR3AHDR00TW5	9.6	40	80	10.0	₹ 4,332
CR3AHDR00EA8	9.6	51	100	10.0	₹ 4,911
CR3AHDR00TX2	9.7	40	80	10.0	₹ 4,332
CR3AHDR00EB6	9.7	51	100	10.0	₹ 4,911
CR3AHDR00PA7	9.8	40	80	10.0	₹ 4,332
CR3AHDR00EC4	9.8	51	100	10.0	₹ 4,911
CR3AHDR00TY0	9.9	40	80	10.0	₹ 4,332
CR3AHDR00ED1	9.9	51	100	10.0	₹ 4,911
CR3AHDR00NX8	10.0	40	80	10.0	₹ 4,332
CR3AHDR00EE9	10.0	51	100	10.0	₹ 4,911



Click Here  
↓  
↓


Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00EF7	10.1	55	100	12.0	₹ 6,477
CR3AHDR00EG5	10.2	55	100	12.0	₹ 6,477
CR3AHDR00NN0	10.3	40	75	12.0	₹ 5,508
CR3AHDR00EH3	10.3	55	100	12.0	₹ 6,477
CR3AHDR00NL5	10.4	40	75	12.0	₹ 5,508
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 6,477
CR3AHDR00NM3	10.5	40	75	12.0	₹ 5,508
CR3AHDR00EK6	10.5	55	100	12.0	₹ 6,477
CR3AHDR00EL4	10.6	55	100	12.0	₹ 6,477
CR3AHDR00EM2	10.7	55	100	12.0	₹ 6,477
CR3AHDR00EN9	10.8	55	100	12.0	₹ 6,477
CR3AHDR00EP5	10.9	55	100	12.0	₹ 6,477
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 6,477
CR3AHDR00ER1	11.1	55	100	12.0	₹ 6,477
CR3AHDR00ES8	11.2	55	100	12.0	₹ 6,477
CR3AHDR00ET6	11.3	55	100	12.0	₹ 6,477
CR3AHDR00EU4	11.4	55	100	12.0	₹ 6,477
CR3AHDR00EV2	11.5	55	100	12.0	₹ 6,477
CR3AHDR00EW0	11.6	55	100	12.0	₹ 6,477
CR3AHDR00EX7	11.7	55	100	12.0	₹ 6,477
CR3AHDR00EY5	11.8	55	100	12.0	₹ 6,477
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 6,477
CR3AHDR00F04	12.0	55	100	12.0	₹ 6,477
CR3AHDR00PB5	12.2	55	105	14.0	₹ 8,604
CR3AHDR00F12	12.5	55	105	14.0	₹ 8,604
CR3AHDR00P20	12.7	55	105	14.0	₹ 8,604
CR3AHDR00F20	13.0	55	105	14.0	₹ 8,604
CR3AHDR00P38	13.1	55	105	14.0	₹ 8,604
CR3AHDR00P46	13.2	55	105	14.0	₹ 8,604
CR3AHDR00F38	13.5	55	105	14.0	₹ 8,604
CR3AHDR00TS3	13.8	55	105	14.0	₹ 8,604
CR3AHDR00F46	14.0	55	105	14.0	₹ 8,604
CR3AHDR00F53	14.5	58	105	16.0	₹ 10,155
CR3AHDR00F61	15.0	58	105	16.0	₹ 10,155
CR3AHDR00F79	15.5	58	105	16.0	₹ 10,155
CR3AHDR00NT7	15.8	58	100	16.0	₹ 10,155
CR3AHDR00F87	16.0	58	105	16.0	₹ 10,155
CR3AHDR00F95	16.5	58	105	18.0	₹ 13,689
CR3AHDR00FA7	17.0	58	105	18.0	₹ 13,689
CR3AHDR00FB5	17.5	58	105	18.0	₹ 13,689
CR3AHDR00FC3	18.0	58	105	18.0	₹ 13,689
CR3AHDR00FD0	18.5	58	105	20.0	₹ 16,590
CR3AHDR00FE8	19.0	58	105	20.0	₹ 16,590
CR3AHDR00FF6	19.5	58	105	20.0	₹ 16,590
CR3AHDR00FG4	20.0	58	105	20.0	₹ 16,590






Click Here  
↓ ↓

Series	<a href="#">C3HL</a>	Carbide HP-Drills (Long) Reinforced Shank			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00FH2	2.0	21	57	4.0	₹ 1,896
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 1,896
CR3AHDR00FK5	2.2	21	57	4.0	₹ 1,896
CR3AHDR00FL3	2.3	21	57	4.0	₹ 1,896
CR3AHDR00FM1	2.4	21	57	4.0	₹ 1,896
CR3AHDR00FN8	2.5	21	57	4.0	₹ 1,896
CR3AHDR00FP4	2.6	21	57	4.0	₹ 1,896
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 1,896
CR3AHDR00FR0	2.8	21	57	4.0	₹ 1,896
CR3AHDR00FS7	2.9	21	57	4.0	₹ 1,896
CR3AHDR00FT5	3.0	28	62	6.0	₹ 2,229
CR3AHDR00FU3	3.1	28	62	6.0	₹ 2,229
CR3AHDR00FV1	3.2	28	62	6.0	₹ 2,229
CR3AHDR00FW9	3.3	28	62	6.0	₹ 2,229
CR3AHDR00FX6	3.4	28	62	6.0	₹ 2,229
CR3AHDR00FY4	3.5	28	62	6.0	₹ 2,229
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 2,229
CR3AHDR00G03	3.7	28	62	6.0	₹ 2,229
CR3AHDR00G11	3.8	36	75	6.0	₹ 2,733
CR3AHDR00G29	3.9	36	75	6.0	₹ 2,733
CR3AHDR00G37	4.0	36	75	6.0	₹ 2,733
CR3AHDR00G45	4.1	36	75	6.0	₹ 2,733
CR3AHDR00G52	4.2	36	75	6.0	₹ 2,733
CR3AHDR00G60	4.3	36	75	6.0	₹ 2,733
CR3AHDR00G78	4.4	36	75	6.0	₹ 2,733
CR3AHDR00G86	4.5	36	75	6.0	₹ 2,733
CR3AHDR00G94	4.6	36	75	6.0	₹ 2,733
CR3AHDR00GA6	4.7	36	75	6.0	₹ 2,733
CR3AHDR00GB4	4.8	42	80	6.0	₹ 2,733
CR3AHDR00GC2	4.9	42	80	6.0	₹ 2,733
CR3AHDR00GD9	5.0	42	80	6.0	₹ 2,733
CR3AHDR00GE7	5.1	42	80	6.0	₹ 2,733
CR3AHDR00GF5	5.2	42	80	6.0	₹ 2,733
CR3AHDR00GG3	5.3	42	80	6.0	₹ 2,733
CR3AHDR00GH1	5.4	42	80	6.0	₹ 2,733
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 2,733
CR3AHDR00GK4	5.6	42	80	6.0	₹ 2,733
CR3AHDR00GL2	5.7	42	80	6.0	₹ 2,733
CR3AHDR00GM0	5.8	42	80	6.0	₹ 2,733
CR3AHDR00GN7	5.9	42	80	6.0	₹ 2,733
CR3AHDR00GP3	6.0	42	80	6.0	₹ 2,733



Click Here  
↓  
↓

Series	<a href="#">C3HL</a>	Carbide HP-Drills (Long) Reinforced Shank			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 3,825
CR3AHDR00GR9	6.2	55	100	8.0	₹ 3,825
CR3AHDR00GS6	6.3	55	100	8.0	₹ 3,825
CR3AHDR00GT4	6.4	55	100	8.0	₹ 3,825
CR3AHDR00GU2	6.5	55	100	8.0	₹ 3,825
CR3AHDR00GV0	6.6	55	100	8.0	₹ 3,825
CR3AHDR00GW8	6.7	55	100	8.0	₹ 3,825
CR3AHDR00GX5	6.8	55	100	8.0	₹ 3,825
CR3AHDR00GY3	6.9	55	100	8.0	₹ 3,825
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 3,825
CR3AHDR00H02	7.1	60	105	8.0	₹ 3,825
CR3AHDR00H10	7.2	60	105	8.0	₹ 3,825
CR3AHDR00H28	7.3	60	105	8.0	₹ 3,825
CR3AHDR00H36	7.4	60	105	8.0	₹ 3,825
CR3AHDR00H44	7.5	60	105	8.0	₹ 3,825
CR3AHDR00H51	7.6	60	105	8.0	₹ 3,825
CR3AHDR00H69	7.7	60	105	8.0	₹ 3,825
CR3AHDR00H77	7.8	60	105	8.0	₹ 3,825
CR3AHDR00H85	7.9	60	105	8.0	₹ 3,825
CR3AHDR00H93	8.0	60	105	8.0	₹ 3,825
CR3AHDR00HA5	8.1	75	125	10.0	₹ 6,108
CR3AHDR00HB3	8.2	75	125	10.0	₹ 6,108
CR3AHDR00HC1	8.3	75	125	10.0	₹ 6,108
CR3AHDR00HD8	8.4	75	125	10.0	₹ 6,108
CR3AHDR00HE6	8.5	75	125	10.0	₹ 6,108
CR3AHDR00HF4	8.6	75	125	10.0	₹ 6,108
CR3AHDR00HG2	8.7	75	125	10.0	₹ 6,108
CR3AHDR00HH0	8.8	75	125	10.0	₹ 6,108
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 6,108
CR3AHDR00HK3	9.0	75	125	10.0	₹ 6,108
CR3AHDR00HL1	9.1	75	125	10.0	₹ 6,108
CR3AHDR00HM9	9.2	75	125	10.0	₹ 6,108
CR3AHDR00HN6	9.3	75	125	10.0	₹ 6,108
CR3AHDR00HP2	9.4	75	125	10.0	₹ 6,108
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 6,108
CR3AHDR00HR8	9.6	75	125	10.0	₹ 6,108
CR3AHDR00HS5	9.7	75	125	10.0	₹ 6,108
CR3AHDR00HT3	9.8	75	125	10.0	₹ 6,108
CR3AHDR00HU1	9.9	75	125	10.0	₹ 6,108
CR3AHDR00HV9	10.0	75	125	10.0	₹ 6,108



Click Here  
↓ ↓

Series	<a href="#">C3HL</a>	Carbide HP-Drills (Long) Reinforced Shank			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3AHDR00HW7	10.1	85	140	12.0	₹ 9,048
CR3AHDR00HX4	10.2	85	140	12.0	₹ 9,048
CR3AHDR00HY2	10.3	85	140	12.0	₹ 9,048
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 9,048
CR3AHDR00J00	10.5	85	140	12.0	₹ 9,048
CR3AHDR00J18	10.6	85	140	12.0	₹ 9,048
CR3AHDR00J26	10.7	85	140	12.0	₹ 9,048
CR3AHDR00J34	10.8	85	140	12.0	₹ 9,048
CR3AHDR00J42	10.9	85	140	12.0	₹ 9,048
CR3AHDR00J59	11.0	85	140	12.0	₹ 9,048
CR3AHDR00J67	11.1	85	140	12.0	₹ 9,048
CR3AHDR00J75	11.2	85	140	12.0	₹ 9,048
CR3AHDR00J83	11.3	85	140	12.0	₹ 9,048
CR3AHDR00J91	11.4	85	140	12.0	₹ 9,048
CR3AHDR00JA3	11.5	85	140	12.0	₹ 9,048
CR3AHDR00JB1	11.6	85	140	12.0	₹ 9,048
CR3AHDR00JC9	11.7	85	140	12.0	₹ 9,048
CR3AHDR00JD6	11.8	85	140	12.0	₹ 9,048
CR3AHDR00JE4	11.9	85	140	12.0	₹ 9,048
CR3AHDR00JF2	12.0	85	140	12.0	₹ 9,048
CR3AHDR00JG0	12.5	85	140	14.0	₹ 11,871
CR3AHDR00TR6	12.7	85	140	14.0	₹ 11,871
CR3AHDR00JH8	13.0	85	140	14.0	₹ 11,871
CR3AHDR00JJ3	13.5	85	140	14.0	₹ 11,871
CR3AHDR00JK1	14.0	85	140	14.0	₹ 11,871
CR3AHDR00JL9	14.5	90	145	16.0	₹ 13,941
CR3AHDR00JM7	15.0	90	145	16.0	₹ 13,941
CR3AHDR00JN4	15.5	90	145	16.0	₹ 13,941
CR3AHDR00JP0	16.0	90	145	16.0	₹ 13,941
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 18,123
CR3AHDR00JR6	17.0	95	150	18.0	₹ 18,123
CR3AHDR00JS3	17.5	95	150	18.0	₹ 18,123
CR3AHDR00JT1	18.0	95	150	18.0	₹ 18,123
CR3AHDR00JU9	18.5	98	150	20.0	₹ 21,375
CR3AHDR00JV7	19.0	98	150	20.0	₹ 21,375
CR3AHDR00JW5	19.5	98	150	20.0	₹ 21,375
CR3AHDR00JX2	20.0	98	150	20.0	₹ 21,375





Click Here  
 ↓↓

Series	CTHS				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3PHDR00PD5	3.0	20	62	4.0	₹ 2,559
CR3PHDR00PE3	3.1	20	62	4.0	₹ 2,559
CR3PHDR00PF1	3.2	20	62	4.0	₹ 2,559
CR3PHDR00PG9	3.3	20	62	4.0	₹ 2,559
CR3PHDR00PH7	3.4	20	62	4.0	₹ 2,559
CR3PHDR00PJ2	3.5	20	62	4.0	₹ 2,559
CR3PHDR00PK0	3.6	20	62	4.0	₹ 2,559
CR3PHDR00PL8	3.7	20	62	4.0	₹ 2,559
CR3PHDR00PM6	3.8	24	62	4.0	₹ 2,559
CR3PHDR00PN3	3.9	24	62	4.0	₹ 2,559
CR3PHDR00PP9	4.0	24	62	4.0	₹ 2,559
CR3PHDR00PQ7	4.1	24	62	6.0	₹ 2,931
CR3PHDR00PR5	4.2	24	62	6.0	₹ 2,931
CR3PHDR00PS2	4.3	24	62	6.0	₹ 2,931
CR3PHDR00PT0	4.4	24	62	6.0	₹ 2,931
CR3PHDR00PU8	4.5	24	62	6.0	₹ 2,931
CR3PHDR00PV6	4.6	24	62	6.0	₹ 2,931
CR3PHDR00PW4	4.7	24	62	6.0	₹ 2,931
CR3PHDR00PX1	4.8	28	62	6.0	₹ 2,931
CR3PHDR00PY9	4.9	28	62	6.0	₹ 2,931
CR3PHDR00PZ7	5.0	28	62	6.0	₹ 2,931
CR3PHDR00Q08	5.1	28	62	6.0	₹ 2,931
CR3PHDR00Q16	5.2	28	62	6.0	₹ 2,931
CR3PHDR00Q24	5.3	28	62	6.0	₹ 2,931
CR3PHDR00Q32	5.4	28	62	6.0	₹ 2,931
CR3PHDR00Q40	5.5	28	62	6.0	₹ 2,931
CR3PHDR00Q57	5.6	28	62	6.0	₹ 2,931
CR3PHDR00Q65	5.7	28	62	6.0	₹ 2,931
CR3PHDR00Q73	5.8	28	62	6.0	₹ 2,931
CR3PHDR00Q81	5.9	28	62	6.0	₹ 2,931
CR3PHDR00Q99	6.0	28	62	6.0	₹ 2,931
CR3PHDR00QA1	6.1	34	75	8.0	₹ 4,254
CR3PHDR00QB9	6.2	34	75	8.0	₹ 4,254
CR3PHDR00QC7	6.3	34	75	8.0	₹ 4,254
CR3PHDR00QD4	6.4	34	75	8.0	₹ 4,254
CR3PHDR00QE2	6.5	34	75	8.0	₹ 4,254
CR3PHDR00QF0	6.6	34	75	8.0	₹ 4,254
CR3PHDR00QG8	6.7	34	75	8.0	₹ 4,254
CR3PHDR00QH6	6.8	34	75	8.0	₹ 4,254
CR3PHDR00QJ1	6.9	34	75	8.0	₹ 4,254
CR3PHDR00QK9	7.0	34	75	8.0	₹ 4,254
CR3PHDR00QL7	7.1	40	80	8.0	₹ 4,254
CR3PHDR00QM5	7.2	40	80	8.0	₹ 4,254
CR3PHDR00QN2	7.3	40	80	8.0	₹ 4,254
CR3PHDR00QP8	7.4	40	80	8.0	₹ 4,254
CR3PHDR00QQ6	7.5	40	80	8.0	₹ 4,254
CR3PHDR00QR4	7.6	40	80	8.0	₹ 4,254
CR3PHDR00QS1	7.7	40	80	8.0	₹ 4,254
CR3PHDR00QT9	7.8	40	80	8.0	₹ 4,254
CR3PHDR00QU7	7.9	40	80	8.0	₹ 4,254
CR3PHDR00QV5	8.0	40	80	8.0	₹ 4,254
CR3PHDR00QW3	8.1	40	80	10.0	₹ 5,277
CR3PHDR00QG7	8.1	51	100	10.0	₹ 6,336
CR3PHDR00QX0	8.2	40	80	10.0	₹ 5,277
CR3PHDR00RH5	8.2	51	100	10.0	₹ 6,336
CR3PHDR00QY8	8.3	40	80	10.0	₹ 5,277
CR3PHDR00RJ0	8.3	51	100	10.0	₹ 6,336
CR3PHDR00QZ6	8.4	40	80	10.0	₹ 5,277
CR3PHDR00RK8	8.4	51	100	10.0	₹ 6,336
CR3PHDR00R07	8.5	40	80	10.0	₹ 5,277
CR3PHDR00RL6	8.5	51	100	10.0	₹ 6,336
CR3PHDR00R15	8.6	40	80	10.0	₹ 5,277
CR3PHDR00RM4	8.6	51	100	10.0	₹ 6,336

Carbide HP-Drills with Coolant Hole (SHORT)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CR3PHDR00R23	8.7	40	80	10.0	₹ 5,277
CR3PHDR00RN1	8.7	51	100	10.0	₹ 6,336
CR3PHDR00R31	8.8	40	80	10.0	₹ 5,277
CR3PHDR00RP7	8.8	51	100	10.0	₹ 6,336
CR3PHDR00R49	8.9	40	80	10.0	₹ 5,277
CR3PHDR00RQ5	8.9	51	100	10.0	₹ 6,336
CR3PHDR00RS6	9.0	40	80	10.0	₹ 5,277
CR3PHDR00RR3	9.0	51	100	10.0	₹ 6,336
CR3PHDR00R64	9.1	40	80	10.0	₹ 5,277
CR3PHDR00RS0	9.1	51	100	10.0	₹ 6,336
CR3PHDR00R72	9.2	40	80	10.0	₹ 5,277
CR3PHDR00RT8	9.2	51	100	10.0	₹ 6,336
CR3PHDR00R80	9.3	40	80	10.0	₹ 5,277
CR3PHDR00RU6	9.3	51	100	10.0	₹ 6,336
CR3PHDR00R98	9.4	40	80	10.0	₹ 5,277
CR3PHDR00RV4	9.4	51	100	10.0	₹ 6,336
CR3PHDR00RA0	9.5	40	80	10.0	₹ 5,277
CR3PHDR00RW2	9.5	51	100	10.0	₹ 6,336
CR3PHDR00RB8	9.6	40	80	10.0	₹ 5,277
CR3PHDR00RX9	9.6	51	100	10.0	₹ 6,336
CR3PHDR00RC6	9.7	40	80	10.0	₹ 5,277
CR3PHDR00RY7	9.7	51	100	10.0	₹ 6,336
CR3PHDR00RD3	9.8	40	80	10.0	₹ 5,277
CR3PHDR00RZ5	9.8	51	100	10.0	₹ 6,336
CR3PHDR00RE1	9.9	40	80	10.0	₹ 5,277
CR3PHDR00S06	9.9	51	100	10.0	₹ 6,336
CR3PHDR00RF9	10.0	40	80	10.0	₹ 5,277
CR3PHDR00S14	10.0	51	100	10.0	₹ 6,336
CR3PHDR00S22	10.1	55	100	12.0	₹ 8,127
CR3PHDR00S30	10.2	55	100	12.0	₹ 8,127
CR3PHDR00S48	10.3	55	100	12.0	₹ 8,127
CR3PHDR00S55	10.4	55	100	12.0	₹ 8,127
CR3PHDR00S63	10.5	55	100	12.0	₹ 8,127
CR3PHDR00S71	10.6	55	100	12.0	₹ 8,127
CR3PHDR00S89	10.7	55	100	12.0	₹ 8,127
CR3PHDR00S97	10.8	55	100	12.0	₹ 8,127
CR3PHDR00SA9	10.9	55	100	12.0	₹ 8,127
CR3PHDR00SB7	11.0	55	100	12.0	₹ 8,127
CR3PHDR00SC5	11.1	55	100	12.0	₹ 8,127
CR3PHDR00SD2	11.2	55	100	12.0	₹ 8,127
CR3PHDR00SE0	11.3	55	100	12.0	₹ 8,127
CR3PHDR00SF8	11.4	55	100	12.0	₹ 8,127
CR3PHDR00SG6	11.5	55	100	12.0	₹ 8,127
CR3PHDR00SH4	11.6	55	100	12.0	₹ 8,127
CR3PHDR00SJ9	11.7	55	100	12.0	₹ 8,127
CR3PHDR00SK7	11.8	55	100	12.0	₹ 8,127
CR3PHDR00SL5	11.9	55	100	12.0	₹ 8,127
CR3PHDR00SM3	12.0	55	100	12.0	₹ 8,127
CR3PHDR00SN0	12.5	55	105	14.0	₹ 10,983
CR3PHDR00SP6	13.0	55	105	14.0	₹ 10,983
CR3PHDR00SQ4	13.5	55	105	14.0	₹ 10,983
CR3PHDR00SR2	14.0	55	105	14.0	₹ 10,983
CR3PHDR00SS9	14.5	58	105	16.0	₹ 13,014
CR3PHDR00ST7	15.0	58	105	16.0	₹ 13,014
CR3PHDR00SU5	15.5	58	105	16.0	₹ 13,014
CR3PHDR00SV3	16.0	58	105	16.0	₹ 13,014
CR3PHDR00SW1	16.5	58	105	18.0	₹ 18,174
CR3PHDR00SX8	17.0	58	105	18.0	₹ 18,174
CR3PHDR00SY6	17.5	58	105	18.0	₹ 18,174
CR3PHDR00SZ4	18.0	58	105	18.0	₹ 18,174
CR3PHDR00T05	18.5	58	105	20.0	₹ 21,252
CR3PHDR00T13	19.0	58	105	20.0	₹ 21,252
CR3PHDR00T21	19.5	58	105	20.0	₹ 21,252
CR3PHDR00T39	20.0	58	105	20.0	₹ 21,252

\*Image is for depiction purpose , actual coating will be PEROX - dark grey color





Series	CTHL				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CTHL0410-N	4.1	36	75	6.0	₹ 3,441
CTHL0420-N	4.2	36	75	6.0	₹ 3,441
CTHL0430-N	4.3	36	75	6.0	₹ 3,441
CTHL0440-N	4.4	36	75	6.0	₹ 3,441
CTHL0450-N	4.5	36	75	6.0	₹ 3,441
CTHL0460-N	4.6	36	75	6.0	₹ 3,441
CTHL0470-N	4.7	36	75	6.0	₹ 3,441
CTHL0480-N	4.8	42	80	6.0	₹ 3,441
CTHL0490-N	4.9	42	80	6.0	₹ 3,441
CTHL0500-N	5.0	42	80	6.0	₹ 3,441
CTHL0510-N	5.1	42	80	6.0	₹ 3,441
CTHL0520-N	5.2	42	80	6.0	₹ 3,441
CTHL0530-N	5.3	42	80	6.0	₹ 3,441
CTHL0540-N	5.4	42	80	6.0	₹ 3,441
CTHL0550-N	5.5	42	80	6.0	₹ 3,441
CTHL0560-N	5.6	42	80	6.0	₹ 3,441
CTHL0570-N	5.7	42	80	6.0	₹ 3,441
CTHL0580-N	5.8	42	80	6.0	₹ 3,441
CTHL0590-N	5.9	42	80	6.0	₹ 3,441
CTHL0600-N	6.0	42	80	6.0	₹ 3,441
CTHL0610-N	6.1	55	100	8.0	₹ 4,995
CTHL0620-N	6.2	55	100	8.0	₹ 4,995
CTHL0630-N	6.3	55	100	8.0	₹ 4,995
CTHL0640-N	6.4	55	100	8.0	₹ 4,995
CTHL0650-N	6.5	55	100	8.0	₹ 4,995
CTHL0660-N	6.6	55	100	8.0	₹ 4,995
CTHL0670-N	6.7	55	100	8.0	₹ 4,995
CTHL0680-N	6.8	55	100	8.0	₹ 4,995
CTHL0690-N	6.9	55	100	8.0	₹ 4,995
CTHL0700-N	7.0	55	100	8.0	₹ 4,995
CTHL0710-N	7.1	60	105	8.0	₹ 5,205
CTHL0720-N	7.2	60	105	8.0	₹ 5,205
CTHL0730-N	7.3	60	105	8.0	₹ 5,205
CTHL0740-N	7.4	60	105	8.0	₹ 5,205
CTHL0750-N	7.5	60	105	8.0	₹ 5,205
CTHL0760-N	7.6	60	105	8.0	₹ 5,205
CTHL0770-N	7.7	60	105	8.0	₹ 5,205
CTHL0780-N	7.8	60	105	8.0	₹ 5,205
CTHL0790-N	7.9	60	105	8.0	₹ 5,205
CTHL0800-N	8.0	60	105	8.0	₹ 5,205
CTHL0810-N	8.1	75	125	10.0	₹ 7,575
CTHL0820-N	8.2	75	125	10.0	₹ 7,575
CTHL0830-N	8.3	75	125	10.0	₹ 7,575
CTHL0840-N	8.4	75	125	10.0	₹ 7,575
CTHL0850-N	8.5	75	125	10.0	₹ 7,575
CTHL0860-N	8.6	75	125	10.0	₹ 7,575
CTHL0870-N	8.7	75	125	10.0	₹ 7,575
CTHL0880-N	8.8	75	125	10.0	₹ 7,575
CTHL0890-N	8.9	75	125	10.0	₹ 7,575

Carbide HP-Drills with Coolant Hole (LONG)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CTHL0900-N	9.0	75	125	10.0	₹ 7,575
CTHL0910-N	9.1	75	125	10.0	₹ 7,575
CTHL0920-N	9.2	75	125	10.0	₹ 7,575
CTHL0930-N	9.3	75	125	10.0	₹ 7,575
CTHL0940-N	9.4	75	125	10.0	₹ 7,575
CTHL0950-N	9.5	75	125	10.0	₹ 7,575
CTHL0960-N	9.6	75	125	10.0	₹ 7,575
CTHL0970-N	9.7	75	125	10.0	₹ 7,575
CTHL0980-N	9.8	75	125	10.0	₹ 7,575
CTHL0990-N	9.9	75	125	10.0	₹ 7,575
CTHL1000-N	10.0	75	125	10.0	₹ 7,575
CTHL1010-N	10.1	85	140	12.0	₹ 11,652
CTHL1020-N	10.2	85	140	12.0	₹ 11,652
CTHL1030-N	10.3	85	140	12.0	₹ 11,652
CTHL1040-N	10.4	85	140	12.0	₹ 11,652
CTHL1050-N	10.5	85	140	12.0	₹ 11,652
CTHL1060-N	10.6	85	140	12.0	₹ 11,652
CTHL1070-N	10.7	85	140	12.0	₹ 11,652
CTHL1080-N	10.8	85	140	12.0	₹ 11,652
CTHL1090-N	10.9	85	140	12.0	₹ 11,652
CTHL1100-N	11.0	85	140	12.0	₹ 11,652
CTHL1110-N	11.1	85	140	12.0	₹ 11,652
CTHL1120-N	11.2	85	140	12.0	₹ 11,652
CTHL1130-N	11.3	85	140	12.0	₹ 11,652
CTHL1140-N	11.4	85	140	12.0	₹ 11,652
CTHL1150-N	11.5	85	140	12.0	₹ 11,652
CTHL1160-N	11.6	85	140	12.0	₹ 11,652
CTHL1170-N	11.7	85	140	12.0	₹ 11,652
CTHL1180-N	11.8	85	140	12.0	₹ 11,652
CTHL1190-N	11.9	85	140	12.0	₹ 11,652
CTHL1200-N	12.0	85	140	12.0	₹ 11,652
CTHL1250-N	12.5	85	140	14.0	₹ 15,519
CTHL1300-N	13.0	85	140	14.0	₹ 15,519
CTHL1350-N	13.5	85	140	14.0	₹ 15,519
CTHL1400-N	14.0	85	140	14.0	₹ 15,519
CTHL1450-N	14.5	90	145	16.0	₹ 18,366
CTHL1500-N	15.0	90	145	16.0	₹ 18,366
CTHL1550-N	15.5	90	145	16.0	₹ 18,366
CTHL1600-N	16.0	90	145	16.0	₹ 18,366
CTHL1650-N	16.5	95	150	18.0	₹ 23,451
CTHL1700-N	17.0	95	150	18.0	₹ 23,451
CTHL1750-N	17.5	95	150	18.0	₹ 23,451
CTHL1800-N	18.0	95	150	18.0	₹ 23,451
CTHL1850-N	18.5	98	150	20.0	₹ 27,915
CTHL1900-N	19.0	98	150	20.0	₹ 27,915
CTHL1950-N	19.5	98	150	20.0	₹ 27,915
CTHL2000-N	20.0	98	150	20.0	₹ 27,915



\*Image is for depiction purpose , actual coating will be PEROX - dark grey color



**Rohit Cutting Tools India**  
**Helping World Manufacturing Reduce Costs Since 1963** Solid Carbide Drills  
**PL-52 w.e.f 01-Sep-2021** (GP and HP Drills)  
{ GST Extra As Applicable }

Series	CTHM		Carbide HP-MQL Drills With Coolant Hole		
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
CTHM0420-N	4.2	57	105	6.0	₹ 4,899
CTHM0450-N	4.5	57	105	6.0	₹ 4,899
CTHM0500-N	5.0	65	108	6.0	₹ 4,899
CTHM0550-N	5.5	72	127	6.0	₹ 5,802
CTHM0600-N	6.0	78	133	6.0	₹ 5,802
CTHM0650-N	6.5	85	141	8.0	₹ 7,536
CTHM0700-N	7.0	91	147	8.0	₹ 7,536
CTHM0750-N	7.5	98	155	8.0	₹ 7,725
CTHM0800-N	8.0	104	160	8.0	₹ 7,725
CTHM0850-N	8.5	111	160	10.0	₹ 9,786
CTHM0900-N	9.0	117	175	10.0	₹ 11,952
CTHM0950-N	9.5	124	182	10.0	₹ 11,952
CTHM1000-N	10.0	130	188	10.0	₹ 12,213
CTHM1050-N	10.5	137	201	12.0	₹ 15,435
CTHM1100-N	11.0	143	207	12.0	₹ 15,435
CTHM1150-N	11.5	150	215	12.0	₹ 15,801
CTHM1200-N	12.0	156	221	12.0	₹ 16,149

\*Image is for depiction purpose ,  
actual coating will be PEROX - dark  
grey color



Series	C4HT				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
C4HT020050-P	2.0	14	50	4.0	₹ 2,139
C4HT021050-P	2.1	14	50	4.0	₹ 2,139
C4HT022050-P	2.2	14	50	4.0	₹ 2,139
C4HT023050-P	2.3	14	50	4.0	₹ 2,139
C4HT024050-P	2.4	14	50	4.0	₹ 2,139
C4HT025050-P	2.5	14	50	4.0	₹ 2,139
C4HT026050-P	2.6	14	50	4.0	₹ 2,139
C4HT027050-P	2.7	14	50	4.0	₹ 2,139
C4HT028050-P	2.8	14	50	4.0	₹ 2,139
C4HT029050-P	2.9	14	50	4.0	₹ 2,139
C4HT030062-P	3.0	20	62	6.0	₹ 2,640
C4HT031062-P	3.1	20	62	6.0	₹ 2,640
C4HT032062-P	3.2	20	62	6.0	₹ 2,640
C4HT033062-P	3.3	20	62	6.0	₹ 2,640
C4HT034062-P	3.4	20	62	6.0	₹ 2,640
C4HT035062-P	3.5	20	62	6.0	₹ 2,640
C4HT036062-P	3.6	20	62	6.0	₹ 2,640
C4HT037062-P	3.7	20	62	6.0	₹ 2,640
C4HT038062-P	3.8	24	62	6.0	₹ 2,640
C4HT039062-P	3.9	24	62	6.0	₹ 2,640
C4HT040062-P	4.0	24	62	6.0	₹ 2,640
C4HT041062-P	4.1	24	62	6.0	₹ 2,640
C4HT042062-P	4.2	24	62	6.0	₹ 2,640
C4HT043062-P	4.3	24	62	6.0	₹ 2,640
C4HT044062-P	4.4	24	62	6.0	₹ 2,640
C4HT045062-P	4.5	24	62	6.0	₹ 2,640
C4HT046062-P	4.6	24	62	6.0	₹ 2,640
C4HT047062-P	4.7	24	62	6.0	₹ 2,640
C4HT048062-P	4.8	28	62	6.0	₹ 2,640
C4HT049062-P	4.9	28	62	6.0	₹ 2,640
C4HT050062-P	5.0	28	62	6.0	₹ 2,640
C4HT051062-P	5.1	28	62	6.0	₹ 2,640
C4HT052062-P	5.2	28	62	6.0	₹ 2,640
C4HT053062-P	5.3	28	62	6.0	₹ 2,640
C4HT054062-P	5.4	28	62	6.0	₹ 2,640
C4HT055062-P	5.5	28	62	6.0	₹ 2,640
C4HT056062-P	5.6	28	62	6.0	₹ 2,640
C4HT057062-P	5.7	28	62	6.0	₹ 2,640
C4HT058062-P	5.8	28	62	6.0	₹ 2,640
C4HT059062-P	5.9	28	62	6.0	₹ 2,640
C4HT060062-P	6.0	28	62	6.0	₹ 2,640
C4HT061075-P	6.1	34	75	8.0	₹ 4,287
C4HT062075-P	6.2	34	75	8.0	₹ 4,287
C4HT063075-P	6.3	34	75	8.0	₹ 4,287
C4HT064075-P	6.4	34	75	8.0	₹ 4,287
C4HT065075-P	6.5	34	75	8.0	₹ 4,287
C4HT066075-P	6.6	34	75	8.0	₹ 4,287
C4HT067075-P	6.7	34	75	8.0	₹ 4,287
C4HT068075-P	6.8	34	75	8.0	₹ 4,287
C4HT069075-P	6.9	34	75	8.0	₹ 4,287
C4HT070075-P	7.0	34	75	8.0	₹ 4,287
C4HT071080-P	7.1	40	80	8.0	₹ 4,647
C4HT072080-P	7.2	40	80	8.0	₹ 4,647
C4HT073080-P	7.3	40	80	8.0	₹ 4,647
C4HT074080-P	7.4	40	80	8.0	₹ 4,647
C4HT075080-P	7.5	40	80	8.0	₹ 4,647
C4HT076080-P	7.6	40	80	8.0	₹ 4,647
C4HT077080-P	7.7	40	80	8.0	₹ 4,647
C4HT078080-P	7.8	40	80	8.0	₹ 4,647
C4HT079080-P	7.9	40	80	8.0	₹ 4,647
C4HT080080-P	8.0	40	80	8.0	₹ 4,647
C4HT081080-P	8.1	40	80	10.0	₹ 5,844
C4HT082080-P	8.2	40	80	10.0	₹ 5,844
C4HT083080-P	8.3	40	80	10.0	₹ 5,844
C4HT084080-P	8.4	40	80	10.0	₹ 5,844
C4HT085080-P	8.5	40	80	10.0	₹ 5,844
C4HT086080-P	8.6	40	80	10.0	₹ 5,844
C4HT087080-P	8.7	40	80	10.0	₹ 5,844



Carbide HP-Drills with PEROX Coating					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-52
C4HT088080-P	8.8	40	80	10.0	₹ 5,844
C4HT089080-P	8.9	40	80	10.0	₹ 5,844
C4HT090080-P	9.0	40	80	10.0	₹ 5,844
C4HT091080-P	9.1	40	80	10.0	₹ 5,844
C4HT092080-P	9.2	40	80	10.0	₹ 5,844
C4HT093080-P	9.3	40	80	10.0	₹ 5,844
C4HT094080-P	9.4	40	80	10.0	₹ 5,844
C4HT095080-P	9.5	40	80	10.0	₹ 5,844
C4HT096080-P	9.6	40	80	10.0	₹ 5,844
C4HT097080-P	9.7	40	80	10.0	₹ 5,844
C4HT098080-P	9.8	40	80	10.0	₹ 5,844
C4HT099080-P	9.9	40	80	10.0	₹ 5,844
C4HT100080-P	10.0	40	80	10.0	₹ 5,844
C4HT081100-P	8.1	60	100	10.0	₹ 6,993
C4HT082100-P	8.2	60	100	10.0	₹ 6,993
C4HT083100-P	8.3	60	100	10.0	₹ 6,993
C4HT084100-P	8.4	60	100	10.0	₹ 6,993
C4HT085100-P	8.5	60	100	10.0	₹ 6,993
C4HT086100-P	8.6	60	100	10.0	₹ 6,993
C4HT087100-P	8.7	60	100	10.0	₹ 6,993
C4HT088100-P	8.8	60	100	10.0	₹ 6,993
C4HT089100-P	8.9	60	100	10.0	₹ 6,993
C4HT090100-P	9.0	60	100	10.0	₹ 6,993
C4HT091100-P	9.1	60	100	10.0	₹ 6,993
C4HT092100-P	9.2	60	100	10.0	₹ 6,993
C4HT093100-P	9.3	60	100	10.0	₹ 6,993
C4HT094100-P	9.4	60	100	10.0	₹ 6,993
C4HT095100-P	9.5	60	100	10.0	₹ 6,993
C4HT096100-P	9.6	60	100	10.0	₹ 6,993
C4HT097100-P	9.7	60	100	10.0	₹ 6,993
C4HT098100-P	9.8	60	100	10.0	₹ 6,993
C4HT099100-P	9.9	60	100	10.0	₹ 6,993
C4HT100100-P	10.0	60	100	10.0	₹ 6,993
C4HT101100-P	10.1	60	100	12.0	₹ 9,225
C4HT102100-P	10.2	60	100	12.0	₹ 9,225
C4HT103100-P	10.3	60	100	12.0	₹ 9,225
C4HT104100-P	10.4	60	100	12.0	₹ 9,225
C4HT105100-P	10.5	60	100	12.0	₹ 9,225
C4HT106100-P	10.6	60	100	12.0	₹ 9,225
C4HT107100-P	10.7	60	100	12.0	₹ 9,225
C4HT108100-P	10.8	60	100	12.0	₹ 9,225
C4HT109100-P	10.9	60	100	12.0	₹ 9,225
C4HT110100-P	11.0	60	100	12.0	₹ 9,225
C4HT111100-P	11.1	60	100	12.0	₹ 9,225
C4HT112100-P	11.2	60	100	12.0	₹ 9,225
C4HT113100-P	11.3	60	100	12.0	₹ 9,225
C4HT114100-P	11.4	60	100	12.0	₹ 9,225
C4HT115100-P	11.5	60	100	12.0	₹ 9,225
C4HT116100-P	11.6	60	100	12.0	₹ 9,225
C4HT117100-P	11.7	60	100	12.0	₹ 9,225
C4HT118100-P	11.8	60	100	12.0	₹ 9,225
C4HT119100-P	11.9	60	100	12.0	₹ 9,225
C4HT120100-P	12.0	60	100	12.0	₹ 9,225
C4HT125105-P	12.5	55	105	14.0	₹ 12,246
C4HT130105-P	13.0	55	105	14.0	₹ 12,246
C4HT135105-P	13.5	55	105	14.0	₹ 12,246
C4HT140105-P	14.0	55	105	14.0	₹ 12,246
C4HT145105-P	14.5	58	105	16.0	₹ 14,955
C4HT150105-P	15.0	58	105	16.0	₹ 14,955
C4HT155105-P	15.5	58	105	16.0	₹ 14,955
C4HT160105-P	16.0	58	105	16.0	₹ 14,955
C4HT165105-P	16.5	58	105	18.0	₹ 20,046
C4HT170105-P	17.0	58	105	18.0	₹ 20,046
C4HT175105-P	17.5	58	105	18.0	₹ 20,046
C4HT180105-P	18.0	58	105	18.0	₹ 20,046
C4HT185105-P	18.5	58	105	20.0	₹ 23,622
C4HT190105-P	19.0	58	105	20.0	₹ 23,622
C4HT195105-P	19.5	58	105	20.0	₹ 23,622
C4HT200105-P	20.0	58	105	20.0	₹ 23,622



Series	C1N1	Carbide NC-Spotting drills 90°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-52
C1N10600-U	6	13	50	6	₹ 1,422
C1N10800-U	8	23	60	8	₹ 2,016
C1N11000-U	10	24	70	10	₹ 2,868
C1N11200-U	12	24	70	12	₹ 3,699
C1N11600-U	16	29	75	16	₹ 6,825
C1N12000-U	20	35	100	20	₹ 12,846

Series	C1N2	Carbide NC-Spotting drills 120°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-52
C1N20600-U	6	13	50	6	₹ 1,422
C1N20800-U	8	23	60	8	₹ 2,016
C1N21000-U	10	24	70	10	₹ 2,868
C1N21200-U	12	24	70	12	₹ 3,699
C1N21600-U	16	29	75	16	₹ 6,825
C1N22000-U	20	35	100	20	₹ 12,846

