

Metrix+™

PRICE LIST

OCTOBER 2023

ELECTRICAL AND ELECTRONIC
TEST AND MEASUREMENT INSTRUMENTS



Electrical & Electronic Test & Measurement Instruments

Price List Effective **October 2023**
(This Price-List Supersedes all Previous Price-List)

NDT(Non-Destructive Testing) INSTRUMENTS

DIGITAL COATING THICKNESS GAUGE(DFT METER)

1	CG 3000	Wet film comb to measure wet film thickness 0 ~ 3000um	₹ 800	90173029
2	Coat Gauge F xL	Integrated Probe 0 ~ 1500um Only Ferrous Large Display, V-groove, Zero and multi point calibration, um/mil, single and continuous mode	₹ 9,400	90173029
3	Coat Gauge FN xL	Integrated Probe 0 ~ 1500um Ferrous & Non Ferrous Combine Large Display, V-groove, Zero and multi point calibration, um/mil, single and continuous mode	₹ 11,200	90173029
4	Coat Gauge Pro	Integrated Probe 0 ~ 2000um Ferrous & Non Ferrous Combine , Bluetooth, smart color display, trend graph, calibration guide, data memory, statistics	₹ 18,000	90173029
5	Coat Scope i	Integrated Probe 0 ~ 2000um Ferrous/non-ferrous combine optional data logger via PC Interface, memory, statistics	₹ 25,600	90173029
6	Coat Measurer F	External Probe Large backlit LCD display 0 ~ 1250um Only Ferrous optional data logger via PC Interface	₹ 15,600	90173029
7	Coat Measurer F+N	External Probe Large backlit LCD display 0~1250um Ferrous/non-Ferrous Combine optional data logger via PC interface	₹ 19,600	90173029
8	Coat Scope Pro	External Probe 0 ~ 2000um Ferrous & Non Ferrous Combine , Bluetooth, smart color display, trend graph, calibration guide, data memory, statistics	₹ 23,000	90173029
9	Coat Scope 27	External Probe Large backlit LCD Display high accuracy and in built 99 group memory 0~2000um ferrous/non-ferrous combine optional data logger via, PC Interface	₹ 25,600	90173029
10	Coat Scope 27 4K	External Probe Large backlit LCD Display high accuracy and in built 99 group memory 0~4000um ferrous/non-ferrous combine , optional PC interface	₹ 30,000	90173029
11	Coat Scope 27 5K	External Probe Large backlit LCD Display high accuracy and in built 99 group memory 0~5000um ferrous/ 0 ~ 3000um non-ferrous combine , optional PC interface	₹ 33,000	90173029
12	Microcoat F	External Probe , accurate measurement for thin coatings on smaller workpieces upto 200um ferrous only , optional PC interface	₹ 60,000	90173029
13	Microcoat N	External Probe , accurate measurement for thin coatings on smaller workpieces upto 200um non-ferrous only , optional PC interface	₹ 60,000	90173029

ULTRASONIC THICKNESS GAUGE

14	UTM 5A+	User friendly menu interface , backlit display, 1~300mm , Resolution 0.1mm/0.01mm/0.01inch selectable, velocity 1000~9999m/s, data storage , max/min/avg values, alarm measurement, Type-C charging	₹ 13,600	90173029
15	UTM 5	Large backlit LCD display 1~200mm Resolution 0.1mm velocity 500~9000m/s.	₹ 16,000	90173029
16	UTM 9	Large backlit LCD display 0.9~350mm high Resolution 0.01mm velocity 500~9000m/s.	₹ 19,000	90173029
17	UTG 27	Metal body Large backlit LCD display 0.75~400mm Resolution 0.1/0.01mm switchable velocity 500~9000m/s	₹ 23,600	90173029
18	UTM 18CT	Thorough coating thickness measurement of 3 ~ 60mm , with normal measuring range 0.65~600mm (in steel), multi-point calibration, resolution 0.1/0.01 selectable , data storage and recall	₹ 56,000	90173029
19	UTM 90CT	Thorough coating thickness measurement of 3 ~ 50mm, with normal measuring range 1.2~200mm(in steel), A-scan and B-scan to detect anomalies inside materials, resolution 0.1/0.01 selectable , data storage and recall	₹ 1,36,000	90173029

ULTRASONIC FLAW DETECTOR

20	UTFD 80	Locate flaws , like cracks, voids and porosity in surfaces by interpreting ultrasonic waveforms generated by this flaw detector, 10m measuring range, 1000 frames of A-scan and B-scan, 20MHz frequency, upto 120dB gain, 1000~15000 material velocity	₹ 2,70,000	90318000
----	----------------	--	------------	----------

DIGITAL GLOSS METER

21	GLS 09	Single angle 60° , upto 200GU , backlit display, used to test Glossiness of surfaces, optional data logger via PC interface	₹ 15,800	90318000
22	GLS 09M	Multi-angle 20°/60°/85° , upto 200GU , backlit display, used to test Glossiness of surfaces, optional data logger via PC interface	₹ 27,000	90318000

23	Microgloss	Multi-angle 20°/60°/85°, upto 1000GU, single-button operation, backlit display, used to test Glossiness of surfaces, PC interface, Type C charging	₹ 44,000	90318000
----	-------------------	---	----------	----------

DIGITAL HARDNESS TESTER

24	RHT -A	Shore 'A' 0~100A/10~90H for soft Vulcanize rubber, natural rubber, nitriles, thermoplastic elastomers, flexible poly acrylics and thermosets, wax, felt, etc, with backlit LCD display, Optional PC interface	₹ 21,000	90248091
25	RHT -D	Shore 'D' 0~100/10~90H for Hard Rubber, thermoplastic elastomers, harder plastics, and rigid thermoplastics etc, with backlit LCD display, Optional PC interface	₹ 23,000	90248091
26	Hardmaster-P	Leeb/ Metal Hardness 170~960HLD, converts to all common hardness scales HV, HB,HRC, HRB, HRA, HS.Memory of 600 groups data, with backlit 128*64 matrix display, ibuilt software calibration, optional PC interface	₹ 34,000	90248091
27	LHT 1	Pen type Backlit 128*332 matrix display. 170~960HLD, converts to all common hardness scales HV, HB,HRC, HRB, HRA, HS.Memory of 600 groups data.Inbuilt software calibration	₹ 44,000	90248091

DIGITAL SURFACE ROUGHNESS TESTER

28	Microsurf 10A	Large backlit LCD display,multi parameters measured Ra(16um), Rz, Rt, Rq. Widely used in production site to measure surface roughness of various machine-processed parts.High accuracy Inductive Transducer, easy operation. Can store the latest 7 groups measurements	₹ 70,000	90318000
29	Surftest 10	Large backlit LCD display.Parameters measured Ra(10um), Rz. Widely used in production site to measure surface roughness of various machine-processed parts.High accuracy Inductive Transducer, easy operation. Can store the latest 7 groups measurements.	₹ 74,000	90318000

ELECTRICAL TESTERS

DIGITAL ACA CLAMP METER

30	125A+	1999 count 600A AC, ACV/DCV, resistance, Diode, continuity, data hold, backlight LCD	₹ 1,500	90303900
31	225A+	3999 count True RMS 600A AC, ACV/DCV, resistance, capacitance, frequency, temperature, diode, continuity, data hold, NCV, backlight LCD	₹ 2,000	90303900
32	1250A	1999 count True RMS 1000A AC ACV/DCV, Resistance, Capacitance, Frequency, Diode, Continuity, Data Hold, APO, 52mm jaw, auto-range	₹ 2,400	90303900
33	2250T	3999 count True RMS 1000A AC, inrush, ACV/DCV, Resistance, Capacitance, Frequency, Duty, Temperature, Diode, Continuity, Data Hold, APO, 52mm jaw, auto-	₹ 3,000	90303900

DIGITAL ACA/DCA CLAMP METER

34	725A+	5999 count True RMS 600A AC/DC, ACV/DCV, resistance, Frequency, capacitance, duty, Temperature, Diode, continuity, APO, backlight LCD	₹ 4,000	90303900
35	4250T	3999 count True RMS 1000A AC/DC, ACV/DCV, resistance, Frequency, capacitance, duty, Temperature, Diode, continuity, APO, 52mm jaw, auto-range	₹ 5,000	90303900
36	2003TRMS	1999 count True RMS 2000 AC/DC, ACV/DCV, Resistance, Capacitance, Continuity, Diode, LED testing, Data Hold, 55mm jaw, auto-range	₹ 7,200	90303900

DIGITAL CLAMP ON POWER METER

37	3510PW	Data Logger Power clamp Meter Display Backlight LCD 9999 auto range ACV, ACA, Active Power, apparent power, reactive power, power factor, phase angle, active energy, AC true RMS, 55mm Jaw caliber	₹ 14,000	90303900
----	---------------	---	----------	----------

DIGITAL MULTIMETER

38	31TRMS	1999 count True RMS ACV/DCV, AC/DCA(uA, mA, A), Resistance, Capacitance, Temperature, Frequency, Diode, Continuity, NCV, backlight display, Data hold, auto-	₹ 1,400	90303100
39	603+	1999 count ACV/DCV, ACA/DCA, Resistance, Capacitance, Frequency, Diode, Continuity, hFe Transistor, Phase wire test, I R Remote test, Data Hold, manual range	₹ 1,300	90303100
40	603A+	1999 count ACV/DCV, ACA/DCA, Resistance, Capacitance, Temperature, Frequency, Diode, Continuity, Transistor, Phase wire test, I R Remote test, Data Hold, manual range	₹ 1,500	90303100
41	171TRMS+	5999 count True RMS AC/DC V,AC/DC A, resistance, capacitance, temperature, frequency, duty ratio, hFe, diode, continuity, NCV, Large Backlit Display, flashlight data hold, APO, manual range	₹ 2,600	90303100

42	451	LCR Multimeter 3½ digit Extra large Backlight LCD display ACV/DCV, ACA/DCA, Resistance, Capacitance, Inductance, Frequency, diode, continuity, transistor HFe, APO	₹ 2,000	90303100
43	DM 620	50000 count DATA LOGGER True RMS 18000 point Data memory, 10Mhz Frequency Counter, auto calibration, USB to PC, 1000V AC/DC, ACA/DCA, resistance, capacitance, frequency, duty, temperature, Diode, continuity, real time clock, Full Range overload protection APO	₹ 14,000	90303100

DIGITAL CAPACITANCE METER

44	DCM 1501	Digital capacitance meter wide measuring range in 9 steps 200pF ~ 20mF	₹ 2,000	90303330
----	----------	---	---------	----------

DIGITAL INSULATION TESTER

45	DIT 918	Large Backlight LCD display Heavy Duty 100V/250V/500V/1000V/2500V 50GΩ , AC/DC Voltage Insulation Tester	₹ 5,000	90303390
46	DIT 3125A Eco	Large Backlight LCD, Heavy duty 500V/1000V/2500V/5000V 1000GΩ Insulation Tester, AC/DC Voltage, PI measurement, Timer, with external power(adaptor)	₹ 17,200	90303390

DIGITAL EARTH RESISTANCE TESTER

47	DET 1501	Large LCD 3 ½ Digit Max. 1999.Auto Range 0~ 2000Ω Accuracy Earth Resistance: $\pm 2\%rdg \pm 0.1\Omega$ (20Ω) $\pm 2\%rdg \pm 3dgt$ (200Ω/2kΩ)	₹ 8,000	90303900
48	DET 1503	Jumbo backlight LCD Display Heavy duty Measuring Range: 0.00~20Ω / 0.0~200Ω / 0~2000Ω high accuracy $\pm 2\%rdg \pm 0.1\Omega$ (20Ω) $\pm 2\%rdg \pm 3dgt$ (200Ω/2000Ω) Timer	₹ 11,600	90303900

VOLTAGE TESTER(PEN TYPE)

49	CD 1	Line Voltage Tester 90V~1000V, buzzer and light indication	₹ 300	90303900
50	CD 2	Pen type Voltage Tester 24V~600V	₹ 600	90303900
51	CD 3	Pen type Voltage Tester 12V~1000V, bar display and buzzer, changeable sensitivity	₹ 700	90303900

SURVEYING EQUIPMENT

INFRARED THERMOMETER

52	FH 2	Human Body Infrared Thermometer 30°C~45°C (86°F~113°F)	₹ 1,000	90251990
53	MT 2-C	Non-contact Infrared Thermometer -50°C ~ 380°C (-58°F~716°F), DS 12: 1, Emissivity 0.95 fixed, Color Display	₹ 1,400	90251990
54	MT 4xL	Non-contact Infrared Thermometer -32°C~550°C (-26°F~1022°F), DS 12:1, Emissivity 0.95 fixed, Gift box+Carry case	₹ 1,800	90251990
55	62 Pro	Non-contact Infrared Thermometer -50°C ~ 650°C (-58°F~1202°F), DS 12:1, Emissivity 0.1~1.00 Adjustable, color screen, circular laser.	₹ 2,600	90251990
56	65 Pro	Non-contact Infrared Thermometer -50°C ~ 850°C (-58°F~1202°F), DS 12:1, Emissivity 0.1~1.00 Adjustable, K-type thermocouple, color screen, circular laser	₹ 3,600	90251990
57	MT 12A	Non-contact Infrared Thermometer -18°C~1150°C (-58°F~2102°F), DS 20:1, Emissivity 0.10~1.00 Adjustable	₹ 8,400	90251990
58	MT 16	Non-contact Infrared Thermometer -18°C~1650°C (-58°F~3002°F), DS 50:1, Emissivity 0.10~1.00 Adjustable	₹ 14,000	90251990
59	MT 18	Non-contact Infrared Thermometer 200°C~1850°C (-22°F~3362°F), DS 50:1, Emissivity 0.10~1.00 Adjustable	₹ 25,000	90251990

DIGITAL THERMAL IMAGERS (THERMAL SCANNERS)

60	DTI 350	-20 ~ 350°C , 640*480 resolution, 32*32 thermal image resolution, 9Hz frame rate, 33*33 FoV, Adjustable Emissivity (0.10 ~ 1.00), 2.8" LCD display, 4 color palettes with Fusion mode , data storage to microSD card, IP 54 splash proof, rechargeable battery	₹ 42,000	90318000
61	DTI 500	-20 ~ 500°C , 640*480 resolution, 160*120 thermal image resolution , 9Hz frame rate, 51*63.5 FoV, Adjustable Emissivity (0.10 ~ 1.00), 2.8" LCD display, 4 color palettes with Fusion mode , data storage to microSD card, IP 54 splash proof, rechargeable battery	₹ 70,000	90318000

LASER DISTANCE METER

62	DM 40	Laser Distance Meter, 0.05~40m metric/imperial measurement, area/volume/pythagorean calculation, data storage, dual axis spirit level	₹ 2,400	90318000
63	DM 60	Laser Distance Meter, 0.05~60m metric/imperial measurement, area/volume/pythagorean calculation, data storage, dual axis spirit level	₹ 3,400	90318000

64	DM 100	Laser Distance Meter, 0.05~100m metric/imperial measurement, area/volume/pythagorean calculatiion, data storage, dual axis spirit level	₹ 5,200	90318000
----	---------------	---	---------	----------

DIGITAL STROBOSCOPE

65	DT 2239	50~12000FPM Internal / external triggering; x2 and ÷2 button for fast adjustment.	₹ 11,600	90292030
66	DT 2259A	50~40000FPM Internal / external triggering; x2 and ÷2 buttons for fast adjustment.	₹ 14,000	90292030

DIGITAL TACHOMETER

67	DT 2234BL	Non Contact Type Laser Tachometer, 2.5~99,999rpm , Large Backlit LCD Display	₹ 2,000	90292010
68	DT 2235BL	Contact type tachometer, 0.5 ~ 19,999 rpm , large backlit lcd display	₹ 2,400	90292010
69	TM 4005	Contact/Non-contact Combine Tachometer, surface speed measurement	₹ 4,400	90292010

DIGITAL VIBRATION METER

70	VM 8200P	Piezoelectric ceramic(shear type), pen-type ,easy on site vibration measurement. Backlit LCD Display,Acceleration, Velocity(200mm/s) , Displacement,wide frequency range	₹ 14,400	90318000
71	VM 8200+	High Accuracy,easy onsite vibration measurements.Backlit LCD display Velocity(200mm/s) , Acceleration, Displacement wide Frequency range 10Hz ~10kHz in acceleration mode. Optional PC interface	₹ 20,800	90318000
72	VM8200 mk II+	High Accuracy,heavy metal body,easy onsite vibration measurement. Backlit LCD display, Velocity(400mm/s) , acceleration, displacement, RPM, wide frequency range 10Hz~10kHz acceleration mode. Optional PC interface	₹ 26,200	90318000
73	VB 8202A	High Accuracy,heavy metal body,easy onsite vibration measurement. Backlit LCD display, Velocity(400mm/s) , acceleration, displacement, simultaneously display,wide frequency range 1Hz ~ 10kHz in acceleration mode. Optional PC interface	₹ 33,000	90318000

DIGITAL MOISTURE METER

74	MM 2	Pocket type 2%~40% large LCD display Wood purpose moisture meter 8 selection range max/min set data hold & APO	₹ 1,500	90318000
75	MM 2A+	Pocket type.Large backlit LCD display, 2%~70% four range Multipurpose moisture meter with Temperature & RH measurement.Data hold & APO.	₹ 3,000	90318000
76	MM-Wa	Large backlit LCD display. 2%~70% four range dual Probe with Temperature & RH measurement. Multi purpose moisture meter ,wide application,Data Hold & APO.	₹ 4,800	90318000
77	MM-W	Intelligent high accuracy,wide application, multi purpose moisture meter with Dual Probe ,backlit LCD display 0%~80% with 10 selection ranges . Long sensor can measure various substrates data hold & APO.	₹ 9,000	90318000
78	MM-S	intelligent,wide application, multi purpose non-contact moisture meter ,backlit LCD Display, 0%~80%,20 range substrates selection non-destructive used for marble, granite idols handicrafts etc.Data hold APO.	₹ 8,800	90318000
79	MM-S+	Probe ,intelligent,wide application,multipurpose dual probe 0%~80%,10 range selection ,can measure non-contact and contact with pin probe data hold & APO.	₹ 9,600	90318000
80	MM-P	Paper moisture meter for paper products, separate flexible probe, data storage, statistics display, LED indication	₹ 13,400	90318000
81	MM-SOIL	Moisture content in soil, agricultural purposes, 0 ~ 80% , separate flexible probe, data storage, statistics display, LED indication	₹ 13,000	90318000
82	GMM 7002A	5%~30% 4 species selection backlit LCD Display with temperature measurement. Grain Moisture Meter Hi-Lo alarm setting data hold & APO.	₹ 4,000	90318000
83	MM-G	Intelligent,high accuracy, 6%~30% ,backlit LCD display, 36 species selection . Grain Moisture Meter ,automatic temperature compensation and auto calibration,hi-lo alarm setting,data hold & APO.	₹ 8,800	90318000
84	MM-GC	Grain Moisture Meter new spring type cup design for better accuracy ,large backlit LCD Display,high accuracy .0%~50%,36 species selection ,can store 240 group memory,automatic calibration and temperature compensation data hold APO.	₹ 14,000	90318000

ENVIRONMENTAL TESTERS

DIGITAL ANEMOMETER

85	AVM 05	Large backlit LCD Display 0.4~45M/S CMM,CFM & Air Temperature C/F 0~60°C / 32~140°F Fan type Vane Probe Optional Data Logger via PC interface	₹ 4,800	90318000
----	---------------	--	---------	----------

DIGITAL SOUND LEVEL METER

86	SL 4001	Large backlit, color, negative display (for better readability), 30~130dbA Fast/ Slow weighing, inbuilt battery with type C charging, bar graph, ambient temperature and humidity, data hold	₹ 3,600	90278090
87	SL 4005	Large backlit LCD Display 30~130db Fast/ Slow weighing A & C or "F" Flat built in calibration signal 94db LP, LEQ, LN. 30 Group memory, Data logger via PC interface	₹ 4,800	90278090

DIGITAL LUX METER (ILLUMINOMETER)

88	LX101+	1~2,00,000 Lux , Separate Photo Electric sensor	₹ 1,900	90278090
89	LX 1336A	0~5,00,000 Lux , 0~20,000 FC , Separate Light Sensor, PC interface , In built low battery indicator, Max value hold function.	₹ 7,600	90278090

DIGITAL THERMOMETER/HUMIDITY METER (HYGROMETER)

90	TH 01	Humidity/Temperature - 10°C~ 70°C (C/F) RH: 20% ~ 90%. Indoor	₹ 600	90251990
91	HT 9B	Data Logger Temperature Humidity Meter Large Backlight LCD dual display -20°C~ 70°C (C/F) RH: 0% ~ 100%, dew point pickup and wet bulb	₹ 2,000	90251990
92	DT 305-S	(HSN: 90251910) High Precision Thermometer , K type Thermocouple, -50°C~1300°C (standard probe : -50 ~ 250°C), data storage, Auto Power Off, alarm	₹ 1,500	90251990

OSCILLOSCOPES

DIGITAL SIGNAL OSCILLOSCOPES

93	1013D	Tablet type 7" Capacitive touch screen, 100MHz dual channel , 1 Gsamples/sec , waveform storage, lissajous display, inbuilt battery with type C charging	₹ 28,000	90302000
94	1014D	100MHz dual channel , 1 Gsamples/sec , inbuilt DDS signal generator with upto 12 types of signals, 7" sturdy display, waveform storage, lissajous display	₹ 32,000	90302000

MISCELLANEOUS

FSK PRECISION LEVEL, HSN : 90153090

96	Flat 4"*	100mm, 0.02m/mm sensitivity, 0.9kgs	POR	90153090
97	Flat 6"*	150mm, 0.02m/mm sensitivity, 1.3kgs	POR	90153090
98	Flat 8"*	20mm, 0.02m/mm sensitivity, 1.8kgs	POR	90153090
99	Flat 12"*	300mm, 0.02m/mm sensitivity, 3.3kgs	POR	90153090
100	Square 4"*	100mm, 0.02m/mm sensitivity, 1.6kgs	POR	90153090
101	Square 6"*	150mm, 0.02m/mm sensitivity, 3.4kgs	POR	90153090
102	Square 8"*	20mm, 0.02m/mm sensitivity, 5.0kgs	POR	90153090
103	Square 12"*	300mm, 0.02m/mm sensitivity, 10.0kgs	POR	90153090

COLOR METER

104	COL 45	Measurement and color-difference calculations in 6 color spaces , (L*,a*,b*), (L*, C*ab, hab), (Y, x, y), (X, Y, Z), (Rs, Gs, Bs) or (WI, YI, Tw), data storage, statistics display	₹ 26,000	90318000
-----	--------	--	----------	----------

ULTRASONIC LEAKAGE DETECTOR

105	ULD 30	Locate the source of compressed gas/ air leaks via its ultrasonic emission, with LED indication and audible tone.	₹ 28,000	90318000
-----	--------	--	----------	----------

MULTI-FUNCTIONAL WALL DETECTOR

106	WD 09	Detect metal (steel bars, copper pipes) and cables inside walls , ceilings and floors; wooden beams, metal and cables under plasterboard, upto a depth of 5" . LED, audible tone and depth indication, inbuilt battery with type C charging	₹ 5,600	90153090
-----	-------	--	---------	----------

NUCLEAR RADIATION DETECTOR

107	GC 01	Geiger Miller counter for detecting the intensity of ionizing radiation (beta particles, gamma rays, x-rays) , real time monitoring with large color, negative display (for better readability), alarm, inbuilt battery with type C charging, upto 10mSv/H dose equivalent, units nSv/h, pGy/h, mR/h, cps, cpm	₹ 8,000	90318000
-----	-------	---	---------	----------

POCKET TYPE DISTANCE METER

108	IR 40	40m super-compact, pocket sized laser distance meter , two finger grip, one button measurement, with rechargeable battery and type C Charging, area/volume/pythagorean calculations, auto-rotate backlit negative display for better readability	₹ 4,000	90318000
-----	--------------	--	---------	----------

ACCESSORIES

COATING THICKNESS GAUGE ACCESSORIES

109	F Probe	Probe for Coat Measurer F	₹ 4,800	90179000
110	FN Probe	Probe for Coat Measurer F+N	₹ 6,000	90179000
111	FN27k Probe	Probe for Coat Scope 27, Coat Scope 27 4k, Coat Scope 27 5k	₹ 9,000	90179000
112	CSP Probe	Probe for Coat Scope Pro	₹ 7,600	90179000
113	Foil Set	5 pc foil set for point calibration	₹ 2,000	90319000
114	PC interface	PC data logging software and cable for Coat Measurer F, Coat Measurer F+N and Coat Scope 27, Coat Scope 27 4k, Coat Scope 27 5k	₹ 4,800	90319000

ULTRASONIC THICKNESS GAUGES ACCESSORIES

115	8MM Probe	Standard 8mm & 5MHz probe for UTM 5, UTM 9, UTG 27	₹ 5,600	90179000
116	6MM Probe	Small diameter 6mm & 5MHz probe for UTM 5, UTM 9, UTG 27	₹ 6,400	90179000
117	5A Probe	Standard 10mm & 5MHz probe for UTM 5A+	₹ 6,400	90179000
118	PP Probe	Plastic measurement probe 10mm & 2MHz for UTM 5, UTM 9, UTG 27	₹ 6,800	90179000
119	HT Probe	High temperature probe 12mm & 5MHz, with operating temperature of 60 ~ 250°C, measuring range 4 ~ 100mm(Steel) for UTM 5, UTM 9, UTG 27	₹ 15,000	90179000
120	4S Block	4 step block for UTG testing	₹ 8,000	90319000
121	10S Block	10 step block for UTG testing	₹ 12,000	90319000
122	PC interface	PC data logging software and cable for UTM 5, UTM 9, UTG 27	₹ 4,800	90319000

VIBRATION METER ACCESSORIES

123	Vibro Probe	Spare probe without magnet for VM 8200+, VM 8200mkII+, VB 8202A	₹ 9,600	90319000
124	Vibro Magnet	Spare magnet for VM 2800+, VM 8200mkII+, VB 8202A	₹ 4,000	90319000
125	PC interface	PC data logging software and cable for VM 8200+, VM 8200mkII+, VB8202A	₹ 5,600	90319000

SURFACE ROUGHNESS TESTER ACCESSORIES

126	SRT Probe	Standard probe for Microsurf10A, Surftest 10	₹ 40,000	90319000
127	GRS Plate	Glass reference standard plate for calibration	₹ 15,000	90319000
128	PC interface	PC data logging software and cable for Microsurf10A, Surftest 10	₹ 5,600	90319000

HARDNESS TESTER ACCESSORIES

129	HMP Probe	D-type (standard) Probe for Hardmaster-P	₹ 16,000	90319000
130	HMPC Probe	C-type (for thin and small materials) Probe for Hardmaster-P	₹ 24,000	90319000
131	PC interface	PC data logging software and cable for RHT A, RHT D	₹ 5,600	90319000

GLOSS METER ACCESSORIES

132	PC interface	PC data logging software and cable for GLS 09, GLS 09M	₹ 5,600	90319000
-----	---------------------	--	---------	----------

MOISTURE METER ACCESSORIES

133	PC interface	PC data logging software and cable for MM W, MM S/S+, MM P, MM SOIL, MM G, MM GC	₹ 5,600	90319000
-----	---------------------	--	---------	----------

DIGITAL THERMOMETER ACCESSORIES

134	TP 02	Standard probe for DT305S	₹ 800	90319000
135	TP 03	High temperature probe(0 ~ 1050°C) for DT305S	₹ 2,600	90319000

MISCELLANEOUS

136	AVM 05	PC interface for data logging	₹ 4,400	90319000
-----	---------------	-------------------------------	---------	----------

137	SL 4005	PC interface for data logging	₹ 4,400	90319000
138	LX 1336A	PC interface for data logging	₹ 4,400	90319000
139	TM 4005	PC interface for data logging	₹ 4,400	90319000

Terms	
Prices	Ex-works office, packing and freight charges extra as applicable
Taxes	Additional GST as applicable
Payment	100% Advance against Proforma Invoice by Online Bank Transfer
Delivery	Dispatch within 72 hours after confirmation, if stock available
Validity	This pricelist supersedes all previous pricelist. Prices, model and specifications maybe subject to change without prior notice
<i>We look forward to your valuable orders</i>	

Metrix+™

MEASUREMENT MADE SIMPLE

