




MACHINE TOOL ACCESSORIES



PRICE LIST

EFFECTIVE FROM DATE : 01/11/2021



DEAD CENTER
PLAIN MALE POINT

M.T. No.	PLAIN DEAD (FULL)	HALF DEAD	CNC DEAD CENTER (WITH DRAW OFF NUT)	
			EXTENDED	STUB
1	300	450	-	-
2	300	450	1150	925
3	300	450	1150	925
4	450	650	1250	1150
5	1175	1650	3150	2450
6	3400	4800	6500	6275
7	14250	-	-	-

75% Extra charges for female Dead Center. Female Dead Center available only in Plain (full) model. Female hole specifications as per our specifications only.

DEAD CENTER
CARBIDE TIPPED POINT

M.T. No.	TIP DIAMETER	CARBIDE TIPPED FULL	CARBIDE TIPPED HALF	CNC DEAD CENTER (WITH DRAW OFF NUT)	
				EXTENDED	STUB
1	5 mm	850	990	-	-
2	8 mm	865	990	2050 (8 mm)	2050
3	11 mm	1100	1485	2050 (11 mm)	2050
4	14 mm	1760	2200	2600 (11 mm)	2600
5	18 mm	3520	4235	4620 (14 mm)	4620
6	18 mm	6700	8400	9150 (18 mm)	9150

DEAD CENTER
CARBIDE TIPPED SPECIAL

M.T.	SIZE	PRICE	M.T.	SIZE	PRICE	M.T.	SIZE	PRICE
MT-2	TIP Ø 11	1815	MT-3	TIP Ø 25	7100	MT-4	TIP Ø 33	10950
MT-2	TIP Ø 14	2420	MT-3	TIP Ø 28	8750	MT-5	TIP Ø 22	7315
MT-2	TIP Ø 18	3250	MT-4	TIP Ø 18	3750	MT-5	TIP Ø 25	8635
MT-3	TIP Ø 14	2420	MT-4	TIP Ø 22	6270	MT-5	TIP Ø 28	10120
MT-3	TIP Ø 18	3250	MT-4	TIP Ø 25	7315	MT-5	TIP Ø 33	12815
MT-3	TIP Ø 22	5950	MT-4	TIP Ø 28	8750	MT-5	TIP Ø 40	17215

Dead Centers with other Special Tip Diameter manufactured against order.

DEAD CENTER
WITH FULL 60° AS CARBIDE

M.T.	MT-2	MT-3	MT-4	MT-5
PRICE	8500	9800	13700	25200



LATHE HEADSTOCK SLEEVE				
MT 3-5	STANDARD : 4' LATHE (Specify outer dia. if not sure)	650		
MT 4-6	FOR HEAVY DUTY LATHES	800		
TOOL POST GRINDER				
HORIZONTAL MODEL				
SIZE	4"	6"	8"	10" LIGHT DUTY
COMPLETE : EXTERNAL GRINDER WITH INT. GRINDING ATTACHMENT	16000	20500	24500	30125
EXTERNAL GRINDER ONLY (MAX - WHEEL SIZE)	9900 (4"X1/2"X1/2")	11500 (6"X3/4"X5/8")	13500 (8"X3/4"X3/4")	18750 (10"X1"X1 1/4")
INTERNAL GRINDING ATTACHMENT (WITHOUT C. I. BODY)	6100	9000	11000	11375
All prices without Electric Motor.				
VERTICAL MODEL				
SIZE	EXTERNAL GRINDER ONLY			
6"	13500			
# prices without Electric Motor.				
SPARES FOR TOOL POST GRINDER				
SIZE	6"	8"		
CAST IRON BODY (Machined and with motor plate. Without Guards)	4500	4980		
INTERNAL SPINDLE ONLY (Without Motor Pulley & Belt)	9100	11115		
EXTERNAL SPINDLE ONLY (Without Wheel, Body, Guards etc.)	8775	10100		
ALUMINIUM MOTOR PULLEY (Flat Belt. For Internal Grinding Attachment)	1985	1820		
INT-EXT SPINDLE / EXT MOTOR PULLEY (Each)	420	450		
ENDLESS NYLON FLAT BELT (For Internal Grinding)	675	675		



EXTENSION SOCKET

M.T. No.	PRICE	M.T. No.	PRICE
1 - 1	950	4 - 5	3150
1 - 2	1100	5 - 1	2100
2 - 1	1260	5 - 2	2470
2 - 2	1260	5 - 3	2680
2 - 3	1420	5 - 4	2835
3 - 1	1260	5 - 5	3520
3 - 2	1450	5 - 6	10400
3 - 3	1530	6 - 2	5355
3 - 4	1850	6 - 3	6150
4 - 1	1630	6 - 4	6150
4 - 2	1680	6 - 5	6150
4 - 3	1680	6 - 6	16500
4 - 4	2310	6 - 7	19900

SPLIT SLEEVE (FOR TAPS, DRILLS & CENTER DRILLS)

M.T. No.	SIZE	PRICE
1	TAP : M-4, M-5, M-5 Short hand tap M-6, M-8, M-10 3/16", 1/4", 5/16" BSW / UNC	475
1	DRILL SIZE : 4 mm to 8.5 mm, 3/16" to 21/64"	630
1	CENTER DRILL : BS-1, BS-2, BS-3	630
2	TAP : M-6, M-8, M-10, M-10 Short hand tap, M-12, M-14, M-16 1/4", 5/16", 3/8", 3/8" Short hand tap, 7/16", 1/2", 5/8" BSW / UNC	475
2	DRILL SIZE : 5 mm to 14 mm, 7/32" to 35/64"	630
2	CENTER DRILL : BS-2, BS-3, BS-4	630
3	TAP : M-12, M-14, M-16, M-18, M-20, M-22, M-24	685
3	CENTER DRILL : BS-4, BS-5, BS-6	895
4	TAP : M-12, M-16, M-18, M-20, M-24, M-27, M-30	1470
5	TAP : M-24, M-27, M-30, M-36, M-42	2200

While ordering Split Sleeve for Taps specify Shank and Square size.

Ordering eg. Split Sleeve MT-2 : Shank Dia. 9.0 mm x Square Size 7.10 mm.

Split Sleeve for Drills in MT-1 & MT-2 are Manufactured against order, Also only sizes for Drills Specified in the specification leaflet are made. There for always ascertain delivery period