







W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*		
	PLUNGER TYPE DIAL GAUGE (MODEL 40)	K39	5 mm	0.01 mm	0-50-0	2,420		
		K40	5 mm	0.01 mm	0-100	2,420		
		K41	0.25"	0.001"	0-50-0	2,660		
		K42	0.25"	0.001"	0-100	2,660		
		K35	10 mm	0.1 mm	0-10	2,790		
		K36	5 mm	0.01 mm	0-50	2,910		
		K43	0.25"	0.0005"	0-50	2,920		
		K40Z	0.8 mm	0.01 mm	40-0-40	2,670		
	PLUNGER TYPE DIAL GAUGE (MODEL 56)	KZ	0.8 mm	0.01 mm	40-0-40	1,680		
		K01	10 mm	0.01 mm	0-50-0	1,550		
		K02	10 mm	0.01 mm	0-100	1,550		
		K03	5 mm	0.01 mm	0-50-0	1,610		
		K04	5 mm	0.01 mm	0-100	1,610		
		K05 SP	10 mm	0.1 mm	0-10	1,520		
		K06A	25 mm	0.1 mm	0-10	2,130		
		K07	30 mm	0.01 mm	0-100	3,380		
		K08A	25 mm	0.01 mm	0-100	2,110		
		K09	2 mm	0.002 mm	0-10-0	3,380		
		K10	2 mm	0.002 mm	0-20	3,380		
		K11	5 mm	0.002 mm	0-10-0	3,530		
		K12	5 mm	0.002 mm	0-20	2,850		
		K13A	12 mm	0.002 mm	0-10-0	6,530		
		K14A	12 mm	0.002 mm	0-20	6,530		
		K17S	1 mm	0.001 mm	0-100-0	3,280		
		K20	50 mm	0.01 mm	0-100	5,570		
		KY	0.08"	0.001"	40-0-40	1,850		
		K50	1"	0.001"	0-100	2,930		
		K51	0.5"	0.001"	0-50-0	2,230		
		K52	0.5"	0.001"	0-100	2,230		
		K53	0.5"	0.0005"	0-25-0	2,730		
		K54	0.5"	0.0005"	0-50	2,730		
K61	0.2"	0.0001"	0-50-0	4,900				
K62	0.2"	0.0001"	0-100	4,900				
K63A	0.5"	0.0001"	0-50-0	7,900				
K64A	0.5"	0.0001"	0-100	7,900				
K21	2"	0.001"	0-100	5,570				
	PLUNGER TYPE DIAL GAUGE (MODEL 88)	K72	50 mm	0.01 mm	0-100	7,480		
		K76	2"	0.001"	0-100	7,910		
	PLUNGER TYPE DIAL GAUGE (MODEL 100)	K100	100 mm	0.01 mm	0-100	22,930		
	PLUNGER TYPE DIAL GAUGE (MODEL 105)	K101	2 mm	0.01 mm	0-50-0	7,090		
	HARDNESS TESTER DIAL (ROCKWELL) STANDARD	-	-	-	-	3,200		
	DIGITAL DIAL GAUGE (RS232 DATA OUTPUT) 'W' Series : IP67	W1	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	24,770		
		W2	25 mm / 1"	0.001 mm / 0.00005"	-	26,020		
		W3	50 mm / 2"	0.001 mm / 0.00005"	-	44,660		
		W1A	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	26,340		
		W2A	25 mm / 1"	0.001 mm / 0.00005"	-	27,500		
		W3A	50 mm / 2"	0.001 mm / 0.00005"	-	46,180		
		BAKER Proximity cable with RS232 interface suitable for BAKER digital dials W1, W2, W3, W1A, W2A & W3A.						7,940
		BAKER Proximity cable with USB interface suitable for BAKER digital dials W1,W2,W3, W1A, W2A & W3A.						8,660

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	DIGITAL DIAL GAUGE	V1	12.5 mm / 0.5"	0.01 mm / 0.0005"	-	7,220	
		V2	25 mm / 1"	0.01 mm / 0.0005"	-	9,030	
		V3	50 mm / 2"	0.01 mm / 0.0005"	-	22,170	
		V1P	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	13,930	
		V2P	25 mm / 1"	0.001 mm / 0.00005"	-	16,730	
	LEVER TYPE DIAL GAUGE (MODEL 29)	302P	0.8 mm	0.01 mm	0-40-0	4,630	
		304	0.2 mm	0.002 mm	0-10-0	5,790	
		Supplied with \varnothing 2 mm T.C. Ball Stylus fitted to the gauge & 1 mm T.C. Ball Stylus, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Calmp as standard accessories in a box.					
		302AP	0.8 mm	0.01 mm	0-40-0	3,670	
		304A	0.2 mm	0.002 mm	0-10-0	5,140	
	Supplied with \varnothing 2 mm T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge						
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 29)	302L	0.8 mm	0.01 mm	0-40-0	6,480	
		Supplied with 33mm long \varnothing 2mm T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box					
		302AL	0.8 mm	0.01 mm	0-40-0	5,640	
		Supplied with 33 mm long \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.					
	LEVER TYPE DIAL GAUGE (MODEL 38)	306P	0.8 mm	0.01 mm	0-40-0	5,290	
		308	0.2 mm	0.002 mm	0-10-0	7,200	
		Supplied with \varnothing 2mm T.C. Ball Stylus fitted to the gauge & \varnothing 1 mm T.C. Ball Stylus, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Calmp as standard accessories in a box.					
		306AP	0.8 mm	0.01 mm	0-40-0	4,040	
		308A	0.2 mm	0.002 mm	0-10-0	6,550	
	Supplied with \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.						
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 38)	306L	0.8 mm	0.01 mm	0-40-0	7,090	
		Supplied with 33 mm long \varnothing 2 mm T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, \varnothing 4 mm & \varnothing 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		306AL	0.8 mm	0.01 mm	0-40-0	6,240	
		Supplied with 33 mm long \varnothing 2 mm T.C. Ball Stylus & \varnothing 8 mm Dovetail Spigot Assembly fitted to the gauge.					
	DIAL BORE GAUGE	K439	4 - 6 mm	0.01 mm	0-50-0	25,870	
		K539	6 - 10 mm	0.01 mm	0-50-0	13,545	
		K639	10 - 18 mm	0.01 mm	0-50-0	8,970	
		K641	0.4" - 0.7"	0.001"	0-50-0	9,180	
		K703	18 - 50 mm	0.01 mm	0-50-0	8,880	
		K709	18 - 50 mm	0.002 mm	0-10-0	10,720	
		K717	18 - 50 mm	0.001 mm	0-100-0	11,010	
		K753	0.7" - 2"	0.0005"	0-25-0	10,140	
		K761	0.7" - 2"	0.0001"	0-50-0	11,430	
		K803	50 - 150 mm	0.01 mm	0-50-0	9,680	
		K809	50 - 150 mm	0.002 mm	0-10-0	11,460	
		K817	50 - 150 mm	0.001 mm	0-100-0	11,730	
		K853	2" - 6"	0.0005"	0-25-0	11,370	
		K861	2" - 6"	0.0001"	0-50-0	12,660	
		K903	150 - 250 mm	0.01 mm	0-50-0	18,450	
		K909	150 - 250 mm	0.002 mm	0-10-0	20,030	
		K917	150 - 250 mm	0.001 mm	0-100-0	20,440	
		K953	6" - 10"	0.0005"	0-25-0	19,250	
		K961	6" - 10"	0.0001"	0-50-0	20,100	
		K1003	250 - 450 mm	0.01 mm	0-50-0	23,020	
		K1009	250 - 450 mm	0.002 mm	0-10-0	24,770	
		K1017	250 - 450 mm	0.001 mm	0-100-0	25,220	
		K1053	10 - 18"	0.0005"	0-25-0	23,910	
		K1061	10 - 18"	0.0001"	0-50-0	25,790	
		K803-S	50 - 150 mm	0.01 mm	0-50-0	10,750	
		K809-S	50 - 150 mm	0.002 mm	0-10-0	12,750	
		K853-S	50 - 150 mm	0.0005"	0-25-0	12,100	
		K861-S	50 - 150 mm	0.0001"	0-50-0	14,100	
	DIAL GAUGES FOR BORE GAUGES	BGD10	-	0.010 mm	-	1,610	
		BGD-2	-	0.002 mm	-	3,380	
		BGD-1	-	0.001 mm	-	3,280	
		BGD - 0.0005"	-	0.0005"	-	2,730	
		BGD - 0.0001"	-	0.0001"	-	4,900	
	DIAL SNAP GAUGE (WITHOUT DIAL GAUGE)	DS25	0 - 25 mm	-	-	7,550	
		DS50	25 - 50 mm	-	-	7,800	
		DS75	50 - 75 mm	-	-	8,890	
		DS100	75 - 100 mm	-	-	9,320	
		DS125	100 - 125 mm	-	-	10,820	
		DS150	125 - 150 mm	-	-	11,610	
		DS175	150 - 175 mm	-	-	13,920	
DS200	175 - 200 mm	-	-	15,120			

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	COMPARATOR STAND (PLAIN BASE)	CS150	Gauging Height 150 mm	Base Size 90 x 95mm	-	7,650
		CS200	Gauging Height 200 mm	Base Size 150 x 100mm	-	9,210
	COMPARATOR STAND (SERRATED BASE)	CS150-S	Gauging Height 150 mm	Base Size 90 x 95mm	-	7,950
		CS200-S	Gauging Height 200 mm	Base Size 150 x 100mm	-	9,800
	MICROMETER STAND	BMS100	-	-	-	1,270
	MAGNETIC STAND WITH FINE ADJUSTMENT	MSF	-	-	-	1,820
	MAGNETIC STAND	MS	-	-	-	1,700
	UNIVERSAL MAGNETIC STAND	UMS	-	-	-	3,590
	DIAL THICKNESS GAUGE (130 series) (Throat Depth:30 mm)	K130/0	10 mm	0.1 mm	0-10	2,460
		K130/3	10 mm	0.01 mm	0-100	2,550
		K130/6	2 mm	0.002 mm	0-20	4,290
		K130/7	5 mm	0.002 mm	0-20	4,740
		K130/1	0.5"	0.001"	0-100	2,890
		K130/8	0.05"	0.0001"	0-100	4,710
		K130/9	0.2"	0.0001"	0-100	5,220
	PUSH DOWN TYPE 138 series (Throat Depth:50 mm)	K138/0	25 mm	0.1 mm	0-10	4,200
		K138/3	25 mm	0.01 mm	0-100	4,480
		K138/1	1.0"	0.001"	0-100	4,920
		K138/0L	25 mm	0.1 mm	0-10	4,570
		K138/3L	25 mm	0.01 mm	0-100	4,840
		K138/1L	1.0"	0.001"	0-100	5,330
	142 series (Throat Depth:100 mm)	K142/0	10 mm	0.1 mm	0-10	2,890
		K142/3	10 mm	0.01 mm	0-100	3,010
		K142/1	0.5"	0.001"	0-100	3,290
	145 series (Throat Depth:200 mm)	K145/0	10 mm	0.1 mm	0-10	3,530
		K145/3	10 mm	0.01 mm	0-100	3,640
		K145/1	0.5"	0.001"	0-100	3,940
	150 series (Throat Depth:200 mm)	K150/0	25 mm	0.1 mm	0-10	5,210
		K150/3	25 mm	0.01 mm	0-100	5,500
		K150/1	1.0"	0.001"	0-100	5,990
	DIGITAL DIAL THICKNESS GAUGE 130 (Throat Depth:30 mm)	K130/D	12.5 mm / 0.5"	0.001mm / 0.00005"	-	26,770
	142 (Throat Depth:100 mm)	K142/D	12.5 mm / 0.5"	0.001mm / 0.00005"	-	26,990
	138 (Throat Depth:50 mm)	K138/D	25 mm / 1"	0.001mm / 0.00005"	-	28,020
	145 (Throat Depth:200 mm)	K145/D	12.5 mm / 0.5"	0.001mm / 0.00005"	-	27,550
	150 (Throat Depth:200 mm)	K150/D	25 mm / 1"	0.001mm / 0.00005"	-	28,590
	VERNIER CALIPER	VC10	0-150 mm / 0-6"	0.02 mm / 0.001"	-	2,020
		VC20	0-200 mm / 0-8"	0.02 mm / 0.001"	-	3,220
		VC30	0-300 mm / 0-12"	0.02 mm / 0.001"	-	6,430




W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	VERNIER CALIPER WITH FINE ADJUSTMENT	VCF10	0-130 mm / 0-5"	0.02 mm / 0.001"	-	2,310	
		VCF20	0-180 mm / 0-7"	0.02 mm / 0.001"	-	3,420	
		VCF30	0-280 mm / 0-11"	0.02 mm / 0.001"	-	6,710	
		VCF45	0-430 mm / 0-17"	0.02 mm / 0.001"	-	19,750	
		VCF60	0-580 mm / 0-23"	0.02 mm / 0.001"	-	24,310	
		VCF80	0-780 mm / 0-31"	0.02 mm / 0.001"	-	36,590	
		VCF100	0-980 mm / 0-39"	0.02 mm / 0.001"	-	47,680	
		VCF150	0-1500 mm	0.02 mm / 0.001"	-	87,000	
		VCF200	0-2000 mm	0.02 mm / 0.001"	-	1,39,000	
	DIAL CALIPER	DC10	0-150 mm	0.02 mm	-	3,590	
		DC20	0-200 mm	0.02 mm	-	6,020	
		DC30	0-300 mm	0.02 mm	-	8,010	
	DIGITAL CALIPER	ED10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	3,620	
		ED20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	5,450	
		ED30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	7,370	
	DIGITAL CALIPER	SDN10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	6,250	
		SDN20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	8,150	
		SDN30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	10,590	
	DIGITAL CALIPER	SDN50	0-500 mm / 0-20"	0.01 mm / 0.0005 "	-	24,000	
		SDN60	0-600 mm / 0-24"	0.01 mm / 0.0005 "	-	32,500	
		SDN80	0-800 mm / 0-32"	0.01 mm / 0.0005 "	-	46,900	
		SDN100	0-1000 mm / 0-40"	0.01 mm / 0.0005"	-	61,000	
		SDN150	0-1500 mm	0.01 mm / 0.0005"	-	1,27,500	
		SDN200	0-2000 mm	0.01 mm / 0.0005"	-	1,84,000	
	DIGITAL CALIPER (IP67 & RS232 DATA OUTPUT)	ZD10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	9,900	
		ZD20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	12,950	
		ZD30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	15,950	
		Proximity cable for RS232 interface for ZD calipers					7,940
		Proximity cable for USB interface for ZD calipers					8,660
	DIGITAL DEPTH CALIPER	DDC10	0 - 150 mm / 0-6"	0.01 mm / 0.0005"	-	4,940	
		DDC20	0 - 200 mm / 0-8"	0.01 mm / 0.0005"	-	6,050	
		DDC30	0 - 300 mm / 0-12"	0.01 mm / 0.0005"	-	11,000	
	INTERNAL GROOVE CALIPER	IGC10	10 - 120mm	0.010mm	0 - 100-0	20,770	

W.E.F. 01-04-2024 (R1)








Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	DOUBLE INSIDE GROOVE DIGITAL CALIPER	DGC10	Upper Jaw : 9-150 mm / 0.35 - 6" & Lower Jaw : 17-150 mm / 0.70 - 6"	0.01 mm	-	13,600
	HIGH PRECISION DEPTH CALIPER	VDC10	0 - 150 mm	0.02 mm	-	2,450
		VDC20	0 - 200mm	0.02 mm	-	2,890
		VDC30	0 - 300mm	0.02 mm	-	4,660
	EXTERNAL DIAL CALIPER	EDC20	0 - 20 mm	0.01 mm	-	13,275
	INTERNAL DIAL CALIPER	IDC15	5 - 15 mm	0.01 mm	-	12,250
		IDC25	5 - 25 mm	0.01 mm	-	13,275
		IDC30	10 - 30 mm	0.01 mm	-	14,650
		IDC40	20 - 40 mm	0.01 mm	-	16,150
		IDC50	30 - 50 mm	0.01 mm	-	17,650
    	PRECISION PROBES AND TOOLS	3D TESTER	Refer our single page leaflet for details.	On Request		
		EDGE FINDER OPTICAL				
		ZERO SETTER 100 MM MECHANICAL (WITH MAGNET)				
		ZERO SETTER 60 MM OPTICAL (WITH MAGNET)				
		COAXIAL INDICATOR CENTRE PLUS V2 DIA 0-DIA110 (WITHOUT DIAL GAUGE)				

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	MEASURING PIN SET		0.5 to 20 mm	In steps of 0.01/0.02/0.05 mm	-	On request
	HIGH QUALITY SETTING MASTER	MASTER SETTING RINGS	1.5 mm TO 500 mm	-	-	On request
		MASTER SETTING DISCS	3 mm to 300 mm	-	-	
	ELECTRONIC AXIAL PROBE	2940	+/- 2mm	-	-	13,200

Product	Description	Type	Range	Reading	Price (₹)*
	EXTERNAL MICROMETER	MMC25 / INC1	0-25 mm/0-1"	0.01 mm/0.001"	1,700
		MMC25-1 / INC1-1	0-25 mm/0-1"	0.001 mm/0.0001"	2,080
		MMC50 / INC2	25-50 mm/1-2"	0.01 mm/0.001"	2,100
		MMC50-1 / INC2-1	25-50 mm/1-2"	0.001 mm/0.0001"	2,825
		MMC75 / INC3	50-75 mm/2-3"	0.01 mm/0.001"	2,390
		MMC75-1 / INC3-1	50-75 mm/2-3"	0.001 mm/0.0001"	3,125
		MMC100 / INC4	75-100 mm/3-4"	0.01 mm/0.001"	2,590
		MMC100-1 / INC4-1	75-100 mm/3-4"	0.001 mm/0.0001"	3,560
		MMC125 / INC5	100-125 mm/4-5"	0.01 mm/0.001"	3,190
		MMC125-1 / INC5-1	100-125 mm/4-5"	0.001 mm/0.0001"	4,480
		MMC150 / INC6	125-150 mm/5-6"	0.01 mm/0.001"	3,570
		MMC150-1 / INC6-1	125-150 mm/5-6"	0.001 mm/0.0001"	4,760
		MMC175 / INC7	150-175 mm/6-7"	0.01 mm/0.001"	4,150
		MMC200 / INC8	175-200 mm/7-8"	0.01 mm/0.001"	4,950
	EXTERNAL MICROMETER (WITH INTERCHANGEABLE ANVILS)	MMI0-100 / INI0-4	0-100 mm / 0-4"	0.01 mm/0.001"	9,950
		MMI0-150 / INI0-6	0-150 mm / 0-6"	0.01 mm/0.001"	12,990
		MMI150-300 / INI6-12	150-300 mm / 6-12"	0.01 mm/0.001"	18,000
		MMI200-300 / INI8-12	200-300 mm/8-12"	0.01 mm/0.001"	15,550
		MMI300-400 / INI12-16	300-400 mm/12-16"	0.01 mm/0.001"	20,500
		MMI400-500 / INI16-20	400-500 mm/16-20"	0.01 mm/0.001"	22,600
	EXTERNAL MICROMETER (WITH ADD ON EXTENSION ANVIL)	MME500-600 / INE20-24	500-600 mm/20-24"	0.01 mm/0.001"	30,200
		MME600-700 / INE24-28	600-700 mm/24-28"	0.01 mm/0.001"	35,750
		MME700-800 / INE28-32	700-800 mm/28-32"	0.01 mm/0.001"	39,650
		MME800-900 / INE32-36	800-900 mm/32-36"	0.01 mm/0.001"	44,500
		MME900-1000 / INE36-40	900-1000 mm/36-40"	0.01 mm/0.001"	52,500
	DISC MICROMETER ROTATING	MMC25-D / INC1-D	0-25 mm/0-1"	0.01 mm/0.001"	5,390
		MMC50-D / INC2-D	25-50 mm/1-2"	0.01 mm/0.001"	6,250
		MMC75-D / INC3-D	50-75 mm/2-3"	0.01 mm/0.001"	6,690
		MMC100-D / INC4-D	75-100 mm/3-4"	0.01 mm/0.001"	7,800
		MMC150-D / INC6-D	125-150 mm/5-6"	0.01 mm/0.001"	9,250
		MMC175-D / INC7-D	150-175 mm/6-7"	0.01 mm/0.001"	10,350

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Price (₹)*
	DISC MICROMETER NON-ROTATING	MMC25-ND/INC1-ND	0-25 mm/0-1"	0.01 mm/0.001"	8,480
		MMC50-ND/INC2-ND	25-50 mm/1-2"	0.01 mm/0.001"	10,195
		MMC75-ND/INC3-ND	50-75 mm/2-3"	0.01 mm/0.001"	10,830
		MMC100-ND/INC4-ND	75-100 mm/3-4"	0.01 mm/0.001"	11,250
	POINT MICROMETER 15°	MMC25-P1/INC1-P1	0-25 mm/0-1"	0.01 mm/0.001"	5,430
		MMC50-P1/INC2-P1	25-50 mm/1-2"	0.01 mm/0.001"	7,060
		MMC75-P1/INC3-P1	50-75 mm/2-3"	0.01 mm/0.001"	8,520
		MMC100-P1/INC4-P1	75-100 mm/3-4"	0.01 mm/0.001"	10,650
	POINT MICROMETER 30°	MMC25-P2/INC1-P2	0-25 mm/0-1"	0.01 mm/0.001"	5,030
		MMC50-P2/INC2-P2	25-50 mm/1-2"	0.01 mm/0.001"	6,290
		MMC75-P2/INC3-P2	50-75 mm/2-3"	0.01 mm/0.001"	7,140
		MMC100-P2/INC4-P2	75-100 mm/3-4"	0.01 mm/0.001"	8,375
	SPLINE MICROMETER Ø 2.0 mm X 5.0 mm	MMC25-S2/INC1-S2	0-25 mm/0-1"	0.01 mm/0.001"	5,610
		MMC50-S2/INC2-S2	25-50 mm/1-2"	0.01 mm/0.001"	7,025
		MMC75-S2/INC3-S2	50-75 mm/2-3"	0.01 mm/0.001"	8,285
		MMC100-S2/INC4-S2	75-100 mm/3-4"	0.01 mm/0.001"	8,795
	SPLINE MICROMETER Ø 3.0 mm X 8.0 mm	MMC25-S3/INC1-S3	0-25 mm/0-1"	0.01 mm/0.001"	5,610
		MMC50-S3/INC2-S3	25-50 mm/1-2"	0.01 mm/0.001"	7,025
		MMC75-S3/INC3-S3	50-75 mm/2-3"	0.01 mm/0.001"	8,285
		MMC100-S3/INC4-S3	75-100 mm/3-4"	0.01 mm/0.001"	8,795
	TUBE MICROMETER ONE END SPHERICAL	MMC25-T1/INC1-T1	0-25 mm/0-1"	0.01 mm/0.001"	2,770
		MMC50-T1/INC2-T1	25-50 mm/1-2"	0.01 mm/0.001"	3,595
		MMC75-T1/INC3-T1	50-75 mm/2-3"	0.01 mm/0.001"	4,060
		MMC100-T1/INC4-T1	75-100 mm/3-4"	0.01 mm/0.001"	4,470
	TUBE MICROMETER BOTH END SPHERICAL	MMC25-T2/INC1-T2	0-25 mm/0-1"	0.01 mm/0.001"	2,915
		MMC50-T2/INC2-T2	25-50 mm/1-2"	0.01 mm/0.001"	3,790
		MMC75-T2/INC3-T2	50-75 mm/2-3"	0.01 mm/0.001"	4,145
		MMC100-T2/INC4-T2	75-100 mm/3-4"	0.01 mm/0.001"	4,715
	BLADE MICROMETER (BLADE THICKNESS B-0.75 mm)	MMC25-B/INC1-B	0-25 mm/0-1"	0.01 mm/0.001"	8,035
		MMC50-B/INC2-B	25-50 mm/1-2"	0.01 mm/0.001"	8,560
		MMC75-B/INC3-B	50-75 mm/2-3"	0.01 mm/0.001"	8,840
		MMC100-B/INC4-B	75-100 mm/3-4"	0.01 mm/0.001"	9,775
		MMC125-B/INC5-B	100-125 mm/4-5"	0.01 mm/0.001"	15,050
		MMC150-B/INC6-B	125-150 mm/5-6"	0.01 mm/0.001"	17,610
		MMC175-B/INC7-B	150-175 mm/6-7"	0.01 mm/0.001"	19,230
		MMC200-B/INC8-B	175-200 mm/7-8"	0.01 mm/0.001"	20,695
	BLADE MICROMETER (BLADE THICKNESS BA-0.4 mm)	MMC25-BA/INC1-BA	0-25 mm/0-1"	0.01 mm/0.001"	9,650
		MMC50-BA/INC2-BA	25-50 mm/1-2"	0.01 mm/0.001"	10,275
		MMC75-BA/INC3-BA	50-75 mm/2-3"	0.01 mm/0.001"	10,615
		MMC100-BA/INC4-BA	75-100 mm/3-4"	0.01 mm/0.001"	11,740
		MMC125-BA/INC5-BA	100-125 mm/4-5"	0.01 mm/0.001"	19,010
		MMC150-BA/INC6-BA	125-150 mm/5-6"	0.01 mm/0.001"	22,245
		MMC175-BA/INC7-BA	150-175 mm/6-7"	0.01 mm/0.001"	24,290
		MMC200-BA/INC8-BA	175-200 mm/7-8"	0.01 mm/0.001"	26,140

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Price (₹)*
	DEPTH MICROMETER	MMC25-DM60/ INC1-DM60	0-25 mm/0-1"	0.01 mm/0.001"	5,110
		MMC25-1DM60/ INC1-1DM60	0-25 mm/0-1"	0.001 mm/0.0001"	5,340
		MMC25-DM100/ INC1-DM100	0-25 mm/0-1"	0.01 mm/0.001"	5,625
		MMC25-1DM100/ INC1-1DM100	0-25 mm/0-1"	0.001 mm/0.0001"	5,875
		MMC25-DM60S/ INC1-DM60S	0-25 mm/0-1"	0.01 mm/0.001"	5,875
		MMC25-1DM60S/ INC1-1DM60S	0-25 mm/0-1"	0.001 mm/0.0001"	6,145
	S-SPHERICAL FACE	MMC25-DM100S/ INC1-DM100S	0-25 mm/0-1"	0.01 mm/0.001"	6,470
		MMC25-1DM100S/ INC1-1DM100S	0-25 mm/0-1"	0.001 mm/0.0001"	6,755
		MMC100-DM60/ INC4-DM60	0-100 mm/0-4"	0.01 mm/0.001"	6,255
		MMC100-DM100/ INC4-DM100	0-100 mm/0-4"	0.01 mm/0.001"	6,800
		MMC150-DM60/ INC6-DM60	0-150 mm/0-6"	0.01 mm/0.001"	7,815
		MMC150-DM100/ INC6-DM100	0-150 mm/0-6"	0.01 mm/0.001"	8,600
	MICROMETER HEAD PLAIN	MM25-HP/IN1-HP	0-25 mm/0-1"	0.01 mm/0.001"	1,450
		MM25-1HP/IN1-1HP	0-25 mm/0-1"	0.001 mm/0.0001"	1,600
	MICROMETER HEAD THREADED	MM25-HT/IN1-HT	0-25 mm/0-1"	0.01 mm/0.001"	1,500
		MM25-1HT/INC1-1HT	0-25 mm/0-1"	0.001 mm/0.0001"	1,650
	MICROMETER HEAD DIFFERENTIAL	MMH-P	0-1 mm	0.001 mm	On Request
	DIGITAL MICROMETER (WITHOUT DATA OUTPUT)	DMM25	0-25 mm	0.001mm/0.00005"	7,980
		DMM50	25-50 mm	0.001mm/0.00005"	10,405
		DMM75	50-75 mm	0.001mm/0.00005"	12,320
		DMM100	75-100 mm	0.001 mm/0.00005"	14,250
		DMM125	100-125 mm	0.001 mm/0.00005"	15,710
		DMM150	125-150 mm	0.001 mm/0.00005"	17,625
		DMM175	150-175 mm	0.001 mm/0.00005"	18,870
		DMM200	175-200 mm	0.001 mm/0.00005"	20,755
	DIGITAL MICROMETER (WITH DATA OUTPUT)	DMM25-1	0-25 mm	0.001 mm/0.00005"	9,865
		DMM50-1	25-50 mm	0.001 mm/0.00005"	12,560
		DMM75-1	50-75 mm	0.001 mm/0.00005"	16,075
		DMM100-1	75-100 mm	0.001 mm/0.00005"	18,065
		DATA CABLE P1502	-	-	5,605
		SWITCH P1601	-	-	1,295
	VALUE LINE DIGITAL MICROMETER	DMME25	0-25 mm	0.001 mm	5,410
		DMME50	25-50 mm	0.001 mm	6,490
		DMME75	50-75 mm	0.001 mm	7,310
		DMME100	75-100 mm	0.001 mm	8,120
		DMME125	100-125 mm	0.001 mm	9,480
		DMME150	125-150 mm	0.001 mm	10,230
		DMME175	150-175 mm	0.001 mm	11,110
		DMME200	175-200 mm	0.001 mm	12,200

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Price (₹)*
	DIGITAL NON ROTATING DISC MICROMETER	DMM25-ND	0-25mm	0.001 mm/0.00005"	17,460
		DMM50-ND	25-50mm		19,880
		DMM75-ND	50-75mm		21,380
		DMM100-ND	75-100mm		23,630
		DMM125-ND	100-125mm		26,170
		DMM150-ND	125-150mm		28,500
		DMM175-ND	150-175mm		31,000
		DMM200-ND	175-200mm		33,580
	DIGITAL BLADE MICROMETER	DMM25-B	0-25mm	0.001 mm / 0.00005"	19,375
		DMM50-B	25-50mm		20,575
		DMM75-B	50-75mm		21,770
		DMM100-B	75-100mm		23,390
	DIGITAL POINT MICROMETER 15°	DMM25-P1	0-25mm	0.001 mm/0.00005"	15,475
		DMM50-P1	25-50mm		16,525
		DMM75-P1	50-75mm		17,580
		DMM100-P1	75-100mm		18,640
	DIGITAL POINT MICROMETER 30°	DMM25-P2	0-25mm	0.001 mm/0.00005"	15,475
		DMM50-P2	25-50mm		16,525
		DMM75-P2	50-75mm		17,580
		DMM100-P2	75-100mm		18,640
	DIGITAL TUBE MICROMETER ONE END SPHERICAL	DMM25-T1	0-25mm	0.001 mm/0.00005"	14,275
	DIGITAL TUBE MICROMETER BOTH END SPHERICAL	DMM25-T2	0-25mm	0.001 mm/0.00005"	16,535
	DIGITAL GEAR TOOTH MICROMETER	DMM25-G	0-25mm	0.001 mm / 0.00005"	15,695
		DMM50-G	25-50mm		16,395
		DMM75-G	50-75mm		17,090
		DMM100-G	75-100mm		17,790
	DIGITAL DEPTH MICROMETER	DMM150-DM60	0-150mm	0.001 mm / 0.00005"	19,595


W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Price (₹)*
	TUBULAR INTERNAL MICROMETER	MMT150	50 - 150 mm	0.01 mm	7,370
		MMT300	50 - 300 mm	0.01 mm	9,930
		MMT500	50 - 500 mm	0.01 mm	13,644
		MMT1000	50 - 1000 mm	0.01 mm	18,000
		MMT1500	50 - 1500 mm	0.01 mm	22,253
	MECHANICAL INTERNAL MICROMETER	SMXTA1M/SMXTA1i	2-3 mm / 0.080"-0.120"	0.001 mm/0.0001"	1,20,360
		SMXTA2M/SMXTA2i	3-6 mm / 0.120"-0.250"mm	0.001 mm/0.0001"	1,63,530
		SMXTA3M/SMXTA3i	6-10 mm / 1/4" - 3/8"	0.002 mm/0.0001"	48,170
		SMXTA4M/SMXTA4i	10-20 mm / 3/8" - 3/4"	0.002 mm/0.0001"	65,210
		SXTA5M/SXTA5i	20-50 mm / 3/4" - 2"	0.005 mm/0.00025"	1,07,000
		SXTA6M/SXTA6i	50-100 mm / 2" - 4"	0.005 mm/0.00025"	1,52,270
		SXTA7M/SXTA7i	100-150 mm / 4" - 6"	0.005 mm/0.00025"	1,15,530
		SXTA8M/SXTA8i	150-200 mm / 6" - 8"	0.005 mm/0.00025"	1,67,870
	DIGITAL PISTOL GRIP INTERNAL MICROMETER (XT HOLEMATIC) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXTH1M-BT/SXTH1i-BT	2-6 mm / 0.080" - 0.25"	0.001 mm/0.00005"	3,14,700
		SXTH3M-BT/SXTH3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	1,26,960
		SXTH4M-BT/SXTH4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	1,47,980
		SXTH5M-BT/SXTH5i-BT	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	1,92,890
		SXTH6M-BT/SXTH6i-BT	50-100 mm / 2" - 4"	0.001 mm/0.00005"	2,13,430
		SXTH7M-BT/SXTH7i-BT	100-150 mm / 4" - 6"	0.001 mm/0.00005"	1,89,170
		SXTH8M-BT/SXTH8i-BT	150-200 mm / 6" - 8"	0.001 mm/0.00005"	2,50,460
		SXTH9M-BT/SXTH9i-BT	100-200 mm / 4" - 8"	0.001 mm/0.00005"	3,89,500
		SXTH10M-BT/SXTH10i-BT	6-20 mm / 1/4" - 3/4"	0.001 mm/0.00005"	1,72,980
		SXTH11M-BT/SXTH11i-BT	20-100 mm / 3/4" - 4"	0.001 mm/0.00005"	3,03,360
	DIGITAL INTERNAL MICROMETER (XT DIGITAL) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXTD1M-BT/SXTD1i-BT	2-6 mm / 0.080" - 0.25"	0.001 mm/0.00005"	2,86,740
		SXTD3M-BT/SXTD3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	1,20,440
		SXTD4M-BT/SXTD4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	1,37,430
		SXTD5M-BT/SXTD5i-BT	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	1,89,950
		SXTD6M-BT/SXTD6i-BT	50-100 mm / 2" - 4"	0.001 mm/0.00005"	2,10,450
		SXTD7M-BT/SXTD7i-BT	100-150 mm / 4" - 6"	0.001 mm/0.00005"	1,79,510
		SXTD8M-BT/SXTD8i-BT	150-200 mm / 6" - 8"	0.001 mm/0.00005"	2,37,760
		SXTD9M-BT/SXTD9i-BT	100-200 mm / 4" - 8"	0.001 mm/0.00005"	3,78,040
	LARGE DIAMETER 3-POINT DIGITAL INTERNAL MICROMETER (XT500) (IP67, RS232 & BLUETOOTH DATA OUTPUT)	SXT3000M-BT	300 - 400	0.001 mm/0.00005"	5,01,890
		SXT4000M-BT	400 - 500	0.001 mm/0.00005"	6,19,030
		SXT5000M-BT	300 - 500	0.001 mm/0.00005"	7,87,590
	LEVER TYPE INTERNAL MICROMETER (XTL)	SXTL3M-BT/SXTL3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	1,26,890
		SXTL4M-BT/SXTL4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	1,46,920
		SXTL5M/SXTL5i	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	1,90,490
		SXTL6M/SXTL6i	50-100 mm / 2" - 4"	0.001 mm/0.00005"	2,12,810

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	BACK PLUNGER TYPE DIAL GAUGE (MODEL 38)	FO1	2 mm	0.01 mm	0-50-0	2,480
		FO2	2 mm	0.01 mm	0-100	2,480
		F51	0.1"	0.001"	0-50-0	2,780
		F52	0.1"	0.001"	0-100	2,780
	UNIVERSAL TEST SET	UI01	2 mm	0.01 mm	0-50-0	4,070
		UI02	2 mm	0.01 mm	0-100	4,070
		UI51	0.1"	0.001"	0-50-0	4,480
		UI52	0.1"	0.001"	0-100	4,480
	TYRE TREAD DEPTH GAUGE	TTG01	8 mm	0.1 mm	-	2,055
		TTG02	0.32"	0.004"	-	2,260
	CRANK SHAFT GAUGE	CS1	60-600 mm	0.01 mm	0-50	7,490
		CS2	2.4"-23.6"	0.0005"	0-20	8,230
	DIAL DEPTH GAUGE	K158/0	0-200 mm	0.1 mm	10-0	3,010
		K158/3	0-200 mm	0.01 mm	100-0	3,410
		K158/1	0-8"	0.001"	100-0	3,750
	DIGITAL DIAL DEPTH GAUGE	K158/D	0-200 mm/0.8"	0.01 mm/0.0005"	-	9,300
		K158/DP	0-200 mm/0.8"	0.001 mm/0.00005"	-	13,580
	VERNIER HEIGHT GAUGE	VH300	0-300 mm/0-12"	0.02 mm/0.001"	-	14,940
		VH600	0-600 mm/0-24"	0.02 mm/0.001"	-	25,360
	DIGITAL HEIGHT GAUGE	DH300	0-300 mm/0-12"	0.01 mm/0.0005"	-	23,420
		DH600	0-600 mm/24"	0.01 mm/0.0005"	-	44,240
		DH1000	0-1000 mm/0-40"	0.01 mm/0.0005"	-	74,690
	DOUBLE COLUMN DIGITAL HEIGHT GAUGE	DCDH300	0-300 mm/0-12"	0.010 mm/0.0005"	-	35,620
		DCDH600	0-600 mm/0-24"	0.010 mm/0.0005"	-	53,430

W.E.F. 01-04-2024 (R1)

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	UNIVERSAL BEVEL PROTRACTOR		0-360°	-	5'	5,990
	PRECISION SPIRIT LEVEL	BSL 150	150 x 44 x 46 mm	0.02 mm/m	-	8,990
		BSL 200	200 x 48 x 46 mm	0.02 mm/m	-	9,400
		BSL 300	300 x 48 x 46 mm	0.02 mm/m	-	11,700
	PORTABLE SURFACE ROUGHNESS TESTER SRT100	SRT100	Refer our single page leaflet for details.			1,10,000
	HIGH QUALITY GAUGE BLOCK SETS	(M112/1 in steel /Carbide in Grade 0/1. M83 in steel in Grade II. Other sets on requests)				On request
	HIGH PRECISION 2D HEIGHT GAUGES	PROHEIGHT 400	450 mm	0.01/0.005/0.001/0.0005/0.0001 mm Refer our single page leaflet for details.		On request
		PROHEIGHT 400P	450 mm			
		PROHEIGHT 700	700 mm			
		PROHEIGHT 700 P	700 mm			
		PROHEIGHT 1000	1000 mm			
		PROHEIGHT 1000P	1000 mm			

GOKUL TRADERS

H.O.: 983, Raviwar Peth, Laxmi Road,
Pune-411002. | **Ph: +91- 7972969901**

Marketing Office: 1201/11, Shirole Road, Rajnigandha
Apt, FlatNo.4,Pune- 411005. | **Ph: +91- 7410524141**

Email: info@gokultraders.com

Website: www.gokultraders.com

