









W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	<b>PLUNGER TYPE DIAL GAUGE (MODEL 40)</b>	K39	5 mm	0.01 mm	0-50-0	2,690
		K40	5 mm	0.01 mm	0-100	2,690
		K41	0.25"	0.001"	0-50-0	2,970
		K42	0.25"	0.001"	0-100	2,970
		K35	10 mm	0.1 mm	0-10	3,110
		K36	5 mm	0.01 mm	0-50	3,370
		K43	0.25"	0.0005"	0-50	3,260
		K40Z	0.8 mm	0.01 mm	40-0-40	2,980
	<b>PLUNGER TYPE DIAL GAUGE (MODEL 56)</b>	KZ	0.8 mm	0.01 mm	40-0-40	1,910
		K01	10 mm	0.01 mm	0-50-0	1,730
		K02	10 mm	0.01 mm	0-100	1,750
		K03	5 mm	0.01 mm	0-50-0	1,790
		K04	5 mm	0.01 mm	0-100	1,790
		K05 SP	10 mm	0.1 mm	0-10	1,700
		K06A	25 mm	0.1 mm	0-10	2,380
		K07	30 mm	0.01 mm	0-100	3,770
		K08A	25 mm	0.01 mm	0-100	2,220
		K08	25mm	0.01 mm	0-100	2,380
		K09	2 mm	0.002 mm	0-10-0	3,770
		K10	2 mm	0.002 mm	0-20	3,770
		K11	5 mm	0.002 mm	0-10-0	3,930
		K12	5 mm	0.002 mm	0-20	3,180
		K13A	12 mm	0.002 mm	0-10-0	7,270
		K14A	12 mm	0.002 mm	0-20	7,270
		K17S	1 mm	0.001 mm	0-100-0	3,800
		K20	50 mm	0.01 mm	0-100	6,200
		KY	0.08"	0.001"	40-0-40	2,070
		K50	1"	0.001"	0-100	3,270
		K51	0.5"	0.001"	0-50-0	2,490
		K52	0.5"	0.001"	0-100	2,490
		K53	0.5"	0.0005"	0-25-0	3,040
		K54	0.5"	0.0005"	0-50	3,040
K61	0.2"	0.0001"	0-50-0	5,460		
K62	0.2"	0.0001"	0-100	5,460		
K63A	0.5"	0.0001"	0-50-0	8,800		
K64A	0.5"	0.0001"	0-100	8,800		
K21	2"	0.001"	0-100	6,200		
	<b>PLUNGER TYPE DIAL GAUGE (MODEL 88)</b>	K72	50 mm	0.01 mm	0-100	7,860
		K76	2"	0.001"	0-100	8,310
	<b>PLUNGER TYPE DIAL GAUGE (MODEL 100)</b>	K100	100 mm	0.01 mm	0-100	25,230
	<b>PLUNGER TYPE DIAL GAUGE (MODEL 105)</b>	K101	2 mm	0.01 mm	0-50-0	7,090
	<b>HARDNESS TESTER DIAL (ROCKWELL) STANDARD</b>	-	-	-	-	3,430

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	<b>DIGITAL DIAL GAUGES IP67 (RS232 DATA OUTPUT/ BLUE TOOTH) 'W' Series</b>	W1	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	29,910	
		W2	25 mm / 1"	0.001 mm / 0.00005"	-	31,420	
		W3	50 mm / 2"	0.001 mm / 0.00005"	-	53,940	
		W1A	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	31,810	
		W2A	25 mm / 1"	0.001 mm / 0.00005"	-	33,210	
		W3A	50 mm / 2"	0.001 mm / 0.00005"	-	55,770	
		BAKER Proximity cable with RS232 interface suitable for BAKER digital dials W1, W2, W3, W1A, W2A & W3A.					9,090
		BAKER Proximity cable with USB interface suitable for BAKER digital dials W1,W2,W3, W1A, W2A & W3A.					9,920
		W1A-B	12.5 mm /0.5"	0.001 mm / 0.00005"	-	39,680	
		W2A-B	25 mm/1.0"	0.001 mm / 0.00005"	-	43,130	
	<b>DIGITAL DIAL GAUGE</b>	V1	12.5 mm / 0.5"	0.01 mm / 0.0005"	-	8,050	
		V2	25 mm / 1"	0.01 mm / 0.0005"	-	9,490	
		V3	50 mm / 2"	0.01 mm / 0.0005"	-	23,280	
		V1P	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	15,800	
		V2P	25 mm / 1"	0.001 mm / 0.00005"	-	18,980	
	<b>LEVER TYPE DIAL GAUGE (MODEL 29)</b>	302P	0.8 mm	0.01 mm	0-40-0	4,910	
		304	0.2 mm	0.002 mm	0-10-0	5,990	
		Supplied with $\varnothing$ 2 mm T.C. Ball Stylus fitted to the gauge, Height Gauge Adapter, $\varnothing$ 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		302AP	0.8 mm	0.01 mm	0-40-0	4,280	
		304A	0.2 mm	0.002 mm	0-10-0	4,630	
	Supplied with $\varnothing$ 2 mm T.C. Ball Stylus & 8 mm Dovetail Spigot Assembly fitted to the gauge						
	<b>LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 29)</b>	302L	0.8 mm	0.01 mm	0-40-0	7,000	
		Supplied with $\varnothing$ 2 mm T.C. Ball Stylus fitted to the gauge, Height Gauge Adapter, $\varnothing$ 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		302AL	0.8 mm	0.01 mm	0-40-0	6,090	
		Supplied with 33 mm long $\varnothing$ 2 mm T.C. Ball Stylus & $\varnothing$ 8 mm Dovetail Spigot Assembly fitted to the gauge.					
	<b>LEVER TYPE DIAL GAUGE (MODEL 38)</b>	306P	0.8 mm	0.01 mm	0-40-0	5,720	
		308	0.2 mm	0.002 mm	0-10-0	7,040	
		Supplied with $\varnothing$ 2 mm T.C. Ball Stylus fitted to the gauge, Height Gauge Adapter, $\varnothing$ 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		306AP	0.8 mm	0.01 mm	0-40-0	4,450	
		308A	0.2 mm	0.002 mm	0-10-0	6,020	
	Supplied with $\varnothing$ 2 mm T.C. Ball Stylus & $\varnothing$ 8 mm Dovetail Spigot Assembly fitted to the gauge.						
	<b>LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 38)</b>	306L	0.8 mm	0.01 mm	0-40-0	7,660	
		Supplied with 33 mm long $\varnothing$ 2 mm T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, & $\varnothing$ 8 mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box.					
		306AL	0.8 mm	0.01 mm	0-40-0	6,740	
		Supplied with 33 mm long $\varnothing$ 2 mm T.C. Ball Stylus & $\varnothing$ 8 mm Dovetail Spigot Assembly fitted to the gauge.					







W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	DIAL BORE GAUGE	K439	4 - 6 mm	0.01 mm	0-50-0	27,430
		K539	6 - 10 mm	0.01 mm	0-50-0	14,360
		K639	10 - 18 mm	0.01 mm	0-50-0	9,510
		K641	0.4" - 0.7"	0.001"	0-50-0	9,730
		K703	18 - 50 mm	0.01 mm	0-50-0	8,690
		K709	18 - 50 mm	0.002 mm	0-10-0	10,490
		K717	18 - 50 mm	0.001 mm	0-100-0	10,770
		K753	0.7" - 2"	0.0005"	0-25-0	9,920
		K761	0.7" - 2"	0.0001"	0-50-0	11,180
		K803	50 - 150 mm	0.01 mm	0-50-0	9,220
		K809	50 - 150 mm	0.002 mm	0-10-0	10,920
		K817	50 - 150 mm	0.001 mm	0-100-0	11,170
		K853	2" - 6"	0.0005"	0-25-0	10,830
		K861	2" - 6"	0.0001"	0-50-0	12,070
		K903	150 - 250 mm	0.01 mm	0-50-0	16,630
		K909	150 - 250 mm	0.002 mm	0-10-0	18,050
		K917	150 - 250 mm	0.001 mm	0-100-0	18,430
		K953	6" - 10"	0.0005"	0-25-0	17,350
		K961	6" - 10"	0.0001"	0-50-0	18,120
		K1003	250 - 450 mm	0.01 mm	0-50-0	20,750
		K1009	250 - 450 mm	0.002 mm	0-10-0	22,330
		K1017	250 - 450 mm	0.001 mm	0-100-0	22,730
		K1053	10 - 18"	0.0005"	0-25-0	21,550
		K1061	10 - 18"	0.0001"	0-50-0	23,250
K803-S	50 - 150 mm	0.01 mm	0-50-0	10,460		
K809-S	50 - 150 mm	0.002 mm	0-10-0	12,400		
K853-S	50 - 150 mm	0.0005"	0-25-0	11,760		
K861-S	50 - 150 mm	0.0001"	0-50-0	13,710		
	DIAL GAUGES FOR BORE GAUGES	BGD10	2 mm	0.010 mm	-	1,740
		BGD-2	2 mm	0.002 mm	-	3,650
		BGD-1	1 mm	0.001 mm	-	3,540
		BGD - 0.0005"	0.1"	0.0005"	-	2,950
		BGD - 0.0001"	0.1"	0.0001"	-	5,290
	DIAL SNAP GAUGE (WITHOUT DIAL GAUGE)	DS25	0 - 25 mm	-	-	9,050
		DS50	25 - 50 mm	-	-	9,350
		DS75	50 - 75 mm	-	-	10,660
		DS100	75 - 100 mm	-	-	11,180
		DS125	100 - 125 mm	-	-	13,000
		DS150	125 - 150 mm	-	-	14,280
		DS175	150 - 175 mm	-	-	14,760
		DS200	175 - 200 mm	-	-	16,030
		DS225	200 - 225 mm	-	-	19,510
		DS250	225 - 250 mm	-	-	22,360
		DS275	250 - 275 mm	-	-	27,230
DS300	275 - 300 mm	-	-	30,480		
	COMPARATOR STAND (PLAIN BASE)	CS150	Gauging Height	Base Size	-	8,530
		CS200	Gauging Height	Base Size	-	10,160
	COMPARATOR STAND (SERRATED BASE)	CS150-S	Gauging Height	Base Size	-	8,850
		CS200-S	Gauging Height	Base Size	-	10,810
	MICROMETER STAND	BMS100	-	-	-	1,150
	MAGNETIC STAND WITH FINE ADJUSTMENT	MSF	-	-	-	1,770
	MAGNETIC STAND	MS	-	-	-	1,660
UNIVERSAL MAGNETIC STAND	UMS	-	-	-	3,490	

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	<b>DIAL THICKNESS GAUGE</b> (130 series) (Throat Depth:30 mm)	K130/0	10 mm	0.1 mm	0-10	2,770
		K130/3	10 mm	0.01 mm	0-100	2,870
		K130/6	2 mm	0.002 mm	0-20	4,830
		K130/7	5 mm	0.002 mm	0-20	5,330
		K130/1	0.5"	0.001"	0-100	3,250
		K130/8	0.05"	0.0001"	0-100	5,300
		K130/9	0.2"	0.0001"	0-100	5,880
	<b>PUSH DOWN TYPE</b> 138 series (Throat Depth:50 mm)	K138/0	25 mm	0.1 mm	0-10	4,500
		K138/3	25 mm	0.01 mm	0-100	4,800
		K138/1	1.0"	0.001"	0-100	5,270
		K138/0L	25 mm	0.1 mm	0-10	4,890
		K138/3L	25 mm	0.01 mm	0-100	5,180
		K138/1L	1.0"	0.001"	0-100	5,710
	142 series (Throat Depth:100 mm)	K142/0	10 mm	0.1 mm	0-10	3,090
		K142/3	10 mm	0.01 mm	0-100	3,220
		K142/1	0.5"	0.001"	0-100	3,520
	145 series (Throat Depth:200 mm)	K145/0	10 mm	0.1 mm	0-10	3,890
		K145/3	10 mm	0.01 mm	0-100	4,100
		K145/1	0.5"	0.001"	0-100	4,340
	150 series (Throat Depth:200 mm)	K150/0	25 mm	0.1 mm	0-10	5,730
		K150/3	25 mm	0.01 mm	0-100	6,050
		K150/1	1.0"	0.001"	0-100	6,590
	<b>DIGITAL DIAL THICKNESS GAUGE</b> 130 (Throat Depth:30 mm)	K130/D	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	30,920
	142 (Throat Depth:100 mm)	K142/D	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	31,180
	138 (Throat Depth:50 mm)	K138/D	25 mm / 1"	0.001 mm / 0.00005"	-	32,380
	145 (Throat Depth:200 mm)	K145/D	12.5 mm / 0.5"	0.001 mm / 0.00005"	-	31,830
	150 (Throat Depth:200 mm)	K150/D	25 mm / 1"	0.001 mm / 0.00005"	-	33,030
	<b>VERNIER CALIPER</b>	VC10	0-150 mm / 0-6"	0.02 mm / 0.001"	-	2,160
		VC20	0-200 mm / 0-8"	0.02 mm / 0.001"	-	3,220
		VC30	0-300 mm / 0-12"	0.02 mm / 0.001"	-	6,430




W.E.F. 01-04-2026



Product	Description	Type	Range	Reading	Graduation	Price (₹)*	
	VERNIER CALIPER WITH FINE ADJUSTMENT	VCF10	0-130 mm / 0-5"	0.02 mm / 0.001"	-	2,430	
		VCF20	0-180 mm / 0-7"	0.02 mm / 0.001"	-	3,590	
		VCF30	0-280 mm / 0-11"	0.02 mm / 0.001"	-	6,710	
		VCF45	0-430 mm / 0-17"	0.02 mm / 0.001"	-	18,850	
		VCF60	0-580 mm / 0-23"	0.02 mm / 0.001"	-	21,880	
		VCF80	0-780 mm / 0-31"	0.02 mm / 0.001"	-	36,240	
		VCF100	0-980 mm / 0-39"	0.02 mm / 0.001"	-	47,210	
		VCF150	0-1500 mm	0.02 mm / 0.001"	-	87,000	
		VCF200	0-2000 mm	0.02 mm / 0.001"	-	1,52,900	
	DIAL CALIPER	DC10	0-150 mm	0.02 mm	-	3,770	
		DC20	0-200 mm	0.02 mm	-	6,320	
		DC30	0-300 mm	0.02 mm	-	8,410	
		DC60	0-600 mm	0.02 mm	-	26,800	
		DC100	0-1000 mm	0.02 mm	-	58,000	
	DIGITAL CALIPER	ED10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	3,840	
		ED20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	5,780	
		ED30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	7,810	
	DIGITAL CALIPER	SDN10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	6,970	
		SDN20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	9,080	
		SDN30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	11,790	
	DIGITAL CALIPER	SDN50	0-500 mm / 0-20"	0.01 mm / 0.0005 "	-	27,600	
		SDN60	0-600 mm / 0-24"	0.01 mm / 0.0005 "	-	32,500	
		SDN80	0-800 mm / 0-32"	0.01 mm / 0.0005 "	-	58,255	
		SDN100	0-1000 mm / 0-40"	0.01 mm / 0.0005"	-	67,100	
		SDN150	0-1500 mm	0.01 mm / 0.0005"	-	1,32,600	
		SDN200	0-2000 mm	0.01 mm / 0.0005"	-	1,91,360	
	DIGITAL CALIPER (IP67 & RS232 DATA OUTPUT)	ZDN10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	12,600	
		ZDN20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	15,790	
		ZDN30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	19,450	
		Proximity cable for RS232 interface for ZDN calipers					9,090
		Proximity cable for USB interface for ZDN calipers					9,920
	DIGITAL DEPTH CALIPER	DCC10	0 - 150 mm / 0-6"	0.01 mm / 0.0005"	-	5,190	
		DCC20	0 - 200 mm / 0-8"	0.01 mm / 0.0005"	-	6,350	
		DCC30	0 - 300 mm / 0-12"	0.01 mm / 0.0005"	-	11,660	
	INTERNAL GROOVE CALIPER	IGC10	10 - 120 mm	0.010 mm	0 - 100-0	20,770	

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	<b>DOUBLE INSIDE GROOVE DIGITAL CALIPER</b>	DGC10	Upper Jaw : 9-150 mm / 0.35 – 6" & Lower Jaw : 17-150 mm / 0.70 – 6"	0.01 mm	-	14,960
	<b>HIGH PRECISION DEPTH CALIPER</b>	VDC10	0 - 150 mm	0.02 mm	-	2,650
		VDC20	0 - 200 mm	0.02 mm	-	3,120
		VDC30	0 - 300 mm	0.02 mm	-	5,030
	<b>INTERNAL DIAL CALIPER</b>	IDC15	5 - 15 mm	0.01 mm	-	13,170
		IDC25	5 - 25 mm	0.01 mm	-	14,270
		IDC30	10 - 30 mm	0.01 mm	-	15,750
		IDC40	20 - 40 mm	0.01 mm	-	17,360
		IDC50	30 - 50 mm	0.01 mm	-	18,980
	<b>PRECISION PROBES AND TOOLS</b>	3D TESTER				21,040
		EDGE FINDER OPTICAL				12,320
		ZERO SETTER 100 MM MECHANICAL (WITH MAGNET)				19,360
		ZERO SETTER 60 MM OPTICAL (WITH MAGNET)				18,850
		COAXIAL INDICATOR CENTRE PLUS V2 DIA 0-DIA110 (WITHOUT DIAL GAUGE)				12,620
				Refer our single page leaflet for details.		

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	<b>MEASURING PIN SET</b>		0.5 to 20 mm	In steps of 0.01/0.02/0.05 mm	-	On request
	<b>HIGH QUALITY SETTING MASTER</b>	MASTER SETTING RINGS	1.5 mm TO 500 mm	-	-	Refer our Price list
		MASTER SETTING DISCS	3 mm to 300 mm	-	-	
	<b>ELECTRONIC AXIAL PROBE</b>	2940	+/- 2 mm	-	-	13,200

Product	Description	Type	Range	Reading	Price (₹)*
	<b>EXTERNAL MICROMETER</b>	MMC25 / INC1	0-25 mm/0-1"	0.01 mm/0.001"	2,020
		MMC25-1 / INC1-1	0-25 mm/0-1"	0.001 mm/0.0001"	2,330
		MMC50 / INC2	25-50 mm/1-2"	0.01 mm/0.001"	2,430
		MMC50-1 / INC2-1	25-50 mm/1-2"	0.001 mm/0.0001"	3,040
		MMC75 / INC3	50-75 mm/2-3"	0.01 mm/0.001"	2,760
		MMC75-1 / INC3-1	50-75 mm/2-3"	0.001 mm/0.0001"	3,360
		MMC100 / INC4	75-100 mm/3-4"	0.01 mm/0.001"	3,000
		MMC100-1 / INC4-1	75-100 mm/3-4"	0.001 mm/0.0001"	3,830
		MMC125 / INC5	100-125 mm/4-5"	0.01 mm/0.001"	3,680
		MMC125-1 / INC5-1	100-125 mm/4-5"	0.001 mm/0.0001"	4,820
		MMC150 / INC6	125-150 mm/5-6"	0.01 mm/0.001"	4,120
		MMC150-1 / INC6-1	125-150 mm/5-6"	0.001 mm/0.0001"	5,120
		MMC175 / INC7	150-175 mm/6-7"	0.01 mm/0.001"	4,800
MMC200 / INC8	175-200 mm/7-8"	0.01 mm/0.001"	5,720		
	<b>EXTERNAL MICROMETER (WITH INTERCHANGEABLE ANVILS)</b>	MMI0-100 / INI0-4	0-100 mm / 0-4"	0.01 mm/0.001"	11,500
		MMI0-150 / INI0-6	0-150 mm / 0-6"	0.01 mm/0.001"	14,800
		MMI100-200/INI4-8	100-200 mm/4-8"	0.01 mm/0.001"	15,200
		MMI150-300 / INI6-12	150-300 mm / 6-12"	0.01 mm/0.001"	20,800
		MMI200-300 / INI8-12	200-300 mm/8-12"	0.01 mm/0.001"	17,720
		MMI300-400 / INI12-16	300-400 mm/12-16"	0.01 mm/0.001"	23,360
		MMI400-500 / INI16-20	400-500 mm/16-20"	0.01 mm/0.001"	24,290

**W.E.F. 01-04-2026**

Product	Description	Type	Range	Reading	Price (₹)*
	<b>EXTERNAL MICROMETER (WITH ADD ON EXTENSION ANVIL)</b>	MME500-600 / INE20-24	500-600 mm/20-24"	0.01 mm/0.001"	32,460
		MME600-700 / INE24-28	600-700 mm/24-28"	0.01 mm/0.001"	38,430
		MME700-800 / INE28-32	700-800 mm/28-32"	0.01 mm/0.001"	42,620
		MME800-900 / INE32-36	800-900 mm/32-36"	0.01 mm/0.001"	47,840
		MME900-1000 / INE36-40	900-1000 mm/36-40"	0.01 mm/0.001"	56,440
	<b>DISC MICROMETER ROTATING</b>	MMC25-D / INC1-D	0-25 mm/0-1"	0.01 mm/0.001"	6,150
		MMC50-D / INC2-D	25-50 mm/1-2"	0.01 mm/0.001"	6,720
		MMC75-D / INC3-D	50-75 mm/2-3"	0.01 mm/0.001"	7,200
		MMC100-D / INC4-D	75-100 mm/3-4"	0.01 mm/0.001"	8,400
		MMC125-D / INC5-D	100-125 mm/4-5"	0.01 mm/0.001"	9,360
		MMC150-D / INC6-D	125-150 mm/5-6"	0.01 mm/0.001"	9,950
		MMC175-D / INC7-D	150-175 mm/6-7"	0.01 mm/0.001"	14,350
	<b>DISC MICROMETER NON-ROTATING</b>	MMC25-ND/INC1-ND	0-25 mm/0-1"	0.01 mm/0.001"	9,670
		MMC50-ND/INC2-ND	25-50 mm/1-2"	0.01 mm/0.001"	11,620
		MMC75-ND/INC3-ND	50-75 mm/2-3"	0.01 mm/0.001"	12,340
		MMC100-ND/INC4-ND	75-100 mm/3-4"	0.01 mm/0.001"	12,830
	<b>POINT MICROMETER 15°</b>	MMC25-P1/INC1-P1	0-25 mm/0-1"	0.01 mm/0.001"	5,430
		MMC50-P1/INC2-P1	25-50 mm/1-2"	0.01 mm/0.001"	7,060
		MMC75-P1/INC3-P1	50-75 mm/2-3"	0.01 mm/0.001"	8,520
		MMC100-P1/INC4-P1	75-100 mm/3-4"	0.01 mm/0.001"	10,650
	<b>POINT MICROMETER 30°</b>	MMC25-P2/INC1-P2	0-25 mm/0-1"	0.01 mm/0.001"	5,030
		MMC50-P2/INC2-P2	25-50 mm/1-2"	0.01 mm/0.001"	6,290
		MMC75-P2/INC3-P2	50-75 mm/2-3"	0.01 mm/0.001"	7,140
		MMC100-P2/INC4-P2	75-100 mm/3-4"	0.01 mm/0.001"	8,375



W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Price (₹)*
	<b>SPLINE MICROMETER</b> Ø 2.0 mm X 5.0 mm	MMC25-S2/INC1-S2	0-25 mm/0-1"	0.01 mm/0.001"	6,030
		MMC50-S2/INC2-S2	25-50 mm/1-2"	0.01 mm/0.001"	7,550
		MMC75-S2/INC3-S2	50-75 mm/2-3"	0.01 mm/0.001"	8,910
		MMC100-S2/INC4-S2	75-100 mm/3-4"	0.01 mm/0.001"	9,450
	<b>SPLINE MICROMETER</b> Ø 3.0 mm X 8.0 mm	MMC25-S3/INC1-S3	0-25 mm/0-1"	0.01 mm/0.001"	6,030
		MMC50-S3/INC2-S3	25-50 mm/1-2"	0.01 mm/0.001"	7,550
		MMC75-S3/INC3-S3	50-75 mm/2-3"	0.01 mm/0.001"	8,910
		MMC100-S3/INC4-S3	75-100 mm/3-4"	0.01 mm/0.001"	9,450
	<b>TUBE MICROMETER</b> ONE END SPHERICAL	MMC25-T1/INC1-T1	0-25 mm/0-1"	0.01 mm/0.001"	2,980
		MMC50-T1/INC2-T1	25-50 mm/1-2"	0.01 mm/0.001"	3,860
		MMC75-T1/INC3-T1	50-75 mm/2-3"	0.01 mm/0.001"	4,360
		MMC100-T1/INC4-T1	75-100 mm/3-4"	0.01 mm/0.001"	4,800
	<b>TUBE MICROMETER</b> BOTH END SPHERICAL	MMC25-T2/INC1-T2	0-25 mm/0-1"	0.01 mm/0.001"	3,130
		MMC50-T2/INC2-T2	25-50 mm/1-2"	0.01 mm/0.001"	4,070
		MMC75-T2/INC3-T2	50-75 mm/2-3"	0.01 mm/0.001"	4,460
		MMC100-T2/INC4-T2	75-100 mm/3-4"	0.01 mm/0.001"	5,070
	<b>BLADE MICROMETER</b> (BLADE THICKNESS B-0.75 mm)	MMC25-B/INC1-B	0-25 mm/0-1"	0.01 mm/0.001"	9,160
		MMC50-B/INC2-B	25-50 mm/1-2"	0.01 mm/0.001"	9,750
		MMC75-B/INC3-B	50-75 mm/2-3"	0.01 mm/0.001"	10,070
		MMC100-B/INC4-B	75-100 mm/3-4"	0.01 mm/0.001"	11,140
		MMC125-B/INC5-B	100-125 mm/4-5"	0.01 mm/0.001"	16,180
		MMC150-B/INC6-B	125-150 mm/5-6"	0.01 mm/0.001"	18,930
		MMC175-B/INC7-B	150-175 mm/6-7"	0.01 mm/0.001"	20,670
		MMC200-B/INC8-B	175-200 mm/7-8"	0.01 mm/0.001"	22,250
	<b>BLADE MICROMETER</b> (BLADE THICKNESS BA-0.4 mm)	MMC25-BA/INC1-BA	0-25 mm/0-1"	0.01 mm/0.001"	10,520
		MMC50-BA/INC2-BA	25-50 mm/1-2"	0.01 mm/0.001"	11,200
		MMC75-BA/INC3-BA	50-75 mm/2-3"	0.01 mm/0.001"	11,570
		MMC100-BA/INC4-BA	75-100 mm/3-4"	0.01 mm/0.001"	12,800
		MMC125-BA/INC5-BA	100-125 mm/4-5"	0.01 mm/0.001"	20,720
		MMC150-BA/INC6-BA	125-150 mm/5-6"	0.01 mm/0.001"	24,250
		MMC175-BA/INC7-BA	150-175 mm/6-7"	0.01 mm/0.001"	26,480
		MMC200-BA/INC8-BA	175-200 mm/7-8"	0.01 mm/0.001"	28,490

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Price (₹)*
	<b>DEPTH MICROMETER</b>	MMC25-DM60/ INC1-DM60	0-25 mm/0-1"	0.01 mm/0.001"	5,110
		MMC25-1DM60/ INC1-1DM60	0-25 mm/0-1"	0.001 mm/0.0001"	5,340
		MMC25-DM100/ INC1-DM100	0-25 mm/0-1"	0.01 mm/0.001"	5,625
		MMC25-1DM100/ INC1-1DM100	0-25 mm/0-1"	0.001 mm/0.0001"	5,875
		MMC100-DM60/ INC4-DM60	0-100 mm/0-4"	0.01 mm/0.001"	6,255
		MMC100-DM100/ INC4-DM100	0-100 mm/0-4"	0.01 mm/0.001"	6,800
		MMC150-DM60/ INC6-DM60	0-150 mm/0-6"	0.01 mm/0.001"	7,815
		MMC150-DM100/ INC6-DM100	0-150 mm/0-6"	0.01 mm/0.001"	8,600
	<b>MICROMETER HEAD PLAIN</b>	MM25-HP/IN1-HP	0-25 mm/0-1"	0.01 mm/0.001"	1,560
		MM25-1HP/IN1-1HP	0-25 mm/0-1"	0.001 mm/0.0001"	1,720
	<b>MICROMETER HEAD THREADED</b>	MM25-HT/IN1-HT	0-25 mm/0-1"	0.01 mm/0.001"	1,610
		MM25-1HT/INC1-1HT	0-25 mm/0-1"	0.001 mm/0.0001"	1,770
	<b>MICROMETER HEAD DIFFERENTIAL</b>	MMH-P	0-1 mm	0.001 mm	On Request
	<b>DIGITAL MICROMETER (WITHOUT DATA OUTPUT)</b>	DMM25	0-25 mm	0.001 mm/0.00005"	7,980
		DMM50	25-50 mm	0.001 mm/0.00005"	10,405
		DMM75	50-75 mm	0.001 mm/0.00005"	12,320
		DMM100	75-100 mm	0.001 mm/0.00005"	14,250
		DMM125	100-125 mm	0.001 mm/0.00005"	15,710
		DMM150	125-150 mm	0.001 mm/0.00005"	17,625
		DMM175	150-175 mm	0.001 mm/0.00005"	18,870
		DMM200	175-200 mm	0.001 mm/0.00005"	20,755
		DMM225	200-225 mm	0.001 mm/0.00005"	25,600
		DMM250	225-250 mm	0.001 mm/0.00005"	27,670
		DMM275	250-275 mm	0.001 mm/0.00005"	29,750
		DMM300	275-300 mm	0.001 mm/0.00005"	31,830
	<b>DIGITAL MICROMETER (WITH DATA OUTPUT)</b>	DMM25-1	0-25 mm	0.001 mm/0.00005"	9,865
		DMM50-1	25-50 mm	0.001 mm/0.00005"	12,560
		DMM75-1	50-75 mm	0.001 mm/0.00005"	16,075
		DMM100-1	75-100 mm	0.001 mm/0.00005"	18,065
		DATA CABLE P1505	-	-	6,000
	<b>VALUE LINE DIGITAL MICROMETER</b>	DMME25	0-25 mm	0.001 mm	5,820
		DMME50	25-50 mm	0.001 mm	6,980
		DMME75	50-75 mm	0.001 mm	7,860
		DMME100	75-100 mm	0.001 mm	8,730
		DMME125	100-125 mm	0.001 mm	10,200
		DMME150	125-150 mm	0.001 mm	11,000
		DMME175	150-175 mm	0.001 mm	11,950
		DMME200	175-200 mm	0.001 mm	13,210
		DMME225	200-225 mm	0.001 mm	18,400
		DMME250	225-250 mm	0.001 mm	20,250
		DMME275	250-275 mm	0.001 mm	22,100
		DMME300	275-300 mm	0.001 mm	24,300

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Price (₹)*
	DIGITAL NON ROTATING DISC MICROMETER	DMM25-ND	0-25 mm	0.001 mm/0.00005"	19,550
		DMM50-ND	25-50 mm		22,260
		DMM75-ND	50-75 mm		23,940
		DMM100-ND	75-100 mm		26,460
		DMM125-ND	100-125 mm		29,310
		DMM150-ND	125-150 mm		31,920
		DMM175-ND	150-175 mm		34,720
		DMM200-ND	175-200 mm		37,610
	DIGITAL BLADE MICROMETER	DMM25-B	0-25 mm	0.001 mm / 0.00005"	22,670
		DMM50-B	25-50 mm		24,070
		DMM75-B	50-75 mm		25,470
		DMM100-B	75-100 mm		27,370
	DIGITAL POINT MICROMETER 15°	DMM25-P1	0-25 mm	0.001 mm/0.00005"	17,220
		DMM50-P1	25-50 mm		18,400
		DMM75-P1	50-75 mm		19,560
		DMM100-P1	75-100 mm		20,750
	DIGITAL POINT MICROMETER 30°	DMM25-P2	0-25 mm	0.001 mm/0.00005"	17,220
		DMM50-P2	25-50 mm		18,400
		DMM75-P2	50-75 mm		19,560
		DMM100-P2	75-100 mm		20,750
	DIGITAL TUBE MICROMETER ONE END SPHERICAL	DMM25-T1	0-25 mm	0.001 mm/0.00005"	14,990
	DIGITAL TUBE MICROMETER BOTH END SPHERICAL	DMM25-T2	0-25 mm	0.001 mm/0.00005"	17,360
	DIGITAL GEAR MICROMETER	DMM25-G	0-25 mm	0.001 mm / 0.00005"	17,480
		DMM50-G	25-50 mm		18,250
		DMM75-G	50-75 mm		19,030
		DMM100-G	75-100 mm		19,800
	DIGITAL SCREW THREAD MICROMETER	DMM25-ST	0-25 mm	0.001 mm / 0.00005"	19,900
		DMM50-ST	25-50 mm		20,900
		DMM75-ST	50-75 mm		21,000
		DMM100-ST	75-100 mm		22,200

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Price (₹)*
	<b>DIGITAL DEPTH MICROMETER</b>	DMM150-DM60	0-150 mm	0.001 mm / 0.00005"	21,060
	<b>TUBULAR INTERNAL MICROMETER</b>	MMT150	50 - 150 mm	0.01 mm	7,930
		MMT300	50 - 300 mm	0.01 mm	10,680
		MMT500	50 - 500 mm	0.01 mm	14,670
		MMT1000	50 - 1000 mm	0.01 mm	21,370
		MMT1500	50 - 1500 mm	0.01 mm	26,420
	<b>INTERNAL MICROMETER (CALIPER JAW TYPE)</b>	IM30	5-30 mm	0.01 mm	5,350
		IM50	25-50 mm	0.01 mm	6,320
		IM75	50-75 mm	0.01 mm	7,150
		IM100	75-100 mm	0.01 mm	7,920
	<b>MECHANICAL INTERNAL MICROMETER</b>	SMXTA1M/SMXTA1i	2-3 mm / 0.080"-0.120"	0.001 mm/0.0001"	1,32,720
		SMXTA2M/SMXTA2i	3-6 mm / 0.120"-0.250" mm	0.001 mm/0.0001"	1,80,290
		SMXTA3M/SMXTA3i	6-10 mm / 1/4" - 3/8"	0.002 mm/0.0001"	53,130
		SMXTA4M/SMXTA4i	10-20 mm / 3/8" - 3/4"	0.002 mm/0.0001"	71,930
		SXTA5M/SXTA5i	20-50 mm / 3/4" - 2"	0.005 mm/0.00025"	1,17,970
		SXTA6M/SXTA6i	50-100 mm / 2" - 4"	0.005 mm/0.00025"	1,67,900
		SXTA7M/SXTA7i	100-150 mm / 4" - 6"	0.005 mm/0.00025"	1,27,370
		SXTA8M/SXTA8i	150-200 mm / 6" - 8"	0.005 mm/0.00025"	1,85,120
	<b>DIGITAL PISTOL GRIP INTERNAL MICROMETER (XT HOLEMATIC) (IP67, RS232 &amp; BLUETOOTH DATA OUTPUT)</b>	SXTH1M-BT/SXTH1i-BT	2-6 mm / 0.080" - 0.25"	0.001 mm/0.00005"	3,46,980
		SXTH3M-BT/SXTH3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	1,39,970
		SXTH4M-BT/SXTH4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	1,62,180
		SXTH5M-BT/SXTH5i-BT	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	2,12,680
		SXTH6M-BT/SXTH6i-BT	50-100 mm / 2" - 4"	0.001 mm/0.00005"	2,35,310
		SXTH7M-BT/SXTH7i-BT	100-150 mm / 4" - 6"	0.001 mm/0.00005"	2,08,590
		SXTH8M-BT/SXTH8i-BT	150-200 mm / 6" - 8"	0.001 mm/0.00005"	2,76,100
		SXTH9M-BT/SXTH9i-BT	100-200 mm / 4" - 8"	0.001 mm/0.00005"	4,29,400
		SXTH10M-BT/SXTH10i-BT	6-20 mm / 1/4" - 3/4"	0.001 mm/0.00005"	1,90,740
		SXTH11M-BT/SXTH11i-BT	20-100 mm / 3/4" - 4"	0.001 mm/0.00005"	3,34,480
	<b>DIGITAL INTERNAL MICROMETER (XT DIGITAL) (IP67, RS232 &amp; BLUETOOTH DATA OUTPUT)</b>	SXTD1M-BT/SXTD1i-BT	2-6 mm / 0.080" - 0.25"	0.001 mm/0.00005"	3,16,160
		SXTD3M-BT/SXTD3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	1,32,830
		SXTD4M-BT/SXTD4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	1,51,520
		SXTD5M-BT/SXTD5i-BT	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	2,09,430
		SXTD6M-BT/SXTD6i-BT	50-100 mm / 2" - 4"	0.001 mm/0.00005"	2,32,050
		SXTD7M-BT/SXTD7i-BT	100-150 mm / 4" - 6"	0.001 mm/0.00005"	1,97,930
		SXTD8M-BT/SXTD8i-BT	150-200 mm / 6" - 8"	0.001 mm/0.00005"	2,62,140
		SXTD9M-BT/SXTD9i-BT	100-200 mm / 4" - 8"	0.001 mm/0.00005"	4,16,800
	<b>LARGE DIAMETER 3-POINT DIGITAL INTERNAL MICROMETER (XT500) (IP67, RS232 &amp; BLUETOOTH DATA OUTPUT)</b>	SXT3000M-BT	300 - 400 mm	0.001 mm/0.00005"	5,53,350
		SXT4000M-BT	400 - 500 mm	0.001 mm/0.00005"	6,82,500
		SXT5000M-BT	300 - 500 mm	0.001 mm/0.00005"	8,68,300

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	LEVER TYPE INTERNAL MICROMETER (XTL)	SXTL3M-BT/SXTL3i-BT	6-10 mm / 1/4" - 3/8"	0.001 mm/0.00005"	0.001 mm/0.00005"	1,39,920
		SXTL4M-BT/SXTL4i-BT	10-20 mm / 3/8" - 3/4"	0.001 mm/0.00005"	0.001 mm/0.00005"	1,62,020
		SXTL5M/SXTL5i	20-50 mm / 3/4" - 2"	0.001 mm/0.00005"	0.001 mm/0.00005"	2,10,000
		SXTL6M/SXTL6i	50-100 mm / 2" - 4"	0.001 mm/0.00005"	0.001 mm/0.00005"	2,34,630
	BACK PLUNGER TYPE DIAL GAUGE (MODEL 38)	FO1	2 mm	0.01 mm	0-50-0	2,630
		FO2	2 mm	0.01 mm	0-100	2,630
		F51	0.1"	0.001"	0-50-0	2,950
		F52	0.1"	0.001"	0-100	2,950
	UNIVERSAL TEST SET	UI01	2 mm	0.01 mm	0-50-0	4,320
		UI02	2 mm	0.01 mm	0-100	4,320
		UI51	0.1"	0.001"	0-50-0	4,750
		UI52	0.1"	0.001"	0-100	4,750
	TYRE TREAD DEPTH GAUGE	TTG01	8 mm	0.1 mm	-	2,180
		TTG02	0.32"	0.004"	-	2,400
	CRANK SHAFT GAUGE	CS1	60-600 mm	0.01 mm	0-50	8,020
		CS2	2.4"-23.6"	0.0005"	0-20	8,810
	DIAL DEPTH GAUGE	K158/0	0-200 mm	0.1 mm	10-0	3,350
		K158/3	0-200 mm	0.01 mm	100-0	3,800
		K158/1	0-8"	0.001"	100-0	4,180
	DIGITAL DIAL DEPTH GAUGE	K158/D	0-200 mm/0.8"	0.01 mm/0.0005"	-	10,750
		K158/DP	0-200 mm/0.8"	0.001 mm/0.00005"	-	15,690
	VERNIER HEIGHT GAUGE	VH300	0-300 mm/0-12"	0.02 mm/0.001"	-	15,990
		VH600	0-600 mm/0-24"	0.02 mm/0.001"	-	27,140
	DIGITAL HEIGHT GAUGE	DH300	0-300 mm/0-12"	0.01 mm/0.0005"	-	27,060
		DH600	0-600 mm/24"	0.01 mm/0.0005"	-	49,710
		DH1000	0-1000 mm/0-40"	0.01 mm/0.0005"	-	80,740

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	<b>DOUBLE COLUMN DIGITAL HEIGHT GAUGE</b>	DCDH300	0-300 mm/0-12"	0.010 mm/0.0005"	-	38,120
		DCDH600	0-600 mm/0-24"	0.010 mm/0.0005"	-	57,170
	<b>UNIVERSAL BEVEL PROTRACTOR</b>		0-360°	-	5'	6,590
	<b>PRECISION SPIRIT LEVEL</b>	BSL 150	150 x 44 x 46 mm	0.02 mm/m	-	9,890
		BSL 200	200 x 48 x 46 mm	0.02 mm/m	-	10,340
		BSL 300	300 x 48 x 46 mm	0.02 mm/m	-	12,870
	<b>PORTABLE SURFACE ROUGHNESS TESTER SRT200</b>	SRT200	Refer our single page leaflet for details.			1,15,000
	<b>HIGH QUALITY GAUGE BLOCK SETS</b>	(M112/1 in steel /Carbide in Grade 0/1. M83 in steel in Grade II. Other sets on requests)				On request
	<b>HIGH PRECISION 2D HEIGHT GAUGES</b>	PROHEIGHT 400	450 mm	0.01/0.005/0.001/0.0005/0.0001 mm Refer our single page leaflet for details.		2,35,000
		PROHEIGHT 400P	450 mm			3,35,000
		PROHEIGHT 700	700 mm			2,80,000
		PROHEIGHT 700 P	700 mm			3,80,000
		PROHEIGHT 1000	1000 mm			3,30,000
		PROHEIGHT 1000P	1000 mm			4,30,000

W.E.F. 01-04-2026

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	DIGITAL COATING THICKNESS TESTER	CTG-E	0 to 2000 µm	1 µm	Refer our single page leaflet for details	33,100
		CTG-P	0-2000 µm	0.1 µm	Refer our single page leaflet for details	88,000
	DIGITAL SHORE HARDNESS TESTER	Shore A/Shore D	0 to 100 H	0.1 H	Refer our single page leaflet for details	46,100
	ULTRASONIC THICKNESS TESTER	UTG-300	0.5 to 200 mm	0.01 mm	Refer our single page leaflet for details	33,100
	PORTABLE HARDNESS TESTER	Leeb /UCI / Combined (ULHT100)	HV 50-1599 HRC 20 -68 HB (BHN) 76-650 HRB 41 -98 HLD 170 – 960	HRC HRB HRA HB HV HLD	Refer our single page leaflet for details	4,95,000
	DIGITAL FORCE TESTER	DFG500	50 Kg/ 500 N/ 110 lbf	N/Kgf/lbf/gf/mN	Refer our single page leaflet for details	46,100



# INSIST ON

# BAKER

...a passion for precision

**Proudly Made in India...Since 1962**  
**Consistency & Reliability**  
**Exported to 60+ Countries Worldwide**  
**After Sales Service & Spares**  
**Certificate of Calibration**



K703



K803



K40



302



W1



K02



K17S



UNIVERSAL  
MAGNETIC  
STAND

DS25



INTERNAL GROOVE CALIPER



COMPARATOR STAND



VC10



DC10



SDN10



ZD10



UNIVERSAL  
BEVEL PROTRACTOR



THREAD RING GAUGE



THREAD PLUG GAUGE



MASTER SETTING RING



SPLINE RING GAUGE



SPLINE PLUG GAUGE



GAUGE BLOCK SET



MMC25



DMM25



MICROMETER HEAD



TUBULAR INTERNAL MICROMETER



DIGITAL INTERNAL MICROMETER



MICROMETER STAND



2045-NAEP



'DIAL' TYPE AIR GAUGE



AIR PLUG GAUGE



AIR ELECTRONIC 'SPC' GAUGE



AIR RING GAUGE



AIR CALIPER



2940 V



2940

2940 R



VERNIER  
HEIGHT GAUGE



DIGITAL  
HEIGHT GAUGE



DOUBLE COLUMN  
DIGITAL HEIGHT GAUGE



# GOKUL

TRADERS  
FOR EVERY INDUSTRIAL NEED

[www.gokultraders.com](http://www.gokultraders.com)

983, Raviwar Peth, Laxmi Road, Pune - 411002

Mob: 7972969901 | 7410524141