


Vernier Height Gauge



VH600

VH300

Type	Reading	Range
VH 300	0.02 mm/0.001"	0-300 mm/0 -12"
VH 600	0.02 mm/0.001"	0-600 mm/0 -24"



FEATURES

- Rigid stainless steel construction
- Dual scale (in Metric & Inch)
- Adjustable main scale for quick and convenient zero setting.
- With fine adjustment
- Carbide tipped scriber
- Glass magnifier for better readability
- Accuracy specification based on JIS B 7517


Digital Height Gauge



RANGE: 0-300mm, 0-600mm, 0-1000mm



DH300 / DH600




Standard accessories 1. Scriber 2. Scriber holder 3. Height gauge adaptor 4. Dial gauge holder 5. Universal clamp assembly supplied with each height gauges.

Type	Range	Reading
DH300	0-300 mm / 0-12 inch	0.01 mm / 0.0005 inch
DH600	0-600 mm / 0-24 inch	0.01 mm / 0.0005 inch
DH1000	0-1000mm / 0-40 inch	0.01mm / 0.0005 inch

FEATURES

- Robustly constructed, stainless steel column with clearly marked scale graduation
- A clear multifunction digital LCD display runs smoothly on an analogue vertical scale
- Fine adjustment with lock provided for ease of setting
- For easy and precise maneuverability, the base has a specially designed thumb grip
- Fitted with metal rack for better life
- Carbide tipped scriber helps fine scribing on work pieces
- Inch/mm conversion of measurement value at any position on the scale
- User defined preset value can be entered at any position on the scale
- Zero can be set at any point on the scale; suitable for Relative and Absolute measurement
- Display Hold and Tolerance limit setting
- Power ON/OFF. Powered by easily replaceable silver oxide battery (Type SR44, 1.55V)
- Operating environment:-
Temperature 5 to 45 °C, Humidity ≤ 80% RH
- Each gauge carries a calibration certificate giving actual values
- Measurement and transfer of heights, scribing and marking of work pieces and other measurements like run out, center distance etc. by using a lever type dial indicator
- Accuracy :
0-50mm 0.02mm, 50-200mm 0.03mm,
200-400mm 0.04mm, 400-600mm 0.05mm,
600-800mm 0.06mm, 800-1000mm, 0.07mm

DH1000




Digital Height Gauge

DOUBLE COLUMN DIGITAL HEIGHT GAUGE



DCDH 300/600



TYPE	A	B	C	D
DCDH 300	135.0	90.0	45.0	475.0
DCDH 600	180.0	120.0	55.0	800.0

	Model : DCDH - 300	Model : DCDH - 600
Range of Height Gauge	0-300 mm / 0-12"	0-600 mm / 0-24"
Least Count	0.01mm/0.0005"	0.01mm/0.0005"
Battery	1.5v SR44	1.5v SR44
Height gauge base	Rigid	Rigid
Adjustable Zero reference point	Zero can be set at any position (Height)	Zero can be set at any position (Height)
Scriber	Scriber with carbide tip and protection cap	Scriber with carbide tip and protection cap
Preset Facility	P+ & P- buttons used to preset any value at any height	P+ & P- buttons used to preset any value at any height
Calibration	With Calibration certificate traceable to National standard.	With Calibration certificate traceable to National standard.
Accuracy	±0.040mm	±0.050mm

