

CODE U1335
INDEXING MILLING FIXTURE HORIZONTAL & VERTICAL
WITH CHUCK
WITH OPTIONAL TAIL STOCK



DESCRIPTION

- Entire range of horizontal, vertical indexed milling operations can be done with our range of products.
- Faster clamping & rapid indexing is possible.
- Indexing Fixture models offers the combined features of U352 Dividing head & U354 Rotary Table.
- Movable Parts are hardened & Ground for better wear resistance
- Can be used on surface grinding also.
- Combination of ball bearings and taper roller bearings provide accurate & easy rotation.
- Tail Stock is featured with lead screw for fine tuning the center for long jobs.
- 24 rapid indexing positions are provided.
- Provided with a graduated collar with 1° least count which facilitates odd degree indexing.
- More economical pricing than conventional dividing head or rotary table.

Technical Specifications

All dimensions in mm

Sr. No.	Model No.	Length (mm)	Width (mm)	Height (mm)	Std. Indexing Positions	Weight (kg)	Center Height	Chuck Details	Indexing Accuracy
1	IMF H/V 080	200	110	185	24	24	85	With 80 mm 3 jaws chuck	0.03mm/15 s
2	IMF H/V 100	200	110	185	24	25	85	With 100 mm 3 jaws chuck	0.03mm/15 s
3	IMF H/V 125	200	110	185	24	30	85	With 125 mm 3 jaws chuck	0.03mm/15 s
4	IMF H/V 160	225	140	240	24	45	120	With 160 mm 3 jaws chuck	0.03mm/15 s
5	IMF H/V 200	225	140	240	24	50	140	With 200 mm 3 jaws chuck	0.03mm/15 s